

Christina Hampton

Associate Scientist, SLAC National Accelerator Laboratory

Publications

PUBLICATIONS

- **Attosecond-pump attosecond-probe x-ray spectroscopy of liquid water.** *Science (New York, N.Y.)*
Li, S., Lu, L., Bhattacharyya, S., Pearce, C., Li, K., Nienhuis, E. T., Doumy, G., Schaller, R. D., Moeller, S., Lin, M. F., Dakovski, G., Hoffman, D. J., Garratt, et al
2024: eadn6059
- **Concentric-flow electrokinetic injector enables serial crystallography of ribosome and photosystem II** *NATURE METHODS*
Sierra, R. G., Gati, C., Laksmono, H., Dao, E. H., Gul, S., Fuller, F., Kern, J., Chatterjee, R., Ibrahim, M., Brewster, A. S., Young, I. D., Michels-Clark, T., Aquila, et al
2016; 13 (1): 59-?
- **Single-shot diffraction data from the Mimivirus particle using an X-ray free-electron laser.** *Scientific data*
Ekeberg, T., Svenda, M., Seibert, M. M., Abergel, C., Maia, F. R., Seltzer, V., Deponte, D. P., Aquila, A., Andreasson, J., Iwan, B., Jönsson, O., Westphal, D., Odic, et al
2016; 3: 160060-?
- **Anomalous Behavior of the Homogeneous Ice Nucleation Rate in "No-Man's Land"** *JOURNAL OF PHYSICAL CHEMISTRY LETTERS*
Laksmono, H., McQueen, T. A., Sellberg, J. A., Loh, N. D., Huang, C., Schlesinger, D., Sierra, R. G., Hampton, C. Y., Nordlund, D., Beye, M., Martin, A. V., Barty, A., Seibert, et al
2015; 6 (14): 2826-2832
- **Anomalous Behavior of the Homogeneous Ice Nucleation Rate in "No-Man's Land".** *journal of physical chemistry letters*
Laksmono, H., McQueen, T. A., Sellberg, J. A., Loh, N. D., Huang, C., Schlesinger, D., Sierra, R. G., Hampton, C. Y., Nordlund, D., Beye, M., Martin, A. V., Barty, A., Seibert, et al
2015; 6 (14): 2826-2832
- **Ultrafast X-ray probing of water structure below the homogeneous ice nucleation temperature** *NATURE*
Sellberg, J. A., Huang, C., McQueen, T. A., Loh, N. D., Laksmono, H., Schlesinger, D., Sierra, R. G., Nordlund, D., Hampton, C. Y., Starodub, D., DePonte, D. P., Beye, M., Chen, et al
2014; 510 (7505): 381-?
- **Sensing the wavefront of x-ray free-electron lasers using aerosol spheres** *OPTICS EXPRESS*
Loh, N. D., Starodub, D., Lomb, L., Hampton, C. Y., Martin, A. V., Sierra, R. G., Barty, A., Aquila, A., Schulz, J., Steinbrener, J., Shoeman, R. L., Kassemeyer, S., Bostedt, et al
2013; 21 (10): 12385-12394
- **Single-particle structure determination by correlations of snapshot X-ray diffraction patterns** *NATURE COMMUNICATIONS*
Starodub, D., Aquila, A., Bajt, S., Barthelmess, M., Barty, A., Bostedt, C., Bozek, J. D., Coppola, N., Doak, R. B., Epp, S. W., Erk, B., Foucar, L., GUMPRECHT, et al
2012; 3
- **Nanoflow electrospinning serial femtosecond crystallography** *ACTA CRYSTALLOGRAPHICA SECTION D-BIOLOGICAL CRYSTALLOGRAPHY*
Sierra, R. G., Laksmono, H., Kern, J., Rosalie Tran, R., Hattne, J., Alonso-Mori, R., Lassalle-Kaiser, B., Gloeckner, C., Hellmich, J., Schafer, D. W., Echols, N., Gildea, R. J., Grosse-Kunstleve, et al
2012; 68: 1584-1587

- **High-Resolution Protein Structure Determination by Serial Femtosecond Crystallography** *SCIENCE*
Boutet, S., Lomb, L., Williams, G. J., Barends, T. R., Aquila, A., Doak, R. B., Weierstall, U., Deponte, D. P., Steinbrener, J., Shoeman, R. L., Messerschmidt, M., Barty, A., White, et al
2012; 337 (6092): 362-364
- **In vivo protein crystallization opens new routes in structural biology** *NATURE METHODS*
Koopmann, R., Cupelli, K., Redecke, L., Nass, K., Deponte, D. P., White, T. A., Stellato, F., Rehders, D., Liang, M., Andreasson, J., Aquila, A., Bajt, S., Barthelmess, et al
2012; 9 (3): 259-U54
- **Lipidic phase membrane protein serial femtosecond crystallography** *NATURE METHODS*
Johansson, L. C., Arnlund, D., White, T. A., Katona, G., Deponte, D. P., Weierstall, U., Doak, R. B., Shoeman, R. L., Lomb, L., Malmerberg, E., Davidsson, J., Nass, K., Liang, et al
2012; 9 (3): 263-U59
- **Femtosecond free-electron laser x-ray diffraction data sets for algorithm development** *OPTICS EXPRESS*
Kassemeyer, S., Steinbrener, J., Lomb, L., Hartmann, E., Aquila, A., Barty, A., Martin, A. V., Hampton, C. Y., Bajt, S., Barthelmess, M., Barends, T. R., Bostedt, C., Bott, et al
2012; 20 (4): 4149-4158
- **Self-terminating diffraction gates femtosecond X-ray nanocrystallography measurements** *NATURE PHOTONICS*
Barty, A., Caleman, C., Aquila, A., Timneanu, N., Lomb, L., White, T. A., Andreasson, J., Arnlund, D., Bajt, S., Barends, T. R., Barthelmess, M., Bogan, M. J., Bostedt, et al
2012; 6 (1): 35-40
- **Radiation damage in protein serial femtosecond crystallography using an x-ray free-electron laser** *PHYSICAL REVIEW B*
Lomb, L., Barends, T. R., Kassemeyer, S., Aquila, A., Epp, S. W., Erk, B., Foucar, L., Hartmann, R., Rudek, B., Rolles, D., Rudenko, A., Shoeman, R. L., Andreasson, et al
2011; 84 (21)
- **Single particle imaging with soft X-rays at the Linac Coherent Light Source** *Conference on Advances in X-ray Free-Electron Lasers - Radiation Schemes, X-ray Optics, and Instrumentation*
Martin, A. V., Andreasson, J., Aquila, A., Bajt, S., Barends, T. R., Barthelmess, M., Barty, A., Benner, W. H., Bostedt, C., Bozek, J. D., Bucksbaum, P., Caleman, C., Coppola, et al
SPIE-INT SOC OPTICAL ENGINEERING.2011
- **Single-particle coherent diffractive imaging with a soft x-ray free electron laser: towards soot aerosol morphology** *JOURNAL OF PHYSICS B-ATOMIC MOLECULAR AND OPTICAL PHYSICS*
Bogan, M. J., Starodub, D., Hampton, C. Y., Sierra, R. G.
2010; 43 (19)
- **Peptidyl alpha-ketoamides with nucleobases, methylpiperazine, and dimethylaminoalkyl substituents as calpain inhibitors.** *Journal of medicinal chemistry*
Ovat, A., Li, Z. Z., Hampton, C. Y., Asress, S. A., Fernández, F. M., Glass, J. D., Powers, J. C.
2010; 53 (17): 6326-36
- **Comparison of the internal energy deposition of direct analysis in real time and electrospray ionization time-of-flight mass spectrometry.** *Journal of the American Society for Mass Spectrometry*
Harris, G. A., Hostetler, D. M., Hampton, C. Y., Fernández, F. M.
2010; 21 (5): 855-63
- **Transmission-mode direct analysis in real time and desorption electrospray ionization mass spectrometry of insecticide-treated bednets for malaria control.** *The Analyst*
Pérez, J. J., Harris, G. A., Chipuk, J. E., Brodbelt, J. S., Green, M. D., Hampton, C. Y., Fernández, F. M.
2010; 135 (4): 712-9
- **Ovarian cancer detection from metabolomic liquid chromatography/mass spectrometry data by support vector machines.** *BMC bioinformatics*
Guan, W., Zhou, M., Hampton, C. Y., Benigno, B. B., Walker, L. D., Gray, A., McDonald, J. F., Fernández, F. M.
2009; 10: 259

- **Comparison of the internal energy deposition of Venturi-assisted electrospray ionization and a Venturi-assisted array of micromachined ultrasonic electrospays (AMUSE).** *Journal of the American Society for Mass Spectrometry*
Hampton, C. Y., Silvestri, C. J., Forbes, T. P., Varady, M. J., Meacham, J. M., Fedorov, A. G., Degertekin, F. L., Fernández, F. M.
2008; 19 (9): 1320-9
- **Analytical performance of a venturi-assisted array of micromachined ultrasonic electrospays coupled to ion trap mass spectrometry for the analysis of peptides and proteins.** *Analytical chemistry*
Hampton, C. Y., Forbes, T. P., Varady, M. J., Meacham, J. M., Fedorov, A. G., Degertekin, F. L., Fernández, F. M.
2007; 79 (21): 8154-61
- **Characterization of solid counterfeit drug samples by desorption electrospray ionization and direct-analysis-in-real-time coupled to time-of-flight mass spectrometry.** *ChemMedChem*
Fernández, F. M., Cody, R. B., Green, M. D., Hampton, C. Y., McGready, R., Sengaloundeth, S., White, N. J., Newton, P. N.
2006; 1 (7): 702-5