

Stanford



Sunita Pal

Clinical Professor, Radiology

CLINICAL OFFICE (PRIMARY)

2589 Samaritan Dr

San Jose, CA 95124

Tel (650) 498-6000 Fax (669) 233-2172

Bio

CLINICAL FOCUS

- Diagnostic Radiology

ACADEMIC APPOINTMENTS

- Clinical Professor, Radiology

PROFESSIONAL EDUCATION

- Residency: Stanford University School of Medicine (2003) CA
- Medical Education: Stanford University School of Medicine (1998) CA
- Internship: Penn State College of Medicine (1999) PA
- Board Certification: Diagnostic Radiology, American Board of Radiology (2003)

Publications

PUBLICATIONS

- **Nipple Sparing Mastectomy Technique to Reduce Ischemic Complications: Preserving Important Blood Flow Based on Breast MRI.** *World journal of surgery*
Karin, M. R., Pal, S., Ikeda, D., Silverstein, M., Momeni, A.
2022
- **Nipple-sparing mastectomy with internal mammary artery perforator preservation based on breast MRI reduces ischemic complications**
Karin, M., Pal, S., Silverstein, M., Momeni, A.
SPRINGER.2022: 205-207
- **Prognostic values of quantitative and morphological parameters of dbPET in patients with luminal-type breast cancer: A pilot study**
Miyake, K., Nakamoto, Y., Ikeda, D., Igaru, A., Daniel, B., Lipson, J., Pal, S., Mitra, E., Guo, H., Kanao, S., Kataoka, M., Toi, M., Togashi, et al
SOC NUCLEAR MEDICINE INC.2020
- **A randomized phase II study comparing surgical excision versus NeOadjuvant Radiotherapy followed by delayed surgical excision of Ductal carcinoma In Situ (NORDIS)**
Wapnir, I., DeMartini, W., Allison, K., Stone, K., Dirbas, F., Marquez, C., Ikeda, D., Pal, S., Tsai, J., Yang, R., West, R., McMillan, A., Telli, et al
AMER ASSOC CANCER RESEARCH.2020

- **Pretreatment Tattoo Marking of Suspicious Axillary Lymph Nodes: Reliability and Correlation with Sentinel Lymph Node** *ANNALS OF SURGICAL ONCOLOGY*
Patel, R., MacKerricher, W., Tsai, J., Choy, N., Lipson, J., Ikeda, D., Pal, S., De Martini, W., Allison, K. H., Wapnir, I. L.
2019; 26 (8): 2452–58
- **Pretreatment Tattoo Marking of Suspicious Axillary Lymph Nodes: Reliability and Correlation with Sentinel Lymph Node.** *Annals of surgical oncology*
Patel, R., MacKerricher, W., Tsai, J., Choy, N., Lipson, J., Ikeda, D., Pal, S., De Martini, W., Allison, K. H., Wapnir, I. L.
2019
- **Improving Performance of Mammographic Breast Positioning in an Academic Radiology Practice** *AMERICAN JOURNAL OF ROENTGENOLOGY*
Pal, S., Ikeda, D. M., Jesinger, R. A., Mickelsen, L., Chen, C. A., Larson, D. B.
2018; 210 (4): 807–15
- **Association of morphological and quantitative parameters on dedicated breast PET with the expression status of hormone receptors, HER2 and Ki-67 in breast cancers**
Miyake, K., Ikeda, D., Lagaru, A., Quon, A., Daniel, B., Lipson, J., Pal, S., Mitra, E., Guo, H., Nakamoto, Y., Nishimatsu, K., Kanao, S., Kataoka, et al
SOC NUCLEAR MEDICINE INC.2017
- **Correlation of percutaneously biopsied axillary lymph nodes marked with black tattoo ink prior to neoadjuvant chemotherapy with sentinel lymph nodes in breast cancer patients**
Choy, N., Lipson, J., Pal, S., Ikeda, D., Trinh, L., Allison, K., Ozawa, M., Wheeler, A., Wapnir, I.
AMER ASSOC CANCER RESEARCH.2015
- **Rim Sign in Breast Lesions on Diffusion-Weighted Magnetic Resonance Imaging: Diagnostic Accuracy and Clinical Usefulness** *JOURNAL OF MAGNETIC RESONANCE IMAGING*
Kang, B. J., Lipson, J. A., Planey, K. R., Zackrisson, S., Ikeda, D. M., Kao, J., Pal, S., Moran, C. J., Daniel, B. L.
2015; 41 (3): 616-623
- **Initial results with preoperative tattooing of biopsied axillary lymph nodes and correlation to sentinel lymph nodes in breast cancer patients.** *Annals of surgical oncology*
Choy, N., Lipson, J., Porter, C., Ozawa, M., Kierny, A., Pal, S., Kao, J., Trinh, L., Wheeler, A., Ikeda, D., Jensen, K., Allison, K., Wapnir, et al
2015; 22 (2): 377-382
- **Initial Results With Black Ink Tattooing of Biopsied Axillary Lymph Nodes**
Choy, N. S., Lipson, J., Kierny, A., Porter, C., Ikeda, D., Pal, S., Trinh, L., Ozawa, M., Allison, K., Jensen, K., Wapnir, I.
SPRINGER.2014: 35–36
- **Why Are Patients Noncompliant With Follow-Up Recommendations After MRI-Guided Core Needle Biopsy of Suspicious Breast Lesions?** *AJR. American journal of roentgenology*
Thompson, M. O., Lipson, J., Daniel, B., Harrigal, C., Mullarkey, P., Pal, S., Thompson, A. C., Ikeda, D.
2013; 201 (6): 1391-1400
- **Freehand MRI-Guided Preoperative Needle Localization of Breast Lesions After MRI-Guided Vacuum-Assisted Core Needle Biopsy Without Marker Placement** *JOURNAL OF MAGNETIC RESONANCE IMAGING*
van de Ven, S. M., Lin, M. C., Daniel, B. L., Sareen, P., Lipson, J. A., Pal, S., Dirbas, F. M., Ikeda, D. M.
2010; 32 (1): 101-109
- **Estrogen receptor-negative invasive breast cancer: Imaging features of tumors with and without human epidermal growth factor receptor type 2 overexpression** *RADIOLOGY*
Wang, Y., Ikeda, D. M., Narasimhan, B., Longacre, T. A., Bleicher, R. J., Pal, S., Jackman, R. J., Jeffrey, S. S.
2008; 246 (2): 367-375
- **Mammographic screening in women at increased risk of breast cancer after treatment of Hodgkin's disease** *American-Society-of-Breast-Disease Symposium*
Kwong, A., Hancock, S. L., Bloom, J. R., Pal, S., Birdwell, R. L., Mariscal, C., Ikeda, D. M.
BLACKWELL PUBLISHING.2008: 39–48
- **MRI-guided needle localization of suspicious breast lesions: results of a freehand technique** *EUROPEAN RADIOLOGY*
van den Bosch, M. A., Daniel, B. L., Pal, S., Nowels, K. W., Birdwell, R. L., Jeffrey, S. S., Ikeda, D. M.

2006; 16 (8): 1811-1817

- **Compliance with recommended follow-up after fine-needle aspiration biopsy of nonpalpable breast lesions: A retrospective study** 1995
Annual Meeting of the Radiological-Society-of-North-America
Pal, S., Ikeda, D. M., Birdwell, R. L.
RADIOLOGICAL SOC NORTH AMER. 1996: 71-74