

Bob Hu

- Adjunct Professor, Electrical Engineering
- Professor, Electrical Engineering

Publications

PUBLICATIONS

- **Initial Invasive or Conservative Strategy for Stable Coronary Disease.** *The New England journal of medicine*
Maron, D. J., Hochman, J. S., Reynolds, H. R., Bangalore, S. n., O'Brien, S. M., Boden, W. E., Chaitman, B. R., Senior, R. n., López-Sendón, J. n., Alexander, K. P., Lopes, R. D., Shaw, L. J., Berger, et al
2020
- **Health-Status Outcomes with Invasive or Conservative Care in Coronary Disease.** *The New England journal of medicine*
Spertus, J. A., Jones, P. G., Maron, D. J., O'Brien, S. M., Reynolds, H. R., Rosenberg, Y. n., Stone, G. W., Harrell, F. E., Boden, W. E., Weintraub, W. S., Baloch, K. n., Mavromatis, K. n., Diaz, et al
2020
- **Combined T2 -preparation and multidimensional outer volume suppression for coronary artery imaging with 3D cones trajectories.** *Magnetic resonance in medicine*
Zeng, D. Y., Baron, C. A., Malave, M. O., Kerr, A. B., Yang, P. C., Hu, B. S., Nishimura, D. G.
2019
- **Baseline Characteristics and Risk Profiles of Participants in the ISCHEMIA Randomized Clinical Trial.** *JAMA cardiology*
Hochman, J. S., Reynolds, H. R., Bangalore, S., O'Brien, S. M., Alexander, K. P., Senior, R., Boden, W. E., Stone, G. W., Goodman, S. G., Lopes, R. D., Lopez-Sendon, J., White, H. D., Maggioni, et al
2019
- **Whole-heart coronary MR angiography using a 3D cones phyllotaxis trajectory** *MAGNETIC RESONANCE IN MEDICINE*
Malave, M. O., Baron, C. A., Addy, N., Cheng, J. Y., Yang, P. C., Hu, B. S., Nishimura, D. G.
2019; 81 (2): 1092–1103
- **Whole-heart coronary MR angiography using a 3D cones phyllotaxis trajectory.** *Magnetic resonance in medicine*
Malave, M. O., Baron, C. A., Addy, N. O., Cheng, J. Y., Yang, P. C., Hu, B. S., Nishimura, D. G.
2018
- **3D image-based navigators for coronary MR angiography** *MAGNETIC RESONANCE IN MEDICINE*
Addy, N. O., Ingle, R. R., Luo, J., Baron, C. A., Yang, P. C., Hu, B. S., Nishimura, D. G.
2017; 77 (5): 1874-1883
- **Nonrigid Motion Correction With 3D Image-Based Navigators for Coronary MR Angiography** *MAGNETIC RESONANCE IN MEDICINE*
Luo, J., Addy, N. O., Ingle, R. R., Baron, C. A., Cheng, J. Y., Hu, B. S., Nishimura, D. G.
2017; 77 (5): 1884-1893
- **3D image-based navigators for coronary MR angiography.** *Magnetic resonance in medicine*
Addy, N. O., Ingle, R. R., Luo, J., Baron, C. A., Yang, P. C., Hu, B. S., Nishimura, D. G.
2016
- **Nonrigid motion correction with 3D image-based navigators for coronary MR angiography.** *Magnetic resonance in medicine*
Luo, J., Addy, N. O., Ingle, R. R., Baron, C. A., Cheng, J. Y., Hu, B. S., Nishimura, D. G.
2016
- **Combined Outer Volume Suppression and T-2 Preparation Sequence for Coronary Angiography** *MAGNETIC RESONANCE IN MEDICINE*

- Luo, J., Addy, N. O., Ingle, R. R., Hargreaves, B. A., Hu, B. S., Nishimura, D. G., Shin, T.
2015; 74 (6): 1632-1639
- **Combined outer volume suppression and T2 preparation sequence for coronary angiography.** *Magnetic resonance in medicine*
Luo, J., Addy, N. O., Ingle, R. R., Hargreaves, B. A., Hu, B. S., Nishimura, D. G., Shin, T.
2015; 74 (6): 1632-9
 - **Non-contrast-enhanced peripheral angiography using a sliding interleaved cylinder acquisition.** *Magnetic resonance in medicine*
Kwon, K. T., Kerr, A. B., Wu, H. H., Hu, B. S., Brittain, J. H., Nishimura, D. G.
2015; 74 (3): 727-738
 - **High-resolution variable-density 3D cones coronary MRA** *MAGNETIC RESONANCE IN MEDICINE*
Addy, N. O., Ingle, R. R., Wu, H. H., Hu, B. S., Nishimura, D. G.
2015; 74 (3): 614-621
 - **Non-contrast-enhanced peripheral angiography using a sliding interleaved cylinder acquisition** *MAGNETIC RESONANCE IN MEDICINE*
Kwon, K. T., Kerr, A. B., Wu, H. H., Hu, B. S., Brittain, J. H., Nishimura, D. G.
2015; 74 (3): 727-738
 - **High-resolution variable-density 3D cones coronary MRA.** *Magnetic resonance in medicine*
Addy, N. O., Ingle, R. R., Wu, H. H., Hu, B. S., Nishimura, D. G.
2015; 74 (3): 614-621
 - **Cardiovascular magnetic resonance phase contrast imaging** *JOURNAL OF CARDIOVASCULAR MAGNETIC RESONANCE*
Nayak, K. S., Nielsen, J., Bernstein, M. A., Markl, M., Gatehouse, P. D., Botnar, R. M., Saloner, D., Lorenz, C., Wen, H., Hu, B. S., Epstein, F. H., Oshinski, J. N., Raman, et al
2015; 17
 - **Self-Gated Fat-Suppressed Cardiac Cine MRI** *MAGNETIC RESONANCE IN MEDICINE*
Ingle, R. R., Santos, J. M., Overall, W. R., McConnell, M. V., Hu, B. S., Nishimura, D. G.
2015; 73 (5): 1764-1774
 - **Rapid Single-Breath-Hold 3D Late Gadolinium Enhancement Cardiac MRI Using a Stack-of-Spirals Acquisition** *JOURNAL OF MAGNETIC RESONANCE IMAGING*
Shin, T., Lustig, M., Nishimura, D. G., Hu, B. S.
2014; 40 (6): 1496-1502
 - **Rapid single-breath-hold 3D late gadolinium enhancement cardiac MRI using a stack-of-spirals acquisition.** *Journal of magnetic resonance imaging*
Shin, T., Lustig, M., Nishimura, D. G., Hu, B. S.
2014; 40 (6): 1496-1502
 - **Nonrigid autofocus motion correction for coronary MR angiography with a 3D cones trajectory.** *Magnetic resonance in medicine*
Ingle, R. R., Wu, H. H., Addy, N. O., Cheng, J. Y., Yang, P. C., Hu, B. S., Nishimura, D. G.
2014; 72 (2): 347-361
 - **Off-resonance-robust velocity-selective magnetization preparation for non-contrast-enhanced peripheral MR angiography.** *Magnetic resonance in medicine*
Shin, T., Hu, B. S., Nishimura, D. G.
2013; 70 (5): 1229-1240
 - **Off-resonance-robust velocity-selective magnetization preparation for non-contrast-enhanced peripheral MR angiography.** *Magnetic resonance in medicine*
Shin, T., Hu, B. S., Nishimura, D. G.
2013; 70 (5): spcone-?
 - **Non-contrast-enhanced renal and abdominal MR angiography using velocity-selective inversion preparation.** *Magnetic resonance in medicine*
Shin, T., Worters, P. W., Hu, B. S., Nishimura, D. G.
2013; 69 (5): 1268-1275
 - **Reproducibility study for free-breathing measurements of pyruvate metabolism using hyperpolarized ¹³C in the heart** *MAGNETIC RESONANCE IN MEDICINE*

- Wu, H. H., Gurney, P. T., Hu, B. S., Nishimura, D. G., McConnell, M. V.
2013; 69 (4): 1083-1093
- **Free-breathing multiphase whole-heart coronary MR angiography using image-based navigators and three-dimensional cones imaging.** *Magnetic resonance in medicine : official journal of the Society of Magnetic Resonance in Medicine / Society of Magnetic Resonance in Medicine*
Wu, H. H., Gurney, P. T., Hu, B. S., Nishimura, D. G., McConnell, M. V.
2013; 69 (4): 1083-93
 - **Three-dimensional first-pass myocardial perfusion MRI using a stack-of-spirals acquisition** *MAGNETIC RESONANCE IN MEDICINE*
Shin, T., Nayak, K. S., Santos, J. M., Nishimura, D. G., Hu, B. S., McConnell, M. V.
2013; 69 (3): 839-844
 - **Reducing artifacts in one-dimensional Fourier velocity encoding for fast and pulsatile flow** *MAGNETIC RESONANCE IN MEDICINE*
Lee, D., Santos, J. M., Hu, B. S., Pauly, J. M., Kerr, A. B.
2012; 68 (6): 1876-1885
 - **Methods for registration of magnetic resonance images of ex vivo prostate specimens with histology** *JOURNAL OF MAGNETIC RESONANCE IMAGING*
Kimm, S. Y., Tarin, T. V., Lee, J. H., Hu, B., Jensen, K., Nishimura, D., Brooks, J. D.
2012; 36 (1): 206-212
 - **Three-dimensional fluid-suppressed T2-prep flow-independent peripheral angiography using balanced SSFP** *MAGNETIC RESONANCE IMAGING*
Bangerter, N. K., Cukur, T., Hargreaves, B. A., Hu, B. S., Brittain, J. H., Park, D., Gold, G. E., Nishimura, D. G.
2011; 29 (8): 1119-1124
 - **Magnetization-Prepared IDEAL bSSFP: A Flow-Independent Technique for Noncontrast-Enhanced Peripheral Angiography** *JOURNAL OF MAGNETIC RESONANCE IMAGING*
Cukur, T., Shimakawa, A., Yu, H., Hargreaves, B. A., Hu, B. S., Nishimura, D. G., Brittain, J. H.
2011; 33 (4): 931-939
 - **In Vivo High-Resolution Magnetic Resonance Skin Imaging at 1.5 T and 3 T** *MAGNETIC RESONANCE IN MEDICINE*
Barral, J. K., Bangerter, N. K., Hu, B. S., Nishimura, D. G.
2010; 63 (3): 790-796
 - **Wideband SSFP: Alternating repetition time balanced steady state free precession with increased band spacing** *MAGNETIC RESONANCE IN MEDICINE*
Nayak, K. S., Lee, H., Hargreaves, B. A., Hu, B. S.
2007; 58 (5): 931-938
 - **Rapid cardiac-output measurement with ungated spiral phase contrast** *MAGNETIC RESONANCE IN MEDICINE*
Park, J. B., Hu, B. S., Conolly, S. M., Nayak, K. S., Nishimura, D. G.
2006; 56 (2): 432-438
 - **Single breath-hold whole-heart MRA using variable-density spirals at 3T** *MAGNETIC RESONANCE IN MEDICINE*
Santos, J. M., Cunningham, C. H., Lustig, M., Hargreaves, B. A., Hu, B. S., Nishimura, D. G., Pauly, J. M.
2006; 55 (2): 371-379
 - **Real-time color-flow CMR in adults with congenital heart disease** *JOURNAL OF CARDIOVASCULAR MAGNETIC RESONANCE*
de la Pena, E., Nguyen, P. K., Nayak, K. S., Yang, P. C., Rosenthal, D. N., Hu, B. S., Pauly, J. M., McConnell, M. V.
2006; 8 (6): 809-815
 - **High-resolution real-time spiral MRI for guiding vascular interventions in a rabbit model at 1.5 T.** *Journal of magnetic resonance imaging : JMRI*
Terashima, M., Hyon, M., de la Pena-Almaguer, E., Yang, P. C., Hu, B. S., Nayak, K. S., Pauly, J. M., McConnell, M. V.
2005; 22 (5): 687-690
 - **High-resolution real-time spiral MRI for guiding vascular interventions in a rabbit model at 1L.5T** *JOURNAL OF MAGNETIC RESONANCE IMAGING*
Terashima, M., Hyon, M., De La Pena-Almaguer, E., Yang, P. C., Hu, B. S., Nayalk, K. S., Pauly, J. M., McConnell, M. V.
2005; 22 (5): 687-690
 - **Variable-density one-shot Fourier velocity encoding** *MAGNETIC RESONANCE IN MEDICINE*
DiCarlo, J. C., Hargreaves, B. A., Nayak, K. S., Hu, B. S., Pauly, J. M., Nishimura, D. G.
2005; 54 (3): 645-655

- **Single-breathhold, four-dimensional, quantitative assessment of LV and RV function using triggered, real-time, steady-state free precession MRI in heart failure patients** *12th Annual Meeting of the ISMRM*
Narayan, G., Nayak, K., Pauly, J., Hu, B.
JOHN WILEY & SONS INC.2005: 59–66
- **Spiral balanced steady-state free precession cardiac imaging** *MAGNETIC RESONANCE IN MEDICINE*
Nayak, K. S., Hargreaves, B. A., Hu, B. S., Nishimura, D. G., Pauly, J. M., Meyer, C. H.
2005; 53 (6): 1468-1473
- **Rapid measurement of renal artery blood flow with ungated spiral phase-contrast MRI** *10th Annual Meeting of the International-Society-for-Magnetic-Resonance-in-Medicine (ISMRM)*
Park, J. B., Santos, J. M., Hargreaves, B. A., Nayak, K. S., Sommer, G., Hu, B. S., Nishimura, D. G.
JOHN WILEY & SONS INC.2005: 590–95
- **Noninvasive assessment of coronary vasodilation using magnetic resonance angiography** *JOURNAL OF THE AMERICAN COLLEGE OF CARDIOLOGY*
Terashima, M., Meyer, C. H., Keeffe, B. G., Putz, E. J., De La Pena-Almaguer, E., Yang, P. C., Hu, B. S., Nishimura, D. G., McConnell, M. V.
2005; 45 (1): 104-110
- **The future of real-time cardiac magnetic resonance imaging.** *Current cardiology reports*
Nayak, K. S., Hu, B. S.
2005; 7 (1): 45-51
- **Developmental endothelial locus-1 (Del-1), a novel angiogenic protein - Its role in ischemia** *CIRCULATION*
Ho, H. K., Jang, J. J., Kaji, S., Spektor, G., Fong, A., Yang, P., Hu, B. S., Schatzman, R., Quertermous, T., Cooke, J. P.
2004; 109 (10): 1314-1319
- **Spiral magnetic resonance coronary angiography - Direct comparison of 1.5 tesla vs. 3 tesla** *JOURNAL OF CARDIOVASCULAR MAGNETIC RESONANCE*
Yang, P. C., Nguyen, P., Shimakawa, A., Brittain, J., Pauly, J., Nishimura, D., Hu, B., McConnell, M.
2004; 6 (4): 877-884
- **Dynamic real-time architecture in magnetic resonance coronary angiography-a prospective clinical trial** *JOURNAL OF CARDIOVASCULAR MAGNETIC RESONANCE*
Yang, P. C., Santos, J. M., Nguyen, P. K., Scott, G. C., Engvall, J., McConnell, M. V., Wright, G. A., Nishimura, D. G., Pauly, J. M., Hu, B. S.
2004; 6 (4): 885-894
- **Fast 3D imaging using variable-density spiral trajectories with applications to limb perfusion** *MAGNETIC RESONANCE IN MEDICINE*
Lee, J. H., Hargreaves, B. A., Hu, B. S., Nishimura, D. G.
2003; 50 (6): 1276-1285
- **Steady-state sequence synthesis and its application to efficient fat-suppressed imaging** *MAGNETIC RESONANCE IN MEDICINE*
Overall, W. R., Nishimura, D. G., Hu, B. S.
2003; 50 (3): 550-559
- **Rapid quantitation of high-speed flow jets** *6th Annual Scientific Session of the Society-for-Cardiovascular-Magnetic-Resonance*
Nayak, K. S., Hu, B. S., Nishimura, D. G.
JOHN WILEY & SONS INC.2003: 366–72
- **Fat-suppressed steady-state free precession imaging using phase detection** *MAGNETIC RESONANCE IN MEDICINE*
Hargreaves, B. A., Vasanawala, S. S., Nayak, K. S., Hu, B. S., Nishimura, D. G.
2003; 50 (1): 210-213
- **Spiral magnetic resonance coronary angiography with rapid real-time localization** *JOURNAL OF THE AMERICAN COLLEGE OF CARDIOLOGY*
Yang, P. C., Meyer, C. H., Terashima, M., Kaji, S., McConnell, M. V., Macovski, A., Pauly, J. M., Nishimura, D. G., Hu, B. S.
2003; 41 (7): 1134-1141
- **Triggered real-time MRI and cardiac applications** *MAGNETIC RESONANCE IN MEDICINE*
Nayak, K. S., Hu, B. S.
2003; 49 (1): 188-192
- **Magnetic resonance coronary angiography.** *Current cardiology reports*

- Yang, P. C., McConnell, M. V., Nishimura, D. G., Hu, B. S.
2003; 5 (1): 55-62
- **Clinical use of cardiac ultrasound performed with a hand-carried device in patients admitted for acute cardiac care** *AMERICAN JOURNAL OF CARDIOLOGY*
Rugolotto, M., CHANG, C. P., Hu, B., Schnittger, I., Liang, D. H.
2002; 90 (9): 1040-?
 - **Fast phase-contrast velocity measurement in the steady state** *MAGNETIC RESONANCE IN MEDICINE*
Overall, W. R., Nishimura, D. G., Hu, B. S.
2002; 48 (5): 890-898
 - **Oscillating dual-equilibrium steady-state angiography** *MAGNETIC RESONANCE IN MEDICINE*
Overall, W. R., Conolly, S. M., Nishimura, D. G., Hu, B. S.
2002; 47 (3): 513-522
 - **In vivo real-time intravascular MRI** *JOURNAL OF CARDIOVASCULAR MAGNETIC RESONANCE*
Rivas, P. A., Nayak, K. S., Scott, G. C., McConnell, M. V., Kerr, A. B., Nishimura, D. G., Pauly, J. M., Hu, B. S.
2002; 4 (2): 223-232
 - **Rapid assessment of cardiac anatomy and function with a new hand-carried ultrasound device (OptiGo): a comparison with standard echocardiography.** *European journal of echocardiography*
Rugolotto, M., Hu, B. S., Liang, D. H., Schnittger, I.
2001; 2 (4): 262-269
 - **Real-time interactive coronary MRA** *MAGNETIC RESONANCE IN MEDICINE*
Nayak, K. S., Pauly, J. M., Yang, P. C., Hu, B. S., Meyer, C. H., Nishimura, D. G.
2001; 46 (3): 430-435
 - **Rapid evaluation of left ventricular volume and mass without breath-holding using real-time interactive cardiac magnetic resonance imaging system** *JOURNAL OF THE AMERICAN COLLEGE OF CARDIOLOGY*
Kaji, S., Yang, P. C., Kerr, A. B., Tang, W. H., Meyer, C. H., Macovski, A., Pauly, J. M., Nishimura, D. G., Hu, B. S.
2001; 38 (2): 527-533
 - **Real-time black-blood MRI using spatial presaturation** *7th Annual ISMRM Meeting*
Nayak, K. S., Rivas, P. A., Pauly, J. M., Scott, G. C., Kerr, A. B., Hu, B. S., Nishimura, D. G.
JOHN WILEY & SONS INC.2001: 807-12
 - **Rapid ventricular assessment using real-time interactive multislice MRI** *MAGNETIC RESONANCE IN MEDICINE*
Nayak, K. S., Pauly, J. M., Nishimura, D. G., Hu, B. S.
2001; 45 (3): 371-375
 - **Real-time color flow MRI** *2nd Annual Meeting of the Society-for-Cardiovascular-Magnetic-Resonance*
Nayak, K. S., Pauly, J. M., Kerr, A. B., Hu, B. S., Nishimura, D. G.
JOHN WILEY & SONS INC.2000: 251-58
 - **The real-time interactive 3-D-DVA for robust coronary MRA** *IEEE TRANSACTIONS ON MEDICAL IMAGING*
Sachs, T. S., Meyer, C. H., Pauly, J. M., Hu, B. S., Nishimura, D. G., Macovski, A.
2000; 19 (2): 73-79
 - **High-resolution three-dimensional in vivo imaging of atherosclerotic plaque** *MAGNETIC RESONANCE IN MEDICINE*
Luk-Pat, G. T., Gold, G. E., Olcott, E. W., Hu, B. S., Nishimura, D. G.
1999; 42 (4): 762-771
 - **Real-time interactive MRI for cardiac applications** *International Symposium on Ultrafast Magnetic Resonance Imaging in Medicine (ISUM 99)*
Pauly, J., Kerr, A., Meyer, C., Nayak, K., Hu, B., Yang, P., Nishimura, D., Macovski, A.
ELSEVIER SCIENCE BV.1999: 119-123
 - **New real-time interactive cardiac magnetic resonance imaging system complements echocardiography** *JOURNAL OF THE AMERICAN COLLEGE OF CARDIOLOGY*
Yang, P. C., Kerr, A. B., Liu, A. C., Liang, D. H., Hardy, C., Meyer, C. H., Macovski, A., Pauly, J. M., Hu, B. S.

1998; 32 (7): 2049-2056

- **3D MR coronary artery segmentation** *MAGNETIC RESONANCE IN MEDICINE*
Cline, H. E., Thedens, D. R., Irarrazabal, P., Meyer, C. H., Hu, B. S., Nishimura, D. G., Ludke, S.
1998; 40 (5): 697-702
- **One-shot spatially resolved velocity imaging** *MAGNETIC RESONANCE IN MEDICINE*
Pat, G. T., Pauly, J. M., Hu, B. S., Nishimura, D. G.
1998; 40 (4): 603-613
- **Interactive coronary MRI** *5th Annual Meeting of the International-Society-of-Magnetic-Resonance-in-Medicine*
Hardy, C. J., Darrow, R. D., Pauly, J. M., Kerr, A. B., Dumoulin, C. L., Hu, B. S., Martin, K. M.
JOHN WILEY & SONS INC.1998: 105-11
- **Real-time interactive MRI on a conventional scanner** *MAGNETIC RESONANCE IN MEDICINE*
Kerr, A. B., Pauly, J. M., Hu, B. S., Li, K. C., Hardy, C. J., Meyer, C. H., Macovski, A., Nishimura, D. G.
1997; 38 (3): 355-367
- **Forward-looking catheters.** *Seminars in interventional cardiology : SIIC*
Liang, D. H., Hu, B. S.
1997; 2 (1): 75-81
- **A forward-viewing intravascular ultrasound catheter suitable for intracoronary use.** *Biomedical instrumentation & technology*
Liang, D. H., Hu, B. S.
1997; 31 (1): 45-53
- **Accuracy of biplane and multiplane transesophageal echocardiography in diagnosis of typical acute aortic dissection and intramural hematoma** *JOURNAL OF THE AMERICAN COLLEGE OF CARDIOLOGY*
Keren, A., Kim, C. B., Hu, B. S., Eyngorina, I., Billingham, M. E., Mitchell, R. S., Miller, D. C., Popp, R. L., Schnittger, I.
1996; 28 (3): 627-636
- **Heart transplantation complicated by a patent foramen ovale of the recipient atrial septum** *ANNALS OF THORACIC SURGERY*
Yun, K. L., Reichenspurner, H., Schmoker, J., Hu, B., Stinson, E. B.
1996; 62 (3): 897-899
- **THE DIMINISHING VARIANCE ALGORITHM FOR REAL-TIME REDUCTION OF MOTION ARTIFACTS IN MRI** *MAGNETIC RESONANCE IN MEDICINE*
Sachs, T. S., Meyer, C. H., Irarrazabal, P., Hu, B. S., Nishimura, D. G., Macovski, A.
1995; 34 (3): 412-422
- **CORONARY ANGIOGRAPHY WITH MAGNETIZATION-PREPARED T-2 CONTRAST** *MAGNETIC RESONANCE IN MEDICINE*
Brittain, J. H., Hu, B. S., Wright, G. A., Meyer, C. H., Macovski, A., Nishimura, D. G.
1995; 33 (5): 689-696
- **REAL-TIME MOTION DETECTION IN SPIRAL MRI USING NAVIGATORS** *MAGNETIC RESONANCE IN MEDICINE*
Sachs, T. S., Meyer, C. H., Hu, B. S., Kohli, J., Nishimura, D. G., Macovski, A.
1994; 32 (5): 639-645
- **LOCALIZED REAL-TIME VELOCITY SPECTRA DETERMINATION** *MAGNETIC RESONANCE IN MEDICINE*
Hu, B. S., Pauly, J. M., Nishimura, D. G.
1993; 30 (3): 393-398
- **SPATIALLY-RESOLVED AND LOCALIZED REAL-TIME VELOCITY DISTRIBUTION** *MAGNETIC RESONANCE IN MEDICINE*
Irarrazabal, P., Hu, B. S., Pauly, J. M., Nishimura, D. G.
1993; 30 (2): 207-212
- **PULSED MAGNETIZATION TRANSFER SPIN-ECHO MR-IMAGING** *JOURNAL OF MAGNETIC RESONANCE IMAGING*
Pike, G. B., Glover, G. H., Hu, B. S., Enzmann, D. R.
1993; 3 (3): 531-539
- **A 3-DIMENSIONAL SPIN-ECHO OR INVERSION PULSE** *MAGNETIC RESONANCE IN MEDICINE*

Pauly, J. M., Hu, B. S., Wang, S. J., Nishimura, D. G., Macovski, A.
1993; 29 (1): 2-6

- **MAGNETIC-RESONANCE ANGIOGRAPHY WORKSHOP ON CARDIOVASCULAR IMAGING**
Macovski, A., Hu, B., Meyer, C., Pauly, J., Wright, G., Nishimura, D. G.
RAVEN PRESS.1993: 221-236
- **FAST SPIRAL CORONARY-ARTERY IMAGING MAGNETIC RESONANCE IN MEDICINE**
Meyer, C. H., Hu, B. S., Nishimura, D. G., Macovski, A.
1992; 28 (2): 202-213
- **INITIAL PATIENT STUDIES WITH FAST SPIRAL MAGNETIC-RESONANCE CORONARY ANGIOGRAPHY**
Hu, B. S., Meyer, C. H., Macovski, A., Nishimura, D. G.
LIPPINCOTT WILLIAMS & WILKINS.1992: 503-
- **PULSED SATURATION TRANSFER CONTRAST MAGNETIC RESONANCE IN MEDICINE**
Hu, B. S., Conolly, S. M., Wright, G. A., Nishimura, D. G., Macovski, A.
1992; 26 (2): 231-240
- **MAGNETIZATION TRANSFER TIME-OF-FLIGHT MAGNETIC-RESONANCE ANGIOGRAPHY MAGNETIC RESONANCE IN MEDICINE**
Pike, G. B., Hu, B. S., Glover, G. H., Enzmann, D. R.
1992; 25 (2): 372-379
- **1991 LI. Rabi Award. Estimating oxygen saturation of blood in vivo with MR imaging at 1.5 T. Journal of magnetic resonance imaging : JMRI**
Wright, G. A., Hu, B. S., Macovski, A.
1991; 1 (3): 275-283
- **ESTIMATING OXYGEN-SATURATION OF BLOOD INVIVO WITH MR IMAGING AT 1.5T JMRI-JOURNAL OF MAGNETIC RESONANCE IMAGING**
Wright, G. A., Hu, B. S., Macovski, A.
1991; 1 (3): 275-283
- **CORONARY ANGIOGRAPHY USING FAST SELECTIVE INVERSION RECOVERY MAGNETIC RESONANCE IN MEDICINE**
Wang, S. J., Hu, B. S., Macovski, A., Nishimura, D. G.
1991; 18 (2): 417-423