

Stanford

Farnaz Hooshmand

Clinical Assistant Professor, Psychiatry and Behavioral Sciences

CLINICAL OFFICES

- **Psychiatry**

401 Quarry Rd Ste 2114

MC 5723

Stanford, CA 94305

Tel (650) 498-9111 **Fax** (650) 724-9900

- **Momentum for Mental Health**

2001 The Alameda

San Jose, CA 95126

Tel (408) 281-7777 **Fax** (408) 248-8652

Bio

CLINICAL FOCUS

- Psychiatry
- Bipolar Disorders

ACADEMIC APPOINTMENTS

- Clinical Assistant Professor, Psychiatry and Behavioral Sciences

PROFESSIONAL EDUCATION

- Board Certification: Psychiatry, American Board of Psychiatry and Neurology (2017)
- Residency: Stanford University Adult Psychiatry Residency (2017) CA
- Medical Education: Tehran University of Medical Sciences (2003) Iran

Publications

PUBLICATIONS

- **Differential prevalence and demographic and clinical correlates of antidepressant use in American bipolar I versus bipolar II disorder patients.** *Journal of affective disorders*
Hooshmand, F., Do, D., Shah, S., Gershon, A., Park, D. Y., Kim, H., Yuen, L. D., Dell'Osso, B., Wang, P. W., Ketter, T. A., Miller, S.
2018; 234: 74–79
- **Longer-Term Effectiveness and Tolerability of Adjunctive Open Lurasidone in Patients With Bipolar Disorder.** *Journal of clinical psychopharmacology*
Miller, S., Do, D., Gershon, A., Wang, P. W., Hooshmand, F., Chang, L. S., Ketter, T. A.
2018; 38 (3): 207–11
- **Episode accumulation associated with hastened recurrence and delayed recovery in bipolar disorder** *JOURNAL OF AFFECTIVE DISORDERS*
Park, D., Do, D., Chang, L., Shah, S., Yuen, L. D., Hooshmand, F., Wang, P. W., Miller, S., Ketter, T. A.
2018; 227: 657–64

- **American tertiary clinic-referred bipolar II disorder versus bipolar I disorder associated with hastened depressive recurrence.** *International journal of bipolar disorders*
Dell'Osso, B., Shah, S., Do, D., Yuen, L. D., Hooshmand, F., Wang, P. W., Miller, S., Ketter, T. A.
2017; 5 (1): 2-?
- **Lifetime anxiety disorder and current anxiety symptoms associated with hastened depressive recurrence in bipolar disorder.** *Journal of affective disorders*
Shah, S., Kim, J. P., Park, D. Y., Kim, H., Yuen, L. D., Do, D., Dell'Osso, B., Hooshmand, F., Miller, S., Wang, P. W., Ketter, T. A.
2017; 219: 165-171
- **Abnormal sleep duration associated with hastened depressive recurrence in bipolar disorder** *Journal of Affective Disorders*
Gershon, A., Do, D., Satyanarayana, S., Shah, S., Yuen, L., Hooshmand, F., Miller, S., Wang, P., Ketter, T.
2017; 218: 374-79
- **Current irritability associated with hastened depressive recurrence and delayed depressive recovery in bipolar disorder.** *International journal of bipolar disorders*
Yuen, L. D., Shah, S., Do, D., Miller, S., Wang, P. W., Hooshmand, F., Ketter, T. A.
2016; 4 (1): 15-?
- **More inclusive bipolar mixed depression definitions by requiring fewer non-overlapping mood elevation symptoms.** *Acta psychiatrica Scandinavica*
Kim, W., Kim, H., Citrome, L., Akiskal, H. S., Goffin, K. C., Miller, S., HOLTZMAN, J. N., Hooshmand, F., Wang, P. W., Hill, S. J., Ketter, T. A.
2016; 134 (3): 189-198
- **More inclusive bipolar mixed depression definition by permitting overlapping and non-overlapping mood elevation symptoms.** *Acta psychiatrica Scandinavica*
Kim, H., Kim, W., Citrome, L., Akiskal, H. S., Goffin, K. C., Miller, S., HOLTZMAN, J. N., Hooshmand, F., Wang, P. W., Hill, S. J., Ketter, T. A.
2016; 134 (3): 199-206
- **Current irritability robustly related to current and prior anxiety in bipolar disorder** *JOURNAL OF PSYCHIATRIC RESEARCH*
Yuen, L. D., Miller, S., Wang, P. W., Hooshmand, F., Holtzman, J. N., Goffin, K. C., Shah, S., Ketter, T. A.
2016; 79: 101-107
- **Gender by onset age interaction may characterize distinct phenotypic subgroups in bipolar patients** *JOURNAL OF PSYCHIATRIC RESEARCH*
Holtzman, J. N., Miller, S., Hooshmand, F., Wang, P. W., Chang, K. D., Goffin, K. C., Hill, S. J., Ketter, T. A., Rasgon, N. L.
2016; 76: 128-135
- **Differential prevalence and demographic and clinical correlates of second-generation antipsychotic use in bipolar I versus bipolar II disorder** *JOURNAL OF PSYCHIATRIC RESEARCH*
Park, D. Y., Goffin, K. C., Shah, S., Yuen, L. D., Holtzman, J. N., Hooshmand, F., Miller, S., Wang, P. W., Ketter, T. A.
2016; 76: 52-58
- **Different characteristics associated with suicide attempts among bipolar I versus bipolar II disorder patients** *JOURNAL OF PSYCHIATRIC RESEARCH*
Goffin, K. C., Dell'Osso, B., Miller, S., Wang, P. W., Holtzman, J. N., Hooshmand, F., Ketter, T. A.
2016; 76: 94-100
- **American tertiary clinic-referred bipolar II disorder compared to bipolar I disorder: More severe in multiple ways, but less severe in a few other ways** *JOURNAL OF AFFECTIVE DISORDERS*
Dell'Osso, B., Holtzman, J. N., Goffin, K. C., Portillo, N., Hooshmand, F., Miller, S., Dore, J., Wang, P. W., Hill, S. J., Ketter, T. A.
2015; 188: 257-262
- **Childhood-compared to adolescent-onset bipolar disorder has more statistically significant clinical correlates** *JOURNAL OF AFFECTIVE DISORDERS*
Holtzman, J. N., Miller, S., Hooshmand, F., Wang, P. W., Chang, K. D., Hill, S. J., Rasgon, N. L., Ketter, T. A.
2015; 179: 114-120
- **Trends in pharmacotherapy in patients referred to a bipolar specialty clinic, 2000-2011** *JOURNAL OF AFFECTIVE DISORDERS*
Hooshmand, F., Miller, S., Dore, J., Wang, P. W., Hill, S. J., Portillo, N., Ketter, T. A.
2014; 155: 283-287
- **Superior chronic tolerability of adjunctive modafinil compared to pramipexole in treatment-resistant bipolar disorder** *JOURNAL OF AFFECTIVE DISORDERS*
Dell'Osso, B., Timtim, S., Hooshmand, F., Miller, S., Wang, P. W., Hill, S. J., Portillo, N., Ketter, T. A.

