

# Stanford

---



## Thomas Lee

Professor of Electrical Engineering

### Bio

---

#### BIO

Professor Lee's principal areas of professional interest include analog circuitry of all types, ranging from low-level DC instrumentation to high-speed RF communications systems. His present research focus is on CMOS RF integrated circuit design, and on extending operation into the terahertz realm.

#### ACADEMIC APPOINTMENTS

- Professor, Electrical Engineering

#### PROGRAM AFFILIATIONS

- Stanford SystemX Alliance

#### PROFESSIONAL EDUCATION

- ScD, MIT (1990)

#### LINKS

- <http://smirc.stanford.edu/people.html>: <http://smirc.stanford.edu/people.html>

### Teaching

---

#### COURSES

##### 2023-24

- Advanced Circuit Techniques: EE 308 (Spr)
- Circuits II: EE 101B (Spr)
- High-Frequency Circuit Design Laboratory: EE 251 (Win)
- Things about Stuff: EE 14N (Aut)

##### 2022-23

- Advanced Circuit Techniques: EE 308 (Spr)
- An Intro to Making: What is EE: ENGR 40M (Aut)
- High-Frequency Circuit Design Laboratory: EE 251 (Win)
- Things about Stuff: EE 14N (Aut)

##### 2021-22

- Advanced Circuit Techniques: EE 308 (Spr)

- High-Frequency Circuit Design Laboratory: EE 251 (Win)
- Things about Stuff: EE 14N (Aut)

#### 2020-21

- Advanced Circuit Techniques: EE 308 (Spr)
- High-Frequency Circuit Design Laboratory: EE 251 (Win)
- Things about Stuff: EE 14N (Win)

### STANFORD ADVISEES

#### Doctoral Dissertation Reader (AC)

West Foster, Jeongkyu Kim, Calvin Lin, Yuya Nishio

#### Doctoral Dissertation Advisor (AC)

Richelle Smith, Nicholas Vitale

#### Master's Program Advisor

Ankush Dhawan, Amy Dunphy, Chris Ferrarin, Ashutosh Kumar, Cheyu Lin, Neelesh Ramachandran, Kerry Tu, Shuyu Zhang, Fengrui Zuo

#### Doctoral (Program)

West Foster, Tejus Rao, Pumiao Yan, Yueming Zhuo

### Publications

---

#### PUBLICATIONS

- **Analysis and Design of a Tetrahedral Oscillator** *IEEE TRANSACTIONS ON CIRCUITS AND SYSTEMS II-EXPRESS BRIEFS*  
Smith, R. L., Lee, T. H.  
2022; 69 (1): 75-79
- **Hybrid Frequency Domain Simulation Method to Speed-up Analysis of Injection Locked Oscillators**  
Smith, R. L., Lee, T. H., IEEE  
IEEE.2021: 722-726
- **Modeling of Injection Locking in Neurons for Neuromorphic and Biomedical Systems**  
Smith, R. L., Lee, T. H., IEEE  
IEEE.2021
- **An Electronically Steerable Millimeter-Wave Reflectarray for Wireless Power Delivery**  
Buckmaster, J., Lee, T. H., IEEE  
IEEE.2020
- **A Simple Linear Time-Variant Theory of Superregeneration**  
Raghunathan, A., Lee, T. H., IEEE  
IEEE.2020
- **An Electronically Steerable Millimeter-Wave Reflectarray for Wireless Power Delivery**  
Buckmaster, J., Lee, T. H., IEEE  
IEEE.2020
- **An Electronically Steerable Millimeter-Wave Reflectarray for Wireless Power Delivery**  
Buckmaster, J., Lee, T. H., IEEE  
IEEE.2020: 514-517
- **Evaluating the Microwave Performance of Epidermal Electronics with Equivalent Transmission Line Modeling**  
Chang, T., Fan, J. A., Lee, T. H., IEEE

IEEE.2018

● **A 125 pJ/bit 5 mW 28 GHz Superregenerative Receiver with Automatic Gain Control and Energy Efficient Startup for Burst Mode IoE Applications**

Raghunathan, A., Lee, T. H., IEEE

IEEE.2018: 70–73

● **A Ka-Band Beamformer for Wireless Power Transfer to Body Area Networks**

Saiz, N. D., Buckmaster, G., Lee, T. H., IEEE

IEEE.2018: 10–12

● **A Ka-Band Beamformer for Wireless Power Transfer to Body Area Networks**

Saiz, N. D., Buckmaster, G., Lee, T. H., IEEE

IEEE.2018

● **Evaluating the Microwave Performance of Epidermal Electronics with Equivalent Transmission Line Modeling**

Chang, T., Fan, J. A., Lee, T. H., IEEE

IEEE.2018: 40–42

● **A General Strategy for Stretchable Microwave Antenna Systems using Serpentine Mesh Layouts** *ADVANCED FUNCTIONAL MATERIALS*

Chang, T., Tanabe, Y., Wojcik, C. C., Barksdale, A. C., Doshay, S., Dong, Z., Liu, H., Zhang, M., Chen, Y., Su, Y., Lee, T. H., Ho, J. S., Fan, et al 2017; 27 (46)

● **Characterization of Stretchable Serpentine Microwave Devices for Wearable Electronics**

Chang, T., Wojcik, C., Su, Y., Rogers, J. A., Lee, T. H., Fan, J. A., IEEE

IEEE.2017: 207–10

● **A Phase-Interpolation and Quadrature-Generation Method Using Parametric Energy Transfer in CMOS** *IEEE TRANSACTIONS ON CIRCUITS AND SYSTEMS I-REGULAR PAPERS*

Bhardwaj, K., Lee, T. H.

2015; 62 (5): 1250–1259

● **GPS Anti-Jam: A Simple Method of Single Antenna Null-Steering for Aerial Applications**

McMilin, E., De Lorenzo, D. S., Lee, T., Enge, P., Akos, D., Caizzone, S., Konovaltsev, A., Inst Navigation INST NAVIGATION.2015: 470–83

● **Terahertz CMOS Integrated Circuits** *IEEE International Symposium on Radio-Frequency Integration Technology (RFIT) - Silicon Technology Heats up for THz*

Lee, T. H.

IEEE.2014

● **Terahertz Electronics: The Last Frontier**

Lee, T. H., Bez, R., Pavan, P., Meneghesso, G.

IEEE.2014: 30-34

● **A 0.96mW, 5.3-6.75GHz, Phase-Interpolation and Quadrature-Generation Method using Parametric Energy Transfer in 65nm CMOS**

Bhardwaj, K., Lee, T. H., IEEE

IEEE.2014: 2145–48

● **Single Antenna GPS Spoof Detection that is Simple, Static, Instantaneous and Backwards Compatible for Aerial Applications**

McMilin, E., De Lorenzo, D. S., Walter, T., Lee, T. H., Enge, P., Inst Navigation

INST NAVIGATION.2014: 2233–42

● **Micro Barkhausen-Kurz Oscillators for Terahertz Integrated Systems** *15th IEEE International Vacuum Electronics Conference*

Dixit, A., Snapp, J. P., Lee, T. H.

IEEE.2014: 69–70

● **Terahertz Electronics: The Last Frontier** *40th European Solid-State Circuit Conference (ESSCIRC)*

Lee, T. H.

IEEE.2014: 30–34

● **Terahertz Electronics: Opportunities, Challenges and Technologies**

Lee, T., IEEE

IEEE.2013

● **A 3.1mW Phase-Tunable Quadrature-Generation Method for CEI 28G Short-Reach CDR in 28nm CMOS**

Bhardwaj, K., Narayan, S., Shumarayev, S., Lee, T., IEEE  
IEEE.2013: 412-+

● **Dark Secrets of RF Design** *IEEE Solid-State Circuits Society Singapore Chapter, Singapore*

Lee, T.  
2012

● **Circuit-Based Characterization of Device Noise Using Phase Noise Data** *IEEE TRANSACTIONS ON CIRCUITS AND SYSTEMS I-REGULAR PAPERS*

Navid, R., Lee, T. H., Dutton, R. W.  
2010; 57 (6): 1265-1272

● **CMOS Impedance Biosensor Array with Active Tone Cancellation for Simultaneous Impedance and Nonlinearity Measurement** *International Instrumentation and Measurement Technology Conference (I2MTC)*

Daniels, J. S., Anderson, E. P., Pourmand, N., Lee, T. H.  
IEEE.2010

● **The Return of the Empty State: Vacuum Nanoelectronics for Terahertz Applications**

Lee, T.  
2010

● **A 10Gb/s NRZ Receiver with Feedforward Equalizer and Glitch-Free Phase-Frequency Detector** *35th European Solid-State Circuits Conference (ESSCIRC 2009)*

Kiaei, A., Bohsali, M., Bahai, A., Lee, T. H.  
IEEE.2009: 373–376

● **When Silicon Valley was ‘Arc Alley’**

Lee, T.  
2009

● **European Solid-State Circuits Conference, Athens, Greece**

Kiaei, A., Bohsali, M., Bahai, A., Lee, T., H.  
2009

● **Crosstalk in Integrated Microarrays With Current Sensing** *IEEE TRANSACTIONS ON CIRCUITS AND SYSTEMS I-REGULAR PAPERS*

Anderson, E. P., Daniels, J. S., Pourmand, N., Lee, T. H.  
2008; 55 (11): 3756-3762

● **High-speed optical beam-steering based on phase-arrayed waveguides** *52nd International Conference on Electron, Ion and Photon Beam Technology and Nanofabrication*

Jarrahi, M., Fabian, R., Pease, W., Miller, D. A., Lee, T. H.  
A V S AMER INST PHYSICS.2008: 2124–26

● **Optical spatial quantization for higher performance analog-to-digital conversion** *IEEE TRANSACTIONS ON MICROWAVE THEORY AND TECHNIQUES*

Jarrahi, M., Fabian, R., Pease, W., Miller, D. A., Lee, T. H.  
2008; 56 (9): 2143-2150

● **Spatial Quantized Analog-to-Digital Conversion Based on Optical Beam-Steering** *JOURNAL OF LIGHTWAVE TECHNOLOGY*

Jarrahi, M., Pease, R. F., Lee, T. H.  
2008; 26 (13-16): 2219-2226

● **Wideband, low driving voltage traveling-wave Mach-Zehnder modulator for RF photonics** *IEEE PHOTONICS TECHNOLOGY LETTERS*

Jarrahi, M., Lee, T. H., Miller, D. A.  
2008; 20 (5-8): 517-519

● **A system for multiplexed direct electrical detection of DNA synthesis** *SENSORS AND ACTUATORS B-CHEMICAL*

Anderson, E. P., Daniels, J. S., Yu, H., Karhanek, M., Lee, T. H., Davis, R. W., Pourmand, N.  
2008; 129 (1): 79-86

- **A System for Multiplexed Direct Electrical Detection of DNA Synthesis.** *Sensors and actuators. B, Chemical*  
Anderson, E. P., Daniels, J. S., Yu, H., Karhanek, M., Lee, T. H., Davis, R. W., Pourmand, N.  
2008; 129 (1): 79-86
- **Optical switching based on high-speed phased array optical beam steering** *APPLIED PHYSICS LETTERS*  
Jarrahi, M., Fabian, R., Pease, W., Miller, D. A., Lee, T. H.  
2008; 92 (1)
- **Monolithic integration of GaAs/AlGaAs phase modulator and photodetector for RF photonics** *Conference on Optical Fiber Communications/National Fiber Optic Engineers Conference*  
Jarrahi, M., Miller, D. A., Lee, T. H.  
OPTICAL SOC AMERICA.2008: 106–108
- **Monolithic integration of GaAs/AlGaAs phase modulator and photodetector for RF photonics**  
Jarrahi, M., Miller, D., A. B., Lee, T., H.  
2008
- **A System for Multiplexed Direct Electrical Detection of DNA Synthesis,** *Sensors & Actuators*  
Anderson, E., P., Daniels, J., S., Yu, H., Karhanek, M., Lee, T., H., Davis, R., W.  
2008; B 129: 79–86
- **The Future of Wireless Technology in the Fourth age – The Internet of Things**  
Lee, T.  
2008
- **Simultaneous Measurement of Nonlinearity and Electrochemical Impedance for Protein Sensing Using Two-Tone Excitation**  
Daniels, J., S., Anderson, E., Lee, T., H., Pourmand, N.  
2008
- **Optical switching based on highspeed phased-array optical beam steering** *Applied Physics Letters*  
Jarrahi, M., Pease, R., F. W., Miller, D., A. B., Lee, T., H.  
2008; 92
- **High-speed optical beam-steering based on phased arrayed waveguides**  
Jarrahi, M., Pease, R., F. W., Miller, D., A. B., Lee, T., H.  
2008
- **A Label-free CMOS DNA Microarray based on Charge Sensing**  
Anderson, E., P., Daniels, J., S., Yu, H., Pourmand, N., Lee, T., H.  
2008
- **RFIC Design & Implementation: An Introduction Plus** *IEEE short course, Singapore local Solid-State Circuits Society chapter, Singapore*  
Lee, T.  
2008
- **A Low-overhead Fault Tolerance Scheme for TSV-based 3D Network on Chip Links**  
Loi, I., Mitra, S., Lee, T., H., Fujita, S., Benini, L.  
2008
- **High-Power Tunable Terahertz Generation based on Photoconductive Antenna Arrays**  
Jarrahi, M., Danielson, J., Lee, T., H.  
2008
- **Simultaneous Measurement of Nonlinearity and Electrochemical Impedance for Protein Sensing Using Two-Tone Excitation** *30th Annual International Conference of the IEEE-Engineering-in-Medicine-and-Biology-Society*  
Daniels, J. S., Anderson, E. P., Lee, T. H., Pounnand, N.  
IEEE.2008: 5753–5756
- **High-Power Tunable Terahertz Generation based on Photoconductive Antenna Arrays** *2008 IEEE MTT-S International Microwave Symposium Digest*  
Jarrahi, M., Lee, T. H.

IEEE.2008: 390–393

- **3-D nanoarchitectures with carbon nanotube mechanical switches for future on-chip network beyond CMOS architecture** *IEEE TRANSACTIONS ON CIRCUITS AND SYSTEMS I-REGULAR PAPERS*

Fujita, S., Nomura, K., Abe, K., Lee, T. H.  
2007; 54 (11): 2472-2479

- **Prospect of Ballistic CNFET in High Performance Applications: Modeling and Analysis** *ACM JOURNAL ON EMERGING TECHNOLOGIES IN COMPUTING SYSTEMS*

Paul, B. C., Fujita, S., Okajima, M., Lee, T.  
2007; 3 (3)

- "A general theory of phase noise in electrical oscillators" - Response *IEEE JOURNAL OF SOLID-STATE CIRCUITS*

Hajimiri, A., Lee, T. H.  
2007; 42 (10): 2315-2315

- **Impact of a process variation on nanowire and nanotube device performance** *IEEE TRANSACTIONS ON ELECTRON DEVICES*

Paul, B. C., Fujita, S., Okajima, M., Lee, T. H., Wong, H. P., Nishi, Y.  
2007; 54 (9): 2369-2376

- **An analytical compact circuit model for nanowire FET** *IEEE TRANSACTIONS ON ELECTRON DEVICES*

Paul, B. C., Tu, R., Fujita, S., Okajima, M., Lee, T. H., Nishi, Y.  
2007; 54 (7): 1637-1644

- **High-frequency noise in nanoscale metal oxide semiconductor field effect transistors** *JOURNAL OF APPLIED PHYSICS*

Navid, R., Jungemann, C., Lee, T. H., Dutton, R. W.  
2007; 101 (12)

- **Optical Spatially Quantized High Performance Analog-to-digital Conversion** *Conference on Lasers and Electro-Optics/Quantum Electronics and Laser Science Conference*

Jarrahi, M., Miller, D. A., Pease, R. F., Lee, T. H.  
IEEE.2007: 987–988

- **A circuit-based noise parameter extraction technique for MOSFETs**

Navid, R., Lee, T. H., Dutton, R. W., IEEE  
IEEE.2007: 3347-+

- **A 10Gb/s Equalizer with Decision Feedback for High Speed Serial Links**

Kiaei, A., Matinpour, B., Bahai, A., Lee, T., H.  
2007

- **The History of the Integrated Circuit: A Random Walk**

Lee, T.  
2007

- **Engineering Perspectives on Alternative Energy**

Lee, T.  
2007

- **From Oxymoron to Mainstream: The Evolution and Future of RF CMOS**

Lee, T., H.  
2007

- **Optical Spatially Quantized High Performance Analog-to-digital Conversion**

Jarrahi, M., Miller, D., A. B., Fabian, R., Pease, W., Lee, T., H.  
2007

- **RFID: Status, Promise and Challenges**

Lee, T.  
2007

- **Oscillator Phase Noise** *Santa Clara Valley IEEE Solid State Circuits Society (SSCS) Chapter Program, RFIC Design Short Course, Santa Clara, CA*  
Lee, T.  
2007
- **Phase Noise in Oscillators**  
Lee, T.  
2007
- **3D Nanoarchitectures with Carbon Nanotube Mechanical Switches for Future On-Chip Network Beyond CMOS Architecture** *IEEE TCA S-I Special Issue: Nanoarchitecture*  
Fujita, S., Nomura, K., Abe, K., Lee, T., H.  
2007
- **Traveling wave spatial quantized analog-to-digital conversion** *IEEE/MTT-S International Microwave Symposium*  
Jarrahi, M., Pease, R. F., Lee, T. H.  
IEEE.2007: 225–228
- **A 10Gb/s equalizer with decision feedback for high speed serial links** *IEEE Custom Integrated Circuits Conference*  
Kiaei, A., Matinpour, B., Bahai, A., Lee, T. H.  
IEEE.2007: 285–288
- **From oxymoron to mainstream: The evolution and future of RF CMOS** *IEEE International Workshop on Radio-Frequency Integration Technology*  
Lee, T. H.  
IEEE.2007: 1–6
- **High-voltage-tolerant I/O circuit design for USB 2.0-compliant applications** *IEEE Custom Integrated Circuits Conference*  
Kim, M., Icking, H., Gossner, H., Lee, T. H.  
IEEE.2007: 491–494
- **Ordered and chaotic electrical solitons: Communication perspectives** *IEEE COMMUNICATIONS MAGAZINE*  
Ham, D., Li, X., Denenberg, S. A., Lee, T. H., Ricketts, D. S.  
2006; 44 (12): 126-135
- **A programmable 0.18-mu m CMOS electrochemical sensor microarray for biomolecular detection** *IEEE SENSORS JOURNAL*  
Hassibi, A., Lee, T. H.  
2006; 6 (6): 1380-1388
- **A 1.5-v, 1.5-GHz CMOS low noise amplifier (vol 40, pg 1397, 2005)** *IEEE JOURNAL OF SOLID-STATE CIRCUITS*  
Shaeffer, D. K., Lee, T. H.  
2006; 41 (10): 2359-2359
- **Impact of geometry-dependent parasitic capacitances on the performance of CNFET circuits** *IEEE ELECTRON DEVICE LETTERS*  
Paul, B. C., Fujita, S., Okajima, M., Lee, T.  
2006; 27 (5): 380-382
- **Direct electrical detection of DNA synthesis** *PROCEEDINGS OF THE NATIONAL ACADEMY OF SCIENCES OF THE UNITED STATES OF AMERICA*  
Pourmand, N., Karhanek, M., Persson, H. H., Webb, C. D., Lee, T. H., Zahradnikova, A., Davis, R. W.  
2006; 103 (17): 6466-6470
- **Device physics - Electrical solitons come of age** *NATURE*  
Lee, T. H.  
2006; 440 (7080): 36-37
- **Modeling and analysis of circuit performance of ballistic CNFET** *43rd Design Automation Conference*  
Paul, B. C., Fujita, S., Okajima, M., Lee, T.  
ASSOC COMPUTING MACHINERY.2006: 717–722
- **The Past and Future of the Integrated Circuit**  
Lee, T.  
2006

- **A Programmable 0.18- $\mu$ m CMOS Electrochemical Sensor Microarray for Biomolecular Detection** *IEEE Sensors Journal*  
Hassibi, A., Lee, T., H.  
2006; 6-6: 1380-1388
- **Candidate THz Sources: The History and Future of Velocity-Modulated Devices** *Photonics West, San Jose, CA*  
Lee, T.  
2006
- **RF ID: Promise and Challenges**  
Lee, T.  
2006
- **Novel architecture based on floating gate CNT-NEMS switches and its application to 3D on-chip bus beyond CMOS architecture**  
Fujita, S., Nomura, K., Abe, K., Lee, T., H.  
2006
- **3D on-chip networking technology based on post-Silicon devices for Future Network on Chip**  
Fujita, S., Nomura, K., Abe, K., Lee, T., H.  
2006
- **Coupled Inverter Ring I/Q Oscillator for Low Power Frequency Synthesis**  
Xu, J., Verma, S., Lee, T., H.  
2006
- **Ordered and Chaotic Electrical Solitons: Communication Perspectives**, *IEEE Communications Magazine*  
Ham, D., Li, X., Denenberg, S., A., Lee, T., H., Ricketts, D., S.  
2006; 44 (12): 126-135
- **Device Physics: Electrical Solitons Come of Age** *Nature*  
Lee, T.  
2006; 440: 36-37
- **Things about stuff** *MESA Community Colleges Statewide Day, Noe Lozano*  
Lee, T.  
2006
- **Candidate THz sources: the history and future (?) of velocity-modulated devices** *Conferernce on Terahertz and Gigahertz Electronics and Photonics V*  
Lee, T. H.  
SPIE-INT SOC OPTICAL ENGINEERING.2006
- **3D on-chip networking technology based on post-silicon devices for future networks-on-chip.** *1st International Conference on Nano-Networks and Workshops*  
Fujita, S., Nomura, K., Abe, K., Lee, T. H.  
IEEE.2006: 105–109
- **A 17-mW 0.66-mm(2) direct-conversion receiver for 1-Mb/s cable replacement** *IEEE International Solid-State Circuits Conference (ISSCC 2005)*  
Verma, S., Xu, J. F., Hamada, M., Lee, T. H.  
IEEE-INST ELECTRICAL ELECTRONICS ENGINEERS INC.2005: 2547–54
- **Monolithic integrated millimeter-wave IMPATT transmitter in standard CMOS technology** *IEEE MTT-S International Microwave Symposium*  
Al-Attar, T., Lee, T. H.  
IEEE-INST ELECTRICAL ELECTRONICS ENGINEERS INC.2005: 3557–61
- **Comprehensive study of noise processes in electrode electrolyte interfaces (vol 96, pg 1074, 2004)** *JOURNAL OF APPLIED PHYSICS*  
Hassibi, A., Navid, R., DUTTON, R. W., Lee, T. H.  
2005; 98 (6)
- **Bioluminescence regenerative cycle (BRC) system: Theoretical considerations for nucleic acid quantification assays** *BIOPHYSICAL CHEMISTRY*  
Hassibi, A., Contag, C., Vlad, M. O., Hafezi, M., Lee, T. H., Davis, R. W., Pourmand, N.  
2005; 116 (3): 175-185

- **A 1.5-V, 1.5-GHz CMOS low noise amplifier (vol 32, pg 745, 1997) IEEE JOURNAL OF SOLID-STATE CIRCUITS**  
Shaeffer, D. K., Lee, T. H.  
2005; 40 (6): 1397-1398
- **Biological shot-noise and quantum-limited signal-to-noise ratio in affinity-based biosensors JOURNAL OF APPLIED PHYSICS**  
Hassibi, A., Zahedi, S., Navid, R., DUTTON, R. W., Lee, T. H.  
2005; 97 (8)
- **An analytical formulation of phase noise of signals with Gaussian-distributed jitter IEEE TRANSACTIONS ON CIRCUITS AND SYSTEMS II-EXPRESS BRIEFS**  
Navid, R., Lee, T. H., DUTTON, R. W.  
2005; 52 (3): 149-153
- **Minimum achievable phase noise of RC oscillators IEEE JOURNAL OF SOLID-STATE CIRCUITS**  
Navid, R., Lee, T. H., DUTTON, R. W.  
2005; 40 (3): 630-637
- **A high dynamic range programmable CMOS front-end filter with a tuning range from 1850 to 2400 MHz 21st NORCHIP Conference**  
Christensen, K. T., Lee, T. H., Bruun, E.  
SPRINGER.2005: 55–64
- **A Programmable Electrochemical Biosensor Array in 0.18 $\mu$ m Standard CMOS**  
Hassibi, A., Lee, T.  
2005
- **Biological Shot-noise and Quantum-Limited SNR in Affinity-Based Biosensor Journal of Applied Physics**  
Hassibi, A., Zahedi, S., Navid, R., Dutton, R., W., Lee, T., H.  
2005; 97 (84701): 8
- **A 17.1mW, 0.66mm<sup>2</sup>, Direct Conversion Receiver for 1Mb/s Cable Replacement**  
Verma, S., Xu, J., Hamada, M., Lee, T., H.  
2005
- **A 77GHz Monolithic IMPATT Transmitter in Standard CMOS Technology**  
Al-Attar, T., Hassibi, A., Lee, T., H.  
2005
- **A Constant-Frequency Method for Improving Light-Load Efficiency in Synchronous Buck Converters IEEE Power Electronics Letters**  
Mulligan, M., D., Broach, B., Lee, T., H.  
2005; 3: 24-29
- **First-Hand Tales of Successful Entrepreneurs MIT Club Semiconductor Program**  
Lee, T.  
2005
- **Comprehensive study of noise processes in electrode electrolyte interfaces JOURNAL OF APPLIED PHYSICS**  
Hassibi, A., Navid, R., DUTTON, R. W., Lee, T. H.  
2004; 96 (2): 1074-1082
- **A multiply-by-3 coupled-ring oscillator for low-power frequency synthesis Symposium on VLSI Circuits**  
Verma, S., Xu, J. F., Lee, T. H.  
IEEE-INST ELECTRICAL ELECTRONICS ENGINEERS INC.2004: 709–13
- **High Dynamic Range Programmable CMOS Front-End Filter with a Tuning Range from 1850 to 2400 Mhz Analog Integrated Circuits and Signal Processing**  
Christensen, K., Lee, T., H., Bruun, E.  
2004; 42: 55-63
- **Effects of scaling on the SNR and speed of biosensors. Conference proceedings : ... Annual International Conference of the IEEE Engineering in Medicine and Biology Society. IEEE Engineering in Medicine and Biology Society. Conference**

Hassibi, A., Lee, T. H., Navid, R., Dutton, R. W., Zahedi, S.  
2004; 4: 2549-2552

● **Maximum a Posteriori (MAP) Estimator for Polymerase Chain Reaction (PCR) Processes**

Kakavand, H., O'Brien, D., Hassibi, A., Lee, T., H.  
2004

● **Effects of Scaling on the SNR and Speed of Biosensors**

Hassibi, A., Lee, T., H., Navid, R., Dutton, R., W., Zahedi, S.  
2004

● **Feedback Linearization of RF Power Amplifiers**

Dawson, J., Lee, T.  
Kluwer Academic Press.2004

● **Planar Microwave Engineering**

Lee, T.  
Cambridge University Press.2004

● **Novel Functional Logic Circuits Based on 3D Emerging Memory Cells** *3-D Architectures for Semiconductor Integration and Packaging – Understanding the Impact on Materials, Processes, and Markets, Burlingame, CA*

Fujita, S., Lee, T.  
2004

● **Lateral IMPATT Diodes in Standard CMOS Technology** *International Electron Devices Meeting Technical Digest, San Francisco, CA*

Al-Attar, T., Mulligan, M., D., Lee, T., H.  
2004

● **Close-in Phase Noise in Electrical Oscillators**

Navid, R., Jungemann, C., Lee, T., H., Dutton, R., W.  
2004

● **A Comprehensive Study of Noise Processes in Electrode-electrolyte Interfaces** *Journal of Applied Physics*

Hassibi, A., Navid, R., Dutton, R., W., Lee, T., H.  
2004; 96: 1074-1082

● **Wireless Transceiver Building Blocks** *Stanford Engineering & Science Institute short course*

Lee, T.  
2004

● **Effects of Scaling on the SNR and Speed of Biosensors**

Hassibi, A., Lee, T., H., Navid, R., Dutton, R., W., Zahedi, S.  
2004

● **A Stochastic Model and Simulation Algorithm for Polymerase Chain Reaction (PCR) Systems**

Hassibi, A., Kakavand, H., Lee, T., H.  
2004

● **Automatic phase alignment for a fully integrated Cartesian feedback power amplifier system** *IEEE International Solid-State Circuits Conference*

Dawson, J. L., Lee, T. H.  
IEEE-INST ELECTRICAL ELECTRONICS ENGINEERS INC.2003: 2269–79

● **Volumetric ultrasound Imaging using 2-D CMUT arrays** *IEEE TRANSACTIONS ON ULTRASONICS FERROELECTRICS AND FREQUENCY CONTROL*

Oralkan, O., Ergun, A. S., Cheng, C. H., Johnson, J. A., Karaman, M., Lee, T. H., Khuri-Yakub, B. T.  
2003; 50 (11): 1581-1594

● **A unified model for injection-locked frequency dividers** *IEEE JOURNAL OF SOLID-STATE CIRCUITS*

Verma, S., Rategah, H. R., Lee, T. H.  
2003; 38 (6): 1015-1027

- A multiply-by-3 coupled-ring oscillator for low-power frequency synthesis *Symposium on VLSI Circuits*  
Verma, S., Xu, J. F., Lee, T. H.  
JAPAN SOCIETY APPLIED PHYSICS.2003: 189–192
- 512-Mb PROM with a Three-dimensional Array of Diode/antifuse Memory Cells *IEEE Journal of Solid-State Circuit*  
Johnson, M., Al-Shamma, A., Bosch, D., Crowley, M., Farmwald, M., Fasoli, L., Lee, Thomas, H.  
2003; 38: 1920-1928
- Lumped, Inductorless Oscillators: How Far Can They Go?  
Navid, R., Lee, T., H., Dutton, R., W.  
2003
- Bioluminescence Regenerative Cycle (BRC) system for Nucleic Acid Quantification Assays  
Hassibi, A., Lee, T., H., Davis, R., W., Pourmand, N.  
2003
- Completely DC-free Direct Sequence Spectrum Spreading Scheme for Low Power, Low Cost, Direct Conversion Transceiver  
Hamada, M., Verma, S., Xu, J., Lee, T., H.  
2003
- Automatic Phase Alignment for a Fully Integrated CMOS Cartesian Feedback Power Amplifier System  
Dawson, J., Lee, T.  
2003
- Capacitive micromachined ultrasonic transducers: Next-generation arrays for acoustic imaging? *IEEE TRANSACTIONS ON ULTRASONICS FERROELECTRICS AND FREQUENCY CONTROL*  
Oralkan, O., Ergun, A. S., Johnson, J. A., Karaman, M., Demirci, U., Kaviani, K., Lee, T. H., Khuri-Yakub, B. T.  
2002; 49 (11): 1596-1610
- A noise optimization technique for integrated low-noise amplifiers *IEEE JOURNAL OF SOLID-STATE CIRCUITS*  
Goo, J. S., Ahn, H. T., Ladwig, D. J., Yu, Z. P., Lee, T. H., DUTTON, R. W.  
2002; 37 (8): 994-1002
- Exploiting CMOS reverse interconnect scaling in multigigahertz amplifier and oscillator design (vol 36, pg 1480, 2001) *IEEE JOURNAL OF SOLID-STATE CIRCUITS*  
Kleveland, B., Diaz, C. H., Vook, D., Madden, L., Lee, T. H., Wong, S. S.  
2002; 37 (2): 255-255
- Special issue on silicon-based RF and microwave integrated circuits - Guest editorial *IEEE TRANSACTIONS ON MICROWAVE THEORY AND TECHNIQUES*  
Hajimiri, A., Lee, T. H.  
2002; 50 (1): 233-234
- Capacitive Micromachined Ultrasonic Transducer Arrays for Acoustic Imaging *IEEE Transactions on Ultrasonics Ferroelectronics and Frequency Control*  
Oralkan, O., Ergun, A., Sanli, Karaman, M., Demirci, U., Kaviani, K., Lee, T.  
2002; 49: 1596-1610
- Volumetric Ultrasound Imaging Using 2-D Capacitive Micromachined Ultrasonic Transducer Arrays (CMUTs): Initial Results  
Oralkan, O., Ergun, A., S., Cheng, C., H., Johnson, J., A., Karaman, M., Lee, T., H.  
2002
- 5-GHz CMOS wireless LANs *IEEE TRANSACTIONS ON MICROWAVE THEORY AND TECHNIQUES*  
Lee, T. H., Samavati, H., Rategh, H. R.  
2002; 50 (1): 268-280
- A vertical leap for microchips *SCIENTIFIC AMERICAN*  
Lee, T. H.  
2002; 286 (1): 52-59
- Exploiting CMOS reverse interconnect scaling in multigigahertz amplifier and oscillator design *IEEE JOURNAL OF SOLID-STATE CIRCUITS*

Kleveland, B., Diaz, C. H., Vook, D., Madden, L., Lee, T. H., Wong, S. S.  
2001; 36 (10): 1480-1488

- **Measuring and modeling the effects of substrate noise on the LNA for a CMOS GPS receiver** *IEEE Custom Integrated Circuits Conference*  
Xu, M., Su, D. K., Shaeffer, D. K., Lee, T. H., Wooley, B. A.  
IEEE-INST ELECTRICAL ELECTRONICS ENGINEERS INC.2001: 473–85

- **Physical origin of the excess thermal noise in short channel MOSFETs** *IEEE ELECTRON DEVICE LETTERS*  
Goo, J. S., Choi, C. H., Abramo, A., Ahn, J. G., Yu, Z. P., Lee, T. H., DUTTON, R. W.  
2001; 22 (2): 101-103

- **Optimal allocation of local feedback in multistage amplifiers via geometric programming** *IEEE TRANSACTIONS ON CIRCUITS AND SYSTEMS I-REGULAR PAPERS*  
Dawson, J. L., Boyd, S. P., Hershenson, M. D., Lee, T. H.  
2001; 48 (1): 1-11

- **Multi-GHz Frequency Synthesis and Division**  
Rategh, H., Lee, T.  
Kluwer Academic Press.2001

- **Optimal design of a CMOS op-amp via geometric programming** *IEEE TRANSACTIONS ON COMPUTER-AIDED DESIGN OF INTEGRATED CIRCUITS AND SYSTEMS*  
Hershenson, M. D., Boyd, S. P., Lee, T. H.  
2001; 20 (1): 1-21

- **An accurate and efficient high frequency noise simulation technique for deep submicron MOSFETs** *IEEE TRANSACTIONS ON ELECTRON DEVICES*  
Goo, J. S., Choi, C. H., Danneville, F., Morifuji, E., Momose, H. S., Yu, Z. P., Iwai, H., Lee, T. H., DUTTON, R. W.  
2000; 47 (12): 2410-2419

- **CMOS RF integrated circuits at 5 GHz and beyond** *PROCEEDINGS OF THE IEEE*  
Lee, T. H., Wong, S. S.  
2000; 88 (10): 1560-1571

- **Distributed ESD protection for high-speed integrated circuits** *IEEE ELECTRON DEVICE LETTERS*  
Kleveland, B., Maloney, T. J., Morgan, I., Madden, L., Lee, T. H., Wong, S. S.  
2000; 21 (8): 390-392

- **A 0.3-mu m CMOS 8-Gb/s 4-PAM serial link transceiver** *Symposium on VLSI Circuits*  
Farjad-Rad, R., Yang, C. K., Horowitz, M. A., Lee, T. H.  
IEEE-INST ELECTRICAL ELECTRONICS ENGINEERS INC.2000: 757–64

- **Bandwidth extension in CMOS with optimized on-chip inductors** *IEEE Custom Integrated Circuits Conference*  
Mohan, S. S., Hershenson, M. D., Boyd, S. P., Lee, T. H.  
IEEE-INST ELECTRICAL ELECTRONICS ENGINEERS INC.2000: 346–55

- **The equivalence of van der Ziel and BSIM4 models in modeling the induced gate noise of MOSFETs** *IEEE International Electron Devices Meeting (IEDM)*  
Goo, J. S., Liu, W., Choi, C. H., Green, K. R., Yu, Z. P., Lee, T. H., DUTTON, R. W.  
IEEE.2000: 811–814

- **Measuring and Modeling the Effects of Substrate Noise on the LNS for a CMOS GPS Receiver**  
Xu, M., Su, D., Shaeffer, D., Lee, T., Wooley, B.  
2000

- **Automatic Phase Alignment for High Bandwidth Cartesian Feedback Power Amplifiers**  
Dawson, J., Lee, T.  
2000

- **Oscillator Phase Noise: A Tutorial** *IEEE Journal of Solid-State Circuits*  
Lee, T., H., Hajimiri, A.  
2000; 35: 326-336

- **Circuit Techniques for CMOS RF ICs**

Lee, T.  
2000

- **CMOS RF Integrated Circuits at 5GHz and Beyond**

Lee, T., Wong, S.  
2000

- **A CMOS Frequency Synthesizer with an Injection-Locked Frequency Divider for a 5-GHz Wireless LAN Receiver** *IEEE Journal of Solid-State Circuits*

Rategh, H., Samavati, H., Lee, T.  
2000; 35: 780-787

- **Guidelines for the power constrained design of a CMOS tuned LNA** *International Conference on Simulation of Semiconductor Processes and Devices*

Goo, J. S., Oh, K. H., Choi, C. H., Yu, Z. P., Lee, T. H., DUTTON, R. W.  
IEEE.2000: 269–272

- **Optimal Allocation of Local Feedback in Multistage Amplifiers via Geometric Programming**

Dawson, J., Boyd, S., Hershenson, M., del Mar, Lee, T.  
2000

- **CMOS RF Integrated Circuits at 5GHz and Beyond**

Lee, T., Wong, S.  
2000

- **A 5-GHz CMOS Wireless LAN Receiver Front End** *IEEE Journal of Solid-State Circuits*

Samavati, H., Rategh, H., Lee, T.  
2000; 35: 765-772

- **A 0.3- $\mu$ m CMOS 8-Gb/s 4-PAM Serial Link Transceiver** *IEEE Journal of Solid-State Circuits*

Farjad-Rad, R., Yang, C., Horowitz, M., Lee, T.  
2000; 35: 757-764

- **Simple accurate expressions for planar spiral inductances** *IEEE JOURNAL OF SOLID-STATE CIRCUITS*

Mohan, S. S., Hershenson, M. D., Boyd, S. P., Lee, T. H.  
1999; 34 (10): 1419-1424

- **A portable digital DLL for high-speed CMOS interface circuits** *Symposium on VLSI Circuits*

Garlepp, B. W., Donnelly, K. S., Kim, J., Chau, P. S., Zerbe, J. L., Huang, C., Tran, C. V., Portmann, C. L., Stark, D., Chan, Y. F., Lee, T. H., Horowitz, M. A.  
IEEE-INST ELECTRICAL ELECTRONICS ENGINEERS INC.1999: 632–44

- **Jitter and Phase Noise in Ring Oscillators** *IEEE Journal of Solid-State Circuits*

Hajimiri, A., Limotyrakis, S., Lee, T.  
1999; 34: 790-804

- **RF Noise Simulation for Submicron MOSFETs Based on Hydrodynamic Model**

Goo, J., Choi, C., Morifushi, E., Sasaki, H., Momose, H., Yu, Z., Lee, Thomas, H.  
1999

- **A 5GHz, 1mW CMOS Voltage-Controlled Differential Injection-Locked Frequency Divider**

Rategh, H., Samavati, H., Lee, T.  
1999

- **Superharmonic Injection-Locked Frequency Dividers** *IEEE Journal of Solid-State Circuits*

Rategh, H., Lee, T.  
1999; 34: 813-821

- **Phase Noise in Oscillators: A Tutorial**

Lee, T.  
1999

- **Optimal Design of a CMOS Op-amp via Geometric Programming** *Applied and Computational Control, Signals and Circuits*  
Lee, T.  
Birkhauser.1999: 1
- **Design Issues in CMOS Differential LC Oscillators** *IEEE Journal of Solid-State Circuits*  
Hajimiri, A., Lee, T.  
1999; 34: 717-724
- **A Linear, Time-Varying Theory of Phase Noise in Oscillators**  
Lee, T.  
1999
- **A 0.3mm CMOS 8Gb/s 4-PAM Serial Link Transceiver**  
Farjad-Rad, R., Yang, C., Horowitz, M., Lee, T.  
1999
- **Issues in High Frequency Noise Simulation for Deep Submicron MOSFETs**  
Goo, J., Choi, C., Dannerville, F., Yu, Z., Lee, T., Dutton, R.  
1999
- **Low-Power Dividerless Frequency Synthesis Using Aperture Phase Detection** *IEEE Journal of Solid-State Circuits*  
Shahani, D., Shaeffer, Mohan, S., Samavati, H., Rategh, H., Hershnson, M., del Mar, Xu, M., Lee, Thomas, H.  
1999; 33: 2232-2239
- **Monolithic CMOS Distributed Amplifier and Oscillator**  
Kleveland, C., Diaz, Vook, D., Madden, L., Lee, T., Wong, S.  
1999
- **CMOS RF: (Still) No Longer an Oxymoron**  
Lee, T.  
1999
- **GPCAD: A Tool for CMOS Op-Amp Synthesis**  
Hershenson, M., del Mar, Boyd, S., Lee, T.  
1999
- **A 2.125 Gbaud 1.6k# Transimpedance Preamplifier in 0.5µm CMOS**  
Mohan, S., Lee, T.  
1999
- **A 12.4mW CMOS Front-End for a 5GHz Wireless-LAN Receiver**  
Samavati, H., Rategh, H., Lee, T.  
1999
- **Design and Optimization of LC Oscillators**  
Hershenson, M., del Mar, Hajimiri, A., Mohan, S., Boyd, S., Lee, T.  
1999
- **RF Passive IC Components in The VLSI Handbook**  
Lee, T.  
edited by Chen, W.  
CRC Press.1999: 1
- **A 0.4-µm CMOS 10-Gb/s 4-PAM Pre-emphasis Serial Link Transmitter** *IEEE Journal of Solid-State Circuits*  
Farjad-Rad, R., Yang, C., Horowitz, M., Lee, T.  
1999; 34: 580-585
- **A 5GHz, 32mW CMOS Frequency Synthesizer with an Injection-Locked Frequency Divider**  
Rategh, H., Samavati, H., Lee, T.  
1999

- **Optimization of Inductor Circuits via Geometric Programming**

Hershenson, M., del Mar, Mohan, S., Boyd, S., Lee, T.  
1999

- **The Design of Low Noise Oscillators**

Hajimiri, A., Lee, T.  
Kluwer Academic Press.1999

- **The Design and Implementation of Low-Power CMOS Radio Receivers**

Shaeffer, D., K., Lee, T.  
Kluwer Academic Press.1999

- **Phase Noise in CMOS Differential LC Oscillators**

Hajimiri, Lee, T.  
1998

- **Ultra-Low Resistance, Through-Wafer Via (TWV) Technology and its Applications in Three Dimensional Structures on Silicon** *Japanese Journal of Applied Physics, Part 1, Hiroshima, Japan*

Soh, H., Yu, C., McCarthy, A., Ryu, C., Lee, T., Wong, S.  
1998; 38: 2393-2396

- **A Portable Digital DLL Architecture for CMOS Interface Circuits**

Garlepp, Donnelly, K., Kim, J., Chau, P., Zerbe, J., Huang, C., Lee, Thomas, H.  
1998

- **Superharmonic Injection Locked Oscillators as Low Power Frequency Dividers**

Rategh, H., Lee, T.  
1998

- **The Design of CMOS Low-Noise Amplifiers**

Lee, T.  
1998

- **A General Theory of Phase Noise in Oscillators** *IEEE Journal of Solid-State Circuits*

Hajimir, A., Lee, T.  
1998; 33: 179-194

- **Automated Design of Folded-Cascode Op-Amps with Sensitivity Analysis**

Hershenson, M., del Mar, Boyd, S., Lee, T.  
1998

- **Fractal Capacitors** *IEEE Journal of Solid-State Circuits*

Samavati, H., Hajimiri, A., Shahani, A., Nasserbakht, G., Lee, T.  
1998; 33: 2035-2041

- **A 115mW, 0.5- $\mu$ m CMOS GPS Receiver with Wide Dynamic-Range Active Filters** *IEEE Journal of Solid-State Circuits*

Shaeffer, D., Shahani, A., Mohan, S., Samavati, H., Rategh, H., Hershenson, M., del Mar, Lee, Thomas, H.  
1998; 33: 2219-2231

- **Analysis and Optimization of Accumulation-Mode Varactor for RF ICs**

Soorapanth, T., Yue, C., Shaeffer, D., Lee, T., Wong, S.  
1998

- **Low Phase Noise Ring Oscillators for Frequency Synthesis**

Betancourt-Zamora, R., Lee, T.  
1998

- **Fractal Capacitors**

Samavati, H., Hajimiri, A., Shahani, A., Nasserbakht, G., Lee, T.  
1998

- **A 115mW CMOS GPS Receiver**

Shaeffer, Shahani, A., Mohan, S., Samavati, H., Rategh, H., Hershenson, M., del Mar, Lee, Thomas, H.  
1998

- **50-GHz Interconnect Design in Standard Silicon Technology**

Kleveland, S., Wong, Lee, T.  
1998

- **A 0.4μm CMOS 10-Gb/s 4-PAM Pre-Emphasis Serial Link Transmitter**

Farjad-Rad, R., Yang, C., Horowitz, M., Lee, T.  
1998

- **A 1.4-GHz 3-mW CMOS LC Low Phase Noise VCO Using Tapped Bond Wire Inductances**

Ahrens, T., Lee, T.  
1998

- **Modeling and characterization of on-chip transformers *International Electron Devices Meeting (IEDM)***

Mohan, S. S., Yue, C. P., Hershenson, M. D., Wong, S. S., Lee, T. H.  
IEEE.1998: 531–534

- **CMOS VCOs for Frequency Synthesis in Wireless Biotelemetry**

Betancourt-Zamora, R., Lee, T.  
1998

- **Recent Progress in CMOS RF Integrated Circuits**

Lee, T.  
1998

- **Circuit Techniques in a 266-MHz MMX-Enabled Processor *IEEE Journal of Solid-State Circuits***

Draper, M., Crowley, Holst, J., Favor, G., Schoy, A., Trull, J., Meir, A., Ben, Lee, Thomas, H.  
1997; 32: 1650-1664

- **A 12-mW Wide Dynamic Range CMOS Front-End for a Portable GPS Receiver *IEEE Journal of Solid-State Circuits***

Shahani, D., Shaeffer, Lee, T.  
1997; 32: 2061-2070

- **A 12mW Wide Dynamic Range CMOS Front-End for a Portable GPS Receiver**

Shahani, D., Shaeffer, Lee, T.  
1997

- **A 1.5mW, 200MHz CMOS VCO for Wireless Telemetry**

Zamora, R., Betancourt, Hajimiri, A., Lee, T.  
1997

- **A 1.5V, 1.5 GHz CMOS Low-Noise Amplifier *IEEE Journal of Solid-State Circuits***

Shaeffer, D., Lee, T.  
1997; 32: 745-759

- **CMOS RF: No Longer an Oxymoron**

Lee, T.  
1997

- **An X86 Microprocessor with Multi-Media Extensions**

Draper, M., Crowley, Holst, J., Favor, G., Schoy, A., Meir, A., Ben, Trull, J., Lee, Thomas, H.  
1997

- **RF Linearity of Short-Channel MOSFETs**

Soorapanth, T., Lee, T.  
1997

- **Physical Modeling of Enhanced High-Frequency Drain and Gate Current Noise in Short-Channel MOSFETs**

Klimovitch, T., Lee, Yamamoto, Y.  
1997

- **The Design of CMOS Radio-Frequency Integrated Circuits**

Lee, T.  
Cambridge University Press.1997

- **An Equalization Scheme for 10Gb/s 4PAM Signaling over Long Cables**

Rad, R., Farjad, Yu, K., Lee, T.  
1997

- **CMOS RF: No Longer an Oxymoron**

Lee, T.  
1997

- **A 155MHz Delay- and Phase-Locked Loop *Monolithic Phase-Locked Loops***

Lee, T.  
edited by Razavi, B.  
IEEE Press.1997: 1

- **CMOS Operational Amplifier Design and Optimization via Geometric Programming**

Hershenson, M., del Mar, Boyd, S., Lee, T.  
1997

- **A 1.6GHz 0.5mW CMOS LC Low Phase Noise VCO Using Bond Wire Inductance**

Ahrens, T., Hajimiri, A., Lee, T.  
1997

- **A 600MHz Superscalar RISC Microprocessor with Out-of-Order Execution**

Gieseke, R., Allmon, Bailey, D., Benschneider, B., Britton, S., Clouser, J., III, H., Fair, Lee, Thomas, H.  
1997

- **A 160MHz 32b 0.5W CMOS RISC Microprocessor *IEEE Journal of Solid-State Circuits***

Montanaro, J., Witek, R., Anne, K., Black, A., Cooper, E., Dobberpuhl, D., Lee, Thomas, H.  
1996; 31: 1703-1714

- **A 1.5V, 1.5 GHz CMOS Low-Noise Amplifier**

Shaeffer, D., Lee, T.  
1996

- **A Physical Model for Spiral Inductors on Silicon *International Electron Devices Meeting Technical Digest, San Francisco, CA***

Yue, P., Ryu, C., Lau, J., Lee, T., Wong, S.  
1996

- **A 1.5V, 1.5 GHz CMOS Low-Noise Amplifier**

Shaeffer, Lee, T.  
1996

- **A 160MHz 32b 0.5W CMOS RISC Microprocessor**

Montanaro, J., Witek, R., Anne, K., Black, A., Cooper, E., Dobberpuhl, D., Lee, Thomas, H.  
1996

- **A 2.5V Delay-Locked Loop for an 18Mbit, 500MByte/sec DRAM *IEEE Journal of Solid-State Circuits***

Lee, T., Donnelly, K., Ho, J., Zerbe, J., Johnson, M., Ishawa, T.  
1994; 29: 1491-1496

- **A 2.5V Delay-Locked Loop for an 18Mbit, 500MByte/sec DRAM**

Lee, T., Donnelly, K., Ho, J., Zerbe, J., Johnson, M., Ishikawa, T.  
1994

- **A 500-Megabyte/s Data-Rate 4.5M DRAM** *IEEE Journal of Solid-State Circuits*  
Kushiyama, N., Ohsha, S., Stark, D., Noji, H., Sakurai, K., Takase, S., Lee, Thomas, H.  
1993; 28: 490-498
- **PLL Design for a 500MByte/sec Interface**  
Horowitz, M., Chan, A., Cobrunson, J., Gasbarro, J., Lee, T., Leung, W.  
1993
- **A 155MHz Clock Recovery Delay- and Phase-Locked Loop** *IEEE Journal of Solid-State Circuits*  
Lee, T., Bulzacchelli, J.  
1992; 27: 1736-1746
- **A 155MHz Clock Recovery Delay- and Phase-Locked Loop**  
Lee, T., Bulzacchelli, J.  
1992
- **Circuits, Analog” and “Circuits, Digital articles for Encyclopedia of Applied Physics**  
Lee, T.  
VCH Publishers.1992: 1