




Bruce Buckingham

Professor of Pediatrics (Endocrinology) at the Lucile Salter Packard Children's Hospital, Emeritus

Pediatrics - Endocrinology and Diabetes

 NIH Biosketch available Online

Bio

ACADEMIC APPOINTMENTS

- Emeritus Faculty - University Medical Line, Pediatrics - Endocrinology and Diabetes
- Member, Bio-X
- Member, Maternal & Child Health Research Institute (MCHRI)

Research & Scholarship

CURRENT RESEARCH AND SCHOLARLY INTERESTS

My major interest is in type 1 diabetes mellitus, continuous glucose sensor, and the development of an artificial pancreas. Other research interests include using continuous glucose monitoring and algorithms to control blood glucose levels in intensive care units.

CLINICAL TRIALS

- A Randomized Control Trial Comparing Linjeta Versus Humalog in Pumps: Effect on Postprandial Blood Sugars., Not Recruiting
- A Study to Evaluate a Multiple Model Probabilistic Predictive Controller (MMPPC) for Closed Loop Insulin Delivery, Not Recruiting
- An Outpatient Pump Shutoff Pilot Feasibility and Safety Study, Not Recruiting
- An Outpatient Study of Automated Blood Glucose Control With an Insulin-Only Bionic Pancreas, Not Recruiting
- Assessment of an Automatic Closed-loop Insulin Delivery System, Not Recruiting
- Development of Algorithms for a Hypoglycemic Prevention Alarm: Closed Loop Study, Not Recruiting
- Diabetes Assistant (DiAs) Control-to-Range (CTR) Nocturnal Closed-Loop Camp Study, Not Recruiting
- Diabetes Pump With Predictive Low Glucose Suspend Pivotal Trial, Not Recruiting
- Duration of Infusion Set Function: Quick-Set Teflon Catheter Versus Sure-T Steel Infusion Set Catheter, Not Recruiting
- Evaluation of Extended Infusion Set Wear Using Medtronic Extended Wear Sof-set Infusion Set, Not Recruiting
- Evaluation of Fiasp® (Fast Acting Insulin Aspart) in 670G Hybrid Closed-Loop Therapy, Not Recruiting
- Fault Detection, Zone MPC and DiAs System in T1D, Not Recruiting
- Fault Detection, Zone MPC and DiAs System in T1D, Not Recruiting
- Full Day and Night Closed-Loop With DiAs Platform, Not Recruiting
- Hyaluronidase Effect on Infusion Set Life, Not Recruiting
- Hybrid Closed Loop Therapy and Verapamil for Beta Cell Preservation in New Onset Type 1 Diabetes, Not Recruiting
- Hybrid Closed-Loop Hotel Studies With Medtronic PID Controller, Not Recruiting
- Initiation of Continuous Glucose Monitoring at Diagnosis of Type 1 Diabetes, Not Recruiting

- Insulet Artificial Pancreas Early Feasibility Study, Not Recruiting
- International Diabetes Closed Loop (iDCL) Trial: Research Site Training Protocol, Not Recruiting
- Longevity of Multi-Slitted Catheter With Lantern Technology, Not Recruiting
- Medtronic Minimed Overnight Closed-Loop System, Not Recruiting
- Medtronic Treat to Range (TTR) Closed-Loop Control, Not Recruiting
- Omnipod Horizon™ Automated Glucose Control System Preschool Cohort, Not Recruiting
- Outpatient Pump Shutoff Pilot Feasibility and Efficacy Study, Not Recruiting
- Outpatient Reduction of Nocturnal Hypoglycemia by Using Predictive Algorithms and Pump Suspension in Children, Not Recruiting
- Pilot Study to Evaluate a Method of Controlling High Blood Sugar in the Pediatric Intensive Care Unit, Not Recruiting
- Pivotal Omnipod Horizon™ Automated Glucose Control System, Not Recruiting
- Pre-pivotal Omnipod Horizon™ Automated Glucose Control System, Not Recruiting
- Real-time Reminders To Decrease Late or Missed Meal Boluses, Not Recruiting
- Reduction of Nocturnal Hypoglycemia and Hyperglycemia in the Home Using Predictive Algorithms, Not Recruiting
- Reduction of Nocturnal Hypoglycemia and Hyperglycemia in the Home Using Predictive Algorithms, Pump Suspension, and Insulin Dosing in Children and Young Adolescents, Not Recruiting
- Remote Monitoring of Diabetes in Young Children With Type 1 Diabetes, Not Recruiting
- Reversal of Hypoglycemia Unawareness Using Continuous Glucose Monitoring, Not Recruiting
- Safety Evaluation of the Hybrid Closed Loop (HCL) System in Pediatric Subjects With Type 1 Diabetes, Not Recruiting
- Testing State of the Art Remote Glucose Monitoring at Diabetes Camp, Not Recruiting
- The Insulin-Only Bionic Pancreas Pivotal Trial, Not Recruiting
- The International Diabetes Closed Loop (iDCL) Trial: Protocol 4, Not Recruiting
- The Pediatric Artificial Pancreas (PEDAP) Trial of Control-IQ Technology in Young Children in Type 1 Diabetes, Not Recruiting
- USS Virginia Closed-Loop Versus SAP Therapy for Hypoglycemia Reduction in T1D, Not Recruiting

Publications

PUBLICATIONS

- **The use of automated insulin delivery around physical activity and exercise in type 1 diabetes: a position statement of the European Association for the Study of Diabetes (EASD) and the International Society for Pediatric and Adolescent Diabetes (ISPAD).** *Diabetologia*
Moser, O., Zaharieva, D. P., Adolfsson, P., Battelino, T., Bracken, R. M., Buckingham, B. A., Danne, T., Davis, E. A., Dovč, K., Forlenza, G. P., Gillard, P., Hofer, S. E., Hovorka, et al
2024
- **The Use of Automated Insulin Delivery around Physical Activity and Exercise in Type 1 Diabetes: A Position Statement of the European Association for the Study of Diabetes (EASD) and the International Society for Pediatric and Adolescent Diabetes (ISPAD).** *Hormone research in paediatrics*
Moser, O., Zaharieva, D., Adolfsson, P., Battelino, T., Bracken, R. M., Buckingham, B. A., Danne, T., Davis, E. A., Dovc, K., Forlenza, G. P., Gillard, P., Hofer, S. E., Hovorka, et al
2024: 1-28
- **Toward Automation: The Road Traveled and Road Ahead for Integrating Automated Insulin Delivery into Inpatient Care.** *Diabetes technology & therapeutics*
Hughes, M. S., Pasquel, F. J., Davis, G. M., Lal, R. A., Buckingham, B. A., Boughton, C. K., Brown, S. A., Bally, L.
2024
- **Efficacy and Safety of a Tubeless AID System Compared With Pump Therapy With CGM in the Treatment of Type 1 Diabetes in Adults With Suboptimal Glycemia: A Randomized, Parallel-Group Clinical Trial.** *Diabetes care*
Renard, E., Weinstock, R. S., Aleppo, G., Bode, B. W., Brown, S. A., Castorino, K., Hirsch, I. B., Kipnes, M. S., Laffel, L. M., Lal, R. A., Penforinis, A., Riveline, J., Shah, et al

2024

- **Psychosocial outcomes with the Omnipod® 5 Automated Insulin Delivery System in caregivers of very young children with type 1 diabetes.** *Diabetes, obesity & metabolism*
MacLeish, S. A., Hood, K. K., Polonsky, W. H., Wood, J. R., Bode, B. W., Forlenza, G. P., Laffel, L. M., Buckingham, B. A., Criego, A. B., Schoelwer, M. J., DeSalvo, D. J., Sherr, J. L., Hansen, et al
2024
- **Empowering Hospitalized Patients With Diabetes: Implementation of a Hospital-wide CGM Policy With EHR-Integrated Validation for Dosing Insulin.** *Diabetes care*
Lee, M. Y., Seav, S. M., Ongwela, L., Lee, J. J., Aubyrn, R., Cao, F. Y., Kalinsky, A., Aparicio Ramos, O., Gu, Y., Kingston, K., Ivanovic, M., Buckingham, B. A., Desai, et al
2024
- **Safety and prescribing recommendations for verapamil in newly diagnosed pediatric type 1 diabetes (T1D): The CLVer experience.** *Journal of clinical & translational endocrinology*
Ekhlaspour, L., Buckingham, B., Bauza, C., Clements, M., Forlenza, G. P., Neyman, A., Norlander, L., Schamberger, M., Sherr, J. L., Bailey, R., Beck, R. W., Kollman, C., Beasley, et al
2024; 36: 100352
- **Impact of Missed and Late Meal Boluses on Glycemic Outcomes in Automated Insulin Delivery-Treated Children and Adolescents with Type 1 Diabetes: A Two-Center, Population-Based, Cohort Study.** *Diabetes technology & therapeutics*
Laugesen, C., Ritschel, T., Ranjan, A., Hsu, L. J., Jørgensen, J. B., Svensson, J., Ekhlaspour, L., Buckingham, B. A., Norgaard, K.
2024
- **Cost-Effectiveness of Closed-Loop Automated Insulin Delivery Using the Cambridge Hybrid Algorithm in Children and Adolescents with Type 1 Diabetes: Results from a Multicenter 6-Month Randomized Trial.** *Journal of diabetes science and technology*
Fox, D. S., Ware, J., Boughton, C. K., Allen, J. M., Wilinska, M. E., Tauschmann, M., Denvir, L., Thankamony, A., Campbell, F., Wadwa, R. P., Buckingham, B. A., Davis, N., DiMeglio, et al
2024: 19322968241231950
- **Digital Technology for Diabetes. Reply.** *The New England journal of medicine*
Hughes, M. S., Addala, A., Buckingham, B.
2024; 390 (10): 963-964
- **The Minimally-Invasive Oral Glucose Minimal Model: Estimation of Gastric Retention, Glucose Rate of Appearance, and Insulin Sensitivity From Type 1 Diabetes Data Collected in Real-Life Conditions.** *IEEE transactions on bio-medical engineering*
Faggionato, E., Schiavon, M., Ekhlaspour, L., Buckingham, B. A., Dalla Man, C.
2024; 71 (3): 977-986
- **Decreasing the Burden of Carbohydrate Counting and Meal Announcement with Automated Insulin Delivery, Meal Recognition, and Autocorrection Doses: A Case Study.** *Diabetes technology & therapeutics*
Buckingham, B. A., Bergenstal, R. M.
2024; 26 (S3): 97-101
- **Glycemic Outcomes Persist for up to 2 Years in Very Young Children with the Omnipod 5 Automated Insulin Delivery System.** *Diabetes technology & therapeutics*
DeSalvo, D. J., Bode, B., Forlenza, G. P., Laffel, L. M., Buckingham, B. A., Criego, A., Schoelwer, M., MacLeish, S. A., Sherr, J. L., Hansen, D., Ly, T. T.
2024
- **Patient reported outcomes (PROs) and user experiences of young children with type 1 diabetes using t:slim X2 insulin pump with control-IQ technology.** *Diabetes research and clinical practice*
Hood, K. K., Schneider-Utaka, A. K., Reed, Z. W., Buckingham, B. A., Cobry, E., DeBoer, M. D., Ekhlaspour, L., Schoelwer, M., Paul Wadwa, R., Lum, J., Kollman, C., Beck, R. W., Breton, et al
2024; 208: 111114
- **Digital Technology for Diabetes.** *The New England journal of medicine*
Hughes, M. S., Addala, A., Buckingham, B.
2023; 389 (22): 2076-2086

- **Diabetic ketoacidosis (DKA) at diagnosis in youth with type 1 diabetes (T1D) is associated with a higher hemoglobin A1c even with intensive insulin management.** *Diabetes technology & therapeutics*
Zaharieva, D. P., Ding, V., Addala, A., Prahallad, P., Bishop, F., Hood, K., Desai, M., Wilson, D. M., Buckingham, B. A., Maahs, D. M.
2023
- **Two Years with a Tubeless AID System: A Single-Arm Multicenter Trial in Children, Adolescents, and Adults with Type 1 Diabetes.** *Diabetes technology & therapeutics*
Criego, A., Carlson, A. L., Brown, S., Forlenza, G. P., Bode, B., Levy, C., Hansen, D., Hirsch, I. B., Bergenstal, R. M., Sherr, J. L., Mehta, S., Laffel, L. M., Shah, et al
2023
- **Safety and glycemic outcomes during the MiniMed™ advanced hybrid closed-loop (AHCL) system pivotal trial in children and adolescents with type 1 diabetes.** *Diabetes technology & therapeutics*
Pihoker, C., Shulman, D. I., Forlenza, G. P., Kaiserman, K. B., Sherr, J. L., Thasher, J. R., Buckingham, B. A., Kipnes, M. S., Bode, B. W., Carlson, A. L., Lee, S., Latif, K., Lilienquist, et al
2023
- **Automated Insulin Delivery with Remote Real-Time Continuous Glucose Monitoring for Hospitalized Patients with Diabetes: A Multi-Center, Single-arm, Feasibility Trial.** *Diabetes technology & therapeutics*
Davis, G. M., Hughes, M. S., Brown, S., Sibayan, J., Perez-Guzman, M. C., Stumpf, M., Thompson, Z., Basina, M., Patel, R., Hester, J., Abraham, A., Ly, T. T., Chaney, et al
2023
- **Verapamil and Pancreatic Beta Cell Function in Pediatric Type 1 Diabetes-Reply.** *JAMA*
Forlenza, G. P., Schamberger, M. S., Buckingham, B. A.
2023; 330 (4): 380
- **Psychosocial Outcomes with the Omnipod & REG; 5 Automated Insulin Delivery System in Children and Adolescents with Type 1 Diabetes and Their Caregivers** *PEDIATRIC DIABETES*
Hood, K. K., Polonsky, W. H., MacLeish, S. A., Levy, C. J., Forlenza, G. P., Criego, A. B., Buckingham, B. A., Bode, B. W., Hansen, D. W., Sherr, J. L., Brown, S. A., DeSalvo, D. J., Mehta, et al
2023; 2023
- **Swimming With the Omnipod 5 Automated Insulin Delivery System: Connectivity in the Water.** *Diabetes care*
Hughes, M. S., Kingman, R. S., Hsu, L., Lal, R. A., Buckingham, B. A., Zaharieva, D. P.
2023
- **Glycemic outcomes during early use of the MiniMed 780G advanced hybrid closed-loop system with Guardian 4 sensor.** *Diabetes technology & therapeutics*
Cordero, T. L., Dai, Z., Arrieta, A., Niu, F., Vella, M., Shin, J., Rhinehart, A. S., McVean, J., Lee, S., Slover, R. H., Forlenza, G. P., Shulman, D. I., Pop-Busui, et al
2023
- **Practical Aspects and Exercise Safety Benefits of Automated Insulin Delivery Systems in Type 1 Diabetes.** *Diabetes spectrum : a publication of the American Diabetes Association*
Zaharieva, D. P., Morrison, D., Paldus, B., Lal, R. A., Buckingham, B. A., O'Neal, D. N.
2023; 36 (2): 127-136
- **A Meta-Analysis of Randomized Trial Outcomes for the t:slim X2 Insulin Pump with Control-IQ Technology in Youth and Adults from Age 2 to 72.** *Diabetes technology & therapeutics*
Beck, R. W., Kanapka, L. G., Breton, M. D., Brown, S. A., Wadwa, R. P., Buckingham, B. A., Kollman, C., Kovatchev, B.
2023
- **Trial of Hybrid Closed-Loop Control in Young Children with Type 1 Diabetes.** *The New England journal of medicine*
Wadwa, R. P., Reed, Z. W., Buckingham, B. A., DeBoer, M. D., Ekhlaspour, L., Forlenza, G. P., Schoelwer, M., Lum, J., Kollman, C., Beck, R. W., Breton, M. D., PEDAP Trial Study Group, Wadwa, R. P., et al
2023; 388 (11): 991-1001
- **Effect of Verapamil on Pancreatic Beta Cell Function in Newly Diagnosed Pediatric Type 1 Diabetes: A Randomized Clinical Trial.** *JAMA*
Forlenza, G. P., McVean, J., Beck, R. W., Bauza, C., Bailey, R., Buckingham, B., DiMeglio, L. A., Sherr, J. L., Clements, M., Neyman, A., Evans-Molina, C., Sims, E. K., Messer, et al

2023

- **Effect of Tight Glycemic Control on Pancreatic Beta Cell Function in Newly Diagnosed Pediatric Type 1 Diabetes: A Randomized Clinical Trial.** *JAMA*
McVean, J., Forlenza, G. P., Beck, R. W., Bauza, C., Bailey, R., Buckingham, B., DiMeglio, L. A., Sherr, J. L., Clements, M., Neyman, A., Evans-Molina, C., Sims, E. K., Messer, et al
2023
- **Improved Glycemia with Hybrid Closed-Loop (HCL) Versus Continuous Subcutaneous Insulin Infusion (CSII) Therapy: Results from a Randomized Controlled Trial.** *Diabetes technology & therapeutics*
Garg, S. K., Grunberger, G., Weinstock, R. S., Lawson, M. L., Hirsch, I. B., DiMeglio, L. A., Pop-Busui, R., Philis-Tsimikas, A., Kipnes, M. S., Lilienquist, D. R., Brazg, R. L., Kudva, Y. C., Buckingham, et al
2022
- **Continuous glucose monitoring and metrics for clinical trials: an international consensus statement.** *The lancet. Diabetes & endocrinology*
Battelino, T., Alexander, C. M., Amiel, S. A., Arreaza-Rubin, G., Beck, R. W., Bergenstal, R. M., Buckingham, B. A., Carroll, J., Ceriello, A., Chow, E., Choudhary, P., Close, K., Danne, et al
2022
- **ISPAD Clinical Practice Consensus Guidelines 2022: Other complications and associated conditions in children and adolescents with type 1 diabetes.** *Pediatric diabetes*
Frohlich-Reiterer, E., Elbarbary, N. S., Simmons, K., Buckingham, B., Humayun, K. N., Johannsen, J., Holl, R. W., Betz, S., Mahmud, F. H.
2022; 23 (8): 1451-1467
- **Positive Impact of the Bionic Pancreas on Diabetes Control in Youth 6-17 Years Old with Type 1 Diabetes: A Multicenter Randomized Trial.** *Diabetes technology & therapeutics*
Messer, L. H., Buckingham, B. A., Cogen, F., Daniels, M., Forlenza, G., Jafri, R. Z., Mauras, N., Muir, A., Wadwa, R. P., White, P. C., Russell, S. J., Damiano, E. R., El-Khatib, et al
2022; 24 (10): 712-725
- **Multicenter, Randomized Trial of a Bionic Pancreas in Type 1 Diabetes.** *The New England journal of medicine*
Russell, S. J., Beck, R. W., Damiano, E. R., El-Khatib, F. H., Ruedy, K. J., Balliro, C. A., Li, Z., Calhoun, P., Wadwa, R. P., Buckingham, B., Zhou, K., Daniels, M., Raskin, et al
2022; 387 (13): 1161-1172
- **Consensus Recommendations for the Use of Automated Insulin Delivery (AID) Technologies in Clinical Practice.** *Endocrine reviews*
Phillip, M., Nimri, R., Bergenstal, R. M., Barnard-Kelly, K., Danne, T., Hovorka, R., Kovatchev, B. P., Messer, L. H., Parkin, C. G., Ambler-Osborn, L., Amiel, S. A., Bally, L., Beck, et al
2022
- **A Pilot randomized trial to examine effects of a hybrid closed-loop insulin delivery system on neurodevelopmental and cognitive outcomes in adolescents with type 1 diabetes.** *Nature communications*
Reiss, A. L., Jo, B., Arbelaez, A. M., Tsalikian, E., Buckingham, B., Weinzimer, S. A., Fox, L. A., Cato, A., White, N. H., Tansey, M., Aye, T., Tamborlane, W., Englert, et al
2022; 13 (1): 4940
- **Lived experience of CamAPS FX closed loop system in youth with type 1 diabetes and their parents.** *Diabetes, obesity & metabolism*
Hood, K. K., Garcia-Willingham, N., Hanes, S., Tanenbaum, M. L., Ware, J., Boughton, C. K., Allen, J. M., Wilinska, M. E., Tauschmann, M., Denvir, L., Thankamony, A., Campbell, F., Wadwa, et al
2022
- **Positive Impact of the Bionic Pancreas on Diabetes Control in Youth 6-17 Years Old with Type 1 Diabetes: A Multicenter Randomized Trial.** *Diabetes technology & therapeutics*
Messer, L. H., Buckingham, B. A., Cogen, F., Daniels, M., Forlenza, G. P., Jafri, R., Mauras, N., Muir, A., Wadwa, R. P., White, P., Russell, S., Damiano, E. R., El-Khatib, et al
2022
- **Safety and Glycemic Outcomes With a Tubeless Automated Insulin Delivery System in Very Young Children With Type 1 Diabetes: A Single-Arm Multicenter Clinical Trial.** *Diabetes care*
Sherr, J. L., Bode, B. W., Forlenza, G. P., Laffel, L. M., Schoelwer, M. J., Buckingham, B. A., Criego, A. B., DeSalvo, D. J., MacLeish, S. A., Hansen, D. W., Ly, T. T.
2022

- **Outpatient Randomized Crossover Comparison of Zone Model Predictive Control Automated Insulin Delivery with Weekly Data Driven Adaptation versus Sensor-Augmented Pump: Results from the International Diabetes Closed Loop Trial 4 (DCLP4).** *Diabetes technology & therapeutics*
Pinsker, J. E., Dassau, E., Deshpande, S., Raghinaru, D., Buckingham, B. A., Kudva, Y. C., Laffel, L. M., Levy, C., Church, M. M., Desrochers, H., Ekhlaspour, L., Kaur, R. J., Levister, et al
2022
- **Pharmacodynamics, pharmacokinetics, safety, and tolerability of a ready-to-use, room temperature, liquid stable glucagon administered via an autoinjector pen to youth with type 1 diabetes.** *Pediatric diabetes*
Buckingham, B., Sherr, J., Prestrelski, S. J., Conoscenti, V.
2022
- **Smartwatch Gesture-Based Meal Reminders Improve Glycemic Control.** *Diabetes, obesity & metabolism*
Corbett, J. P., Hsu, L., Brown, S. A., Kollar, L., Vleugels, K., Buckingham, B., Breton, M. D., Lal, R. A.
2022
- **Outcomes in Pump- and CGM-Baseline Use Subgroups in the International Diabetes Closed-Loop (iDCL) Trial.** *Journal of diabetes science and technology*
Ekhlaspour, L., Raghinaru, D., Forlenza, G. P., Isganaitis, E., Kudva, Y. C., Lam, D. W., Levister, C., O'Malley, G., Church, M. M., Lum, J. W., Buckingham, B., Brown, S. A.
2022: 19322968221089361
- **Evaluation of Extended Infusion Set Performance in Adults with Type 1 Diabetes: Infusion Set Survival Rate and Glycemic Outcomes from a Pivotal Trial.** *Diabetes technology & therapeutics*
Brazg, R. L., Garg, S. K., Bhargava, A., Thasher, J. R., Latif, K., Bode, B. W., Bailey, T. S., Horowitz, B. S., Cavale, A., Kudva, Y. C., Kaiserman, K. B., Grunberger, G., Reed, et al
2022
- **Cambridge hybrid closed-loop algorithm in children and adolescents with type 1 diabetes: a multicentre 6-month randomised controlled trial.** *The Lancet. Digital health*
Ware, J., Boughton, C. K., Allen, J. M., Wilinska, M. E., Tauschmann, M., Denvir, L., Thankamony, A., Campbell, F. M., Wadwa, R. P., Buckingham, B. A., Davis, N., DiMeglio, L. A., Mauras, et al
2022
- **Improving the Patient Experience With Longer Wear Infusion Sets Symposium Report.** *Journal of diabetes science and technology*
Nguyen, K. T., Xu, N. Y., Buckingham, B. A., Chattaraj, S., Cohen, O., Heinemann, L., Pickup, J., Svensson, J., Vigersky, R. A., Wong, J. C., Ziegler, R.
2022: 19322968221078884
- **Glycemic Outcomes of Children 2-6Years of Age with Type 1 Diabetes during the Pediatric MiniMed 670G System Trial.** *Pediatric diabetes*
Forlenza, G. P., Ekhlaspour, L., DiMeglio, L. A., Fox, L. A., Rodriguez, H., Shulman, D. I., Kaiserman, K. B., Liljenquist, D. R., Shin, J., Lee, S. W., Buckingham, B. A.
1800
- **Glycemic Outcomes in Baseline Hemoglobin A1C Subgroups in the International Diabetes Closed-Loop (iDCL) Trial.** *Diabetes technology & therapeutics*
Ekhlaspour, L., Town, M. A., Raghinaru, D., Lum, J., Brown, S., Buckingham, B. A.
2022
- **Corrigendum to: Continuous Glucose Monitoring: An Endocrine Society Clinical Practice Guideline.** *The Journal of clinical endocrinology and metabolism*
Klonoff, D. C., Buckingham, B., Christiansen, J. S., Montori, V. M., Tamborlane, W. V., Vigersky, R. A., Wolpert, H.
2021
- **Impact of a Novel Diabetes Support System on a Cohort of Individuals With Type 1 Diabetes Treated With Multiple Daily Injections: A Multicenter Randomized Study.** *Diabetes care*
Bisio, A., Anderson, S., Norlander, L., O'Malley, G., Robic, J., Ogyaadu, S., Hsu, L., Levister, C., Ekhlaspour, L., Lam, D. W., Levy, C., Buckingham, B., Breton, et al
2021
- **Automation of a multiplex agglutination-PCR (ADAP) type 1 diabetes (T1D) assay for the rapid analysis of islet autoantibodies.** *SLAS technology*

- Cortez, F. d., Gebhart, D., Tandel, D., Robinson, P. V., Seftel, D., Wilson, D. M., Maahs, D. M., Buckingham, B. A., Miller, K. W., Tsai, C.
1800
- **Ultra-Fast Insulin-Pramlintide Co-Formulation for Improved Glucose Management in Diabetic Rats.** *Advanced science (Weinheim, Baden-Wurttemberg, Germany)*
Maikawa, C. L., Chen, P. C., Vuong, E. T., Nguyen, L. T., Mann, J. L., d'Aquino, A. I., Lal, R. A., Maahs, D. M., Buckingham, B. A., Appel, E. A.
2021: e2101575
 - **Patient Reported Outcomes in a Randomized Trial of Closed-Loop Control: The Pivotal International Diabetes Closed Loop Trial.** *Diabetes technology & therapeutics*
Kudva, Y. C., Laffel, L. M., Brown, S., Raghinaru, D., Pinsky, J. E., Ekhlaspour, L., Levy, C., Messer, L. H., Kovatchev, B., Lum, J., Beck, R. W., Gonder-Frederick, L. A.
2021
 - **Longevity of the Novel ConvaTec Infusion Set with Lantern Technology.** *Diabetes, obesity & metabolism*
Lal, R. A., Hsu, L., Zhang, J., Schondorff, P. K., Heschel, M., Buckingham, B.
2021
 - **Full closed loop open-source algorithm performance comparison in pigs with diabetes.** *Clinical and translational medicine*
Lal, R. A., Maikawa, C. L., Lewis, D., Baker, S. W., Smith, A. A., Roth, G. A., Gale, E. C., Stapleton, L. M., Mann, J. L., Yu, A. C., Correa, S., Grosskopf, A. K., Liong, et al
2021; 11 (4): e387
 - **"IT'S LIKE LEARNING TO DRIVE A MANUAL CAR": EXPERIENCES OF CONTINUOUS GLUCOSE MONITORING ADOPTION IN ADULTS WITH TYPE 1 DIABETES**
Wu, C. A., Tanenbaum, M. L., Ngo, J., Hood, K., Hanes, S., Basina, M., Buckingham, B. A., Maahs, D. M.
OXFORD UNIV PRESS INC.2021: S27
 - **Advances in Insulin Pump Infusion Sets Symposium Report.** *Journal of diabetes science and technology*
Zhang, J. Y., Shang, T., Chattaraj, S., Cohen, O., Heschel, M., Vigersky, R. A., Heinemann, L., Norgaard, K., Svensson, J., Buckingham, B., Klonoff, D. C.
2021: 1932296821999080
 - **Impact of Type 1 Diabetes in the Developing Brain in Children: A Longitudinal Study.** *Diabetes care*
Mauras, N., Buckingham, B., White, N. H., Tsalikian, E., Weinzimer, S. A., Jo, B., Cato, A., Fox, L. A., Aye, T., Arbelaez, A. M., Hershey, T., Tansey, M., Tamborlane, et al
2021
 - **Health-Related Quality of Life and Treatment Satisfaction in Parents and Children with Type 1 Diabetes Using Closed-Loop Control.** *Diabetes technology & therapeutics*
Cobry, E., Kanapka, L., Cengiz, E., Carria, L., Ekhlaspour, L., Buckingham, B. A., Hood, K., Hsu, L. J., Messer, L., Schoelwer, M., Emory, E., Ruedy, K. J., Beck, et al
2021
 - **Predictors of Time-in-Range (70-180 mg/dL) Achieved Using a Closed-Loop Control System.** *Diabetes technology & therapeutics*
Schoelwer, M. J., Kanapka, L. G., Wadwa, R. P., Breton, M. D., Ruedy, K. J., Ekhlaspour, L. n., Forlenza, G. P., Cobry, E. C., Messer, L. H., Cengiz, E. n., Jost, E. n., Carria, L. n., Emory, et al
2021
 - **Predicting Success with a First-Generation Hybrid Closed Loop Artificial Pancreas System among Children, Adolescents, and Young Adults with Type 1 Diabetes: a Model Development and Validation Study.** *Diabetes technology & therapeutics*
Forlenza, G. P., Vigers, T., Berget, C., Messer, L., Lal, R. A., Basina, M., Maahs, D. M., Hood, K., Buckingham, B. A., Wilson, D. M., Wadwa, R. P., Driscoll, K. A., Pyle, et al
2021
 - **Multicenter Trial of a Tubeless, On-Body Automated Insulin Delivery System With Customizable Glycemic Targets in Pediatric and Adult Participants With Type 1 Diabetes.** *Diabetes care*
Brown, S. A., Forlenza, G. P., Bode, B. W., Pinsky, J. E., Levy, C. J., Criego, A. B., Hansen, D. W., Hirsch, I. B., Carlson, A. L., Bergenstal, R. M., Sherr, J. L., Mehta, S. N., Laffel, et al
2021

- **Help when you need it: Perspectives of adults with T1D on the support and training they would have wanted when starting CGM.** *Diabetes research and clinical practice*
Tanenbaum, M. L., Messer, L. H., Wu, C. A., Basina, M., Buckingham, B. A., Hessler, D., Mulvaney, S. A., Maahs, D. M., Hood, K. K.
2021: 109048
- **Clinically serious hypoglycemia is rare and not associated with time-in-range in youth with new-onset type 1 diabetes.** *The Journal of clinical endocrinology and metabolism*
Addala, A., Zaharieva, D. P., Gu, A. J., Prahald, P., Scheinker, D., Buckingham, B., Hood, K. K., Maahs, D. M.
2021
- **ONBOARD: A feasibility study of a telehealth-based continuous glucose monitoring adoption intervention for adults with type 1 diabetes.** *Diabetes technology & therapeutics*
Tanenbaum, M., Ngo, J., Hanes, S., Basina, M., Buckingham, B. A., Hessler, D., Maahs, D. M., Mulvaney, S. A., Hood, K.
2021
- **Engineering biopharmaceutical formulations to improve diabetes management.** *Science translational medicine*
Maikawa, C. L., d'Aquino, A. I., Lal, R. A., Buckingham, B. A., Appel, E. A.
2021; 13 (578)
- **Extended Use of the Control-IQ Closed-Loop Control System in Children With Type 1 Diabetes.** *Diabetes care*
Kanapka, L. G., Wadwa, R. P., Breton, M. D., Ruedy, K. J., Ekhlaspour, L., Forlenza, G. P., Cengiz, E., Schoelwer, M. J., Jost, E., Carria, L., Emory, E., Hsu, L. J., Weinzimer, et al
2020
- **Safety and Performance of the Tandem t:slim X2 with Control-IQ Automated Insulin Delivery System in Toddlers and Preschoolers.** *Diabetes technology & therapeutics*
Ekhlaspour, L., Schoelwer, M. J., Forlenza, G. P., DeBoer, M. D., Norlander, L., Hsu, L. J., Kingman, R. S., Boranian, E., Berget, C., Emory, E. G., Buckingham, B. A., Breton, M. D., Wadwa, et al
2020
- **Clinical Management and Pump Parameter Adjustment of the Control-IQ Closed-loop Control System: Results from a 6-month Multicenter Randomized Clinical Trial.** *Diabetes technology & therapeutics*
O'Malley, G., Messer, L. H., Levy, C., Pinsker, J. E., Forlenza, G. P., Isganaitis, E., Kudva, Y. C., Ekhlaspour, L., Raghinaru, D., Lum, J., Brown, S.
2020
- **Glucose Management during physical Activity/Sport by Using continuous Glucose Meters (CGM/isCGM) in Type 1 Diabetes - EASD/ISPAD Position Statement, supported by ADA and JDRF**
Moser, O., Riddell, M. C., Eckstein, M. L., Adolfsson, P., Rabasa-Lhoret, R., van den Boom, L., Gillard, P., Norgaard, K., Oliver, N. S., Zaharieva, D. P., Battelino, T., De Beaufort, C., Bergenstal, et al
SPRINGER WIEN.2020: S340–S341
- **Glucose management for exercise using continuous glucose monitoring (CGM) and intermittently scanned CGM (isCGM) systems in type 1 diabetes: position statement of the European Association for the Study of Diabetes (EASD) and of the International Society for Pediatric and Adolescent Diabetes (ISPAD) endorsed by JDRF and supported by the American Diabetes Association (ADA).** *Pediatric diabetes*
Moser, O., Riddell, M. C., Eckstein, M. L., Adolfsson, P., Rabasa-Lhoret, R., van den Boom, L., Gillard, P., Norgaard, K., Oliver, N. S., Zaharieva, D. P., Battelino, T., de Beaufort, C., Bergenstal, et al
2020
- **Glucose management for exercise using continuous glucose monitoring (CGM) and intermittently scanned CGM (isCGM) systems in type 1 diabetes: position statement of the European Association for the Study of Diabetes (EASD) and of the International Society for Pediatric and Adolescent Diabetes (ISPAD) endorsed by JDRF and supported by the American Diabetes Association (ADA).** *Diabetologia*
Moser, O., Riddell, M. C., Eckstein, M. L., Adolfsson, P., Rabasa-Lhoret, R., van den Boom, L., Gillard, P., Norgaard, K., Oliver, N. S., Zaharieva, D. P., Battelino, T., de Beaufort, C., Bergenstal, et al
2020
- **A Randomized Trial of Closed-Loop Control in Children with Type 1 Diabetes.** *The New England journal of medicine*
Breton, M. D., Kanapka, L. G., Beck, R. W., Ekhlaspour, L., Forlenza, G. P., Cengiz, E., Schoelwer, M., Ruedy, K. J., Jost, E., Carria, L., Emory, E., Hsu, L. J., Oliveri, et al
2020; 383 (9): 836–45
- **Clinically Significant Hypoglycemia Is Rare in Youth with T1D during Partial Clinical Remission**
Addala, A., Gu, A., Zaharieva, D., Prahald, P., Buckingham, B. A., Scheinker, D., Maahs, D. M.

AMER DIABETES ASSOC.2020

- **Trust in hybrid closed loop among people with diabetes: Perspectives of experienced system users** *JOURNAL OF HEALTH PSYCHOLOGY*
Tanenbaum, M. L., Iturralde, E., Hanes, S. J., Suttiratana, S. C., Ambrosino, J. M., Ly, T. T., Maahs, D. M., Naranjo, D., Walders-Abramson, N., Weinzimer, S. A., Buckingham, B. A., Hood, K. K.
2020; 25 (4): 429–38
- **Randomized Controlled Trial of Mobile Closed-Loop Control.** *Diabetes care*
Kovatchev, B., Anderson, S. M., Raghinaru, D., Kudva, Y. C., Laffel, L. M., Levy, C., Pinsker, J. E., Wadwa, R. P., Buckingham, B., Doyle, F. J., Brown, S. A., Church, M. M., Dadlani, et al
2020
- **Longitudinal Changes in Continuous Glucose Monitoring Use Among Individuals With Type 1 Diabetes: International Comparison in the German and Austrian DPV and U.S. T1D Exchange Registries.** *Diabetes care*
Miller, K. M., Hermann, J., Foster, N., Hofer, S. E., Rickels, M. R., Danne, T., Clements, M. A., Lilienthal, E., Maahs, D. M., Holl, R. W., T1D Exchange and DPV Registries, Weinstock, R., Izquierdo, R., et al
2020; 43 (1): e1–e2
- **A co-formulation of supramolecularly stabilized insulin and pramlintide enhances mealtime glucagon suppression in diabetic pigs.** *Nature biomedical engineering*
Maikawa, C. L., Smith, A. A., Zou, L. n., Roth, G. A., Gale, E. C., Stapleton, L. M., Baker, S. W., Mann, J. L., Yu, A. C., Correa, S. n., Grosskopf, A. K., Liong, C. S., Meis, et al
2020
- **Fast-Acting Insulin Aspart Use with the MiniMed™ 670G System.** *Diabetes technology & therapeutics*
Hsu, L. J., Buckingham, B. A., Basina, M. n., Ekhlaspour, L. n., von Eyben, R. n., Wang, J. n., Lal, R. A.
2020
- **Sensitive detection of multiple islet autoantibodies in type 1 diabetes using small sample volumes by agglutination-PCR.** *PLoS one*
Cortez, F. d., Gebhart, D., Robinson, P. V., Seftel, D., Pourmandi, N., Owyong, J., Bertozzi, C. R., Wilson, D. M., Maahs, D. M., Buckingham, B. A., Mills, J. R., Roforth, M. M., Pittock, et al
2020; 15 (11): e0242049
- **Closed-Loop Insulin Therapy Improves Glycemic Control in Adolescents and Young Adults: Outcomes from the International Diabetes Closed-Loop (IDCL) Trial.** *Diabetes technology & therapeutics*
Isganaitis, E. n., Raghinaru, D. n., Ambler-Osborn, L. n., Pinsker, J. E., Buckingham, B. A., Wadwa, R. P., Ekhlaspour, L. n., Kudva, Y. C., Levy, C. n., Forlenza, G. P., Beck, R. W., Kollman, C. n., Lum, et al
2020
- **Glycemic Outcomes of Use of CLC Versus PLGS in Type 1 Diabetes: A Randomized Controlled Trial.** *Diabetes care*
Brown, S. A., Beck, R. W., Raghinaru, D. n., Buckingham, B. A., Laffel, L. M., Wadwa, R. P., Kudva, Y. C., Levy, C. J., Pinsker, J. E., Dassau, E. n., Doyle, F. J., Ambler-Osborn, L. n., Anderson, et al
2020; 43 (8): 1822–28
- **Continuous Glucose Monitors and Automated Insulin Dosing Systems in the Hospital Consensus Guideline.** *Journal of diabetes science and technology*
Galindo, R. J., Umpierrez, G. E., Rushakoff, R. J., Basu, A. n., Lohnes, S. n., Nichols, J. H., Spanakis, E. K., Espinoza, J. n., Palermo, N. E., Awadjie, D. G., Bak, L. n., Buckingham, B. n., Cook, et al
2020: 1932296820954163
- **First outpatient evaluation of a tubeless automated insulin delivery system with customizable glucose targets in children and adults with type 1 diabetes.** *Diabetes technology & therapeutics*
Forlenza, G. P., Buckingham, B. A., Brown, S. n., Bode, B. W., Levy, C. n., Criego, A. n., Wadwa, R. P., Cobry, E. n., Slover, R. J., Messer, L. n., Berget, C. n., McCoy, S. n., Ekhlaspour, et al
2020
- **Functional Near-Infrared Spectroscopy (fNIRS) detects increased activation of the brain frontal-parietal network in youth with type 1 diabetes.** *Pediatric diabetes*
Mazaika, P. K., Marzelli, M. n., Tong, G. n., Foland-Ross, L. C., Buckingham, B. A., Aye, T. n., Reiss, A. L.
2020
- **Brain Function Differences in Children With Type 1 Diabetes: An fMRI Study of Working Memory.** *Diabetes*

- Foland-Ross, L. C., Tong, G. n., Mauras, N. n., Cato, A. n., Aye, T. n., Tansey, M. n., White, N. H., Weinzimer, S. A., Englert, K. n., Shen, H. n., Mazaika, P. K., Reiss, A. L.
2020
- **Executive task-based brain function in children with type 1 diabetes: An observational study.** *PLoS medicine*
Foland-Ross, L. C., Buckingham, B., Mauras, N., Arbelaez, A. M., Tamborlane, W. V., Tsalikian, E., Cato, A., Tong, G., Englert, K., Mazaika, P. K., Reiss, A. L., Diabetes Research in Children Network (DirecNet)
2019; 16 (12): e1002979
 - **Safety and Performance of the Omnipod Hybrid Closed-Loop System in Adults, Adolescents, and Children with Type 1 Diabetes Over 5 Days Under Free-Living Conditions.** *Diabetes technology & therapeutics*
Sherr, J., Buckingham, B. A., Forlenza, G., Galderisi, A., Ekhlaspour, L., Wadwa, R. P., Carria, L., Hsu, L. J., Berget, C. L., Peyser, T. A., Lee, J. B., O'Connor, J., Dumais, et al
2019
 - **Closed loop control in adolescents and children during winter sports: Use of the Tandem Control-IQ AP system** *PEDIATRIC DIABETES*
Ekhlaspour, L., Forlenza, G. P., Chernavsky, D., Maahs, D. M., Wadwa, R., Deboer, M. D., Messer, L. H., Town, M., Pinnata, J., Kruse, G., Kovatchev, B. P., Buckingham, B. A., Breton, et al
2019; 20 (6): 759–68
 - **Fluoroscopic-assisted laparoscopic retrieval of retained glucose sensor wire from the omentum.** *Clinical case reports*
Sang, A. X., Lal, R., August, A., Danzer, E., Buckingham, B., Mueller, C. M.
2019; 7 (9): 1717-1720
 - **Fluoroscopic-assisted laparoscopic retrieval of retained glucose sensor wire from the omentum** *CLINICAL CASE REPORTS*
Sang, A. X., Lal, R., August, A., Danzer, E., Buckingham, B., Mueller, C. M.
2019
 - **Realizing a Closed-Loop (Artificial Pancreas) System for the Treatment of Type 1 Diabetes.** *Endocrine reviews*
Lal, R. A., Ekhlaspour, L., Hood, K., Buckingham, B.
2019
 - **Clinical Targets for Continuous Glucose Monitoring Data Interpretation: Recommendations From the International Consensus on Time in Range.** *Diabetes care*
Battelino, T., Danne, T., Bergenstal, R. M., Amiel, S. A., Beck, R., Biester, T., Bosi, E., Buckingham, B. A., Cefalu, W. T., Close, K. L., Cobelli, C., Dassau, E., DeVries, et al
2019
 - **670G Clinical Experience**
Lal, R., Basina, M., Maahs, D. M., Buckingham, B. A., Hood, K. K., Conrad, B. P., Leverenz, J., Chmielewski, A., Peterson, K., Wilson, D.
AMER DIABETES ASSOC.2019
 - **A Review of Continuous Glucose Monitoring Data Interpretation in the Age of Automated Insulin Delivery.** *Journal of diabetes science and technology*
Ekhlaspour, L., Tabatabai, I., Buckingham, B.
2019: 1932296819851790
 - **Optimizing the use of continuous glucose monitoring in young children with type 1 diabetes with an adaptive study design and multiple randomizations.** *Contemporary clinical trials*
Berget, C., Driscoll, K. A., Lagges, A., Lange, S., DiMeglio, L. A., Hannon, T. S., Woerner, S. E., Iturralde, E., Barley, R. C., Hanes, S., Hood, K. K., Buckingham, B. B.
2019
 - **A Feasibility Study to Detect Neonatal Hypoglycemia in Infants of Diabetic Mothers Using Real-Time Continuous Glucose Monitoring** *DIABETES TECHNOLOGY & THERAPEUTICS*
Nally, L., Bondy, N., Doiev, J., Buckingham, B. A., Wilson, D. M.
2019; 21 (4): 170–76
 - **Performance of Omnipod Personalized Model Predictive Control Algorithm with Moderate Intensity Exercise in Adults with Type 1 Diabetes** *DIABETES TECHNOLOGY & THERAPEUTICS*
Forlenza, G. P., Buckingham, B. A., Christiansen, M. P., Wadwa, R., Peyser, T. A., Lee, J., O'Connor, J., Dassau, E., Huyett, L. M., Layne, J. E., Ly, T. T.

2019

- **Performance of Omnipod Personalized Model Predictive Control Algorithm with Moderate Intensity Exercise in Adults with Type 1 Diabetes.** *Diabetes technology & therapeutics*
Forlenza, G. P., Buckingham, B. A., Christiansen, M. P., Wadwa, R. P., Peyser, T. A., Lee, J. B., O'Connor, J., Dassau, E., Huyett, L. M., Layne, J. E., Ly, T. T.
2019
- **Successful At-Home Use of the Tandem Control-IQ Artificial Pancreas System in Young Children During a Randomized Controlled Trial** *DIABETES TECHNOLOGY & THERAPEUTICS*
Forlenza, G. P., Ekhlaspour, L., Breton, M., Maahs, D. M., Wadwa, R., DeBoer, M., Messer, L. H., Town, M., Pinnata, J., Kruse, G., Buckingham, B. A., Chernavvsky, D.
2019; 21 (4): 159–69
- **Successful At-Home Use of the Tandem Control-IQ Artificial Pancreas System in Young Children During a Randomized Controlled Trial.** *Diabetes technology & therapeutics*
Forlenza, G. P., Ekhlaspour, L., Breton, M., Maahs, D. M., Wadwa, R. P., DeBoer, M., Messer, L. H., Town, M., Pinnata, J., Kruse, G., Buckingham, B. A., Chernavvsky, D.
2019
- **A Feasibility Study to Detect Neonatal Hypoglycemia in Infants of Diabetic Mothers Using Real-Time Continuous Glucose Monitoring.** *Diabetes technology & therapeutics*
Nally, L. M., Bondy, N., Doiev, J., Buckingham, B., Wilson, D. M.
2019
- **The International Diabetes Closed-Loop Study: Testing Artificial Pancreas Component Interoperability** *DIABETES TECHNOLOGY & THERAPEUTICS*
Anderson, S. M., Dassau, E., Raghinaru, D., Lum, J., Brown, S. A., Pinsker, J. E., Church, M., Levy, C., Lam, D., Kudva, Y. C., Buckingham, B., Forlenza, G. P., Wadwa, et al
2019; 21 (2): 73–80
- **Identical and Nonidentical Twins: Risk and Factors Involved in Development of Islet Autoimmunity and Type 1 Diabetes** *DIABETES CARE*
Triolo, T. M., Fouts, A., Pyle, L., Yu, L., Gottlieb, P. A., Steck, A. K., Greenbaum, C. J., Atkinson, M., Baidal, D., Battaglia, M., Becker, D., Bingley, P., Bosi, et al
2019; 42 (2): 192–99
- **The International Diabetes Closed-Loop Study: Testing Artificial Pancreas Component Interoperability.** *Diabetes technology & therapeutics*
Anderson, S. M., Dassau, E., Raghinaru, D., Lum, J., Brown, S. A., Pinsker, J. E., Church, M. M., Levy, C., Lam, D., Kudva, Y. C., Buckingham, B., Forlenza, G. P., Wadwa, et al
2019
- **Assessing the efficacy, safety and utility of 6-month day-and-night automated closed-loop insulin delivery under free-living conditions compared with insulin pump therapy in children and adolescents with type 1 diabetes: an open-label, multicentre, multinational, single-period, randomised, parallel group study protocol.** *BMJ open*
Musolino, G. n., Allen, J. M., Hartnell, S. n., Wilinska, M. E., Tauschmann, M. n., Boughton, C. n., Campbell, F. n., Denvir, L. n., Trevelyan, N. n., Wadwa, P. n., DiMeglio, L. n., Buckingham, B. A., Weinzimer, et al
2019; 9 (6): e027856
- **Feasibility Studies of an Insulin-Only Bionic Pancreas in a Home-Use Setting.** *Journal of diabetes science and technology*
Ekhlaspour, L. n., Nally, L. M., El-Khatib, F. H., Ly, T. T., Clinton, P. n., Frank, E. n., Tanenbaum, M. L., Hanes, S. J., Selagamsetty, R. R., Hood, K. n., Damiano, E. R., Buckingham, B. A.
2019: 1932296819872225
- **One Year Clinical Experience of the First Commercial Hybrid Closed-Loop.** *Diabetes care*
Lal, R. A., Basina, M. n., Maahs, D. M., Hood, K. n., Buckingham, B. n., Wilson, D. M.
2019
- **Closed Loop Control in Adolescents and Children During Winter Sports: Use of the Tandem Control-IQ AP System.** *Pediatric diabetes*
Ekhlaspour, L. n., Forlenza, G. P., Chernavvsky, D. n., Maahs, D. M., Wadwa, R. P., DeBoer, M. D., Messer, L. H., Town, M. n., Pinnata, J. n., Kruse, G. n., Kovatchev, B. P., Buckingham, B. A., Breton, et al
2019

- **Hybrid Closed-Loop Control Is Safe and Effective for People with Type 1 Diabetes Who Are at Moderate to High Risk for Hypoglycemia.** *Diabetes technology & therapeutics*
Anderson, S. M., Buckingham, B. A., Breton, M. D., Robic, J. L., Barnett, C. L., Wakeman, C. A., Oliveri, M. C., Brown, S. A., Ly, T. T., Clinton, P. K., Hsu, L. J., Kingman, R. S., Norlander, et al
2019
- **Safety Evaluation of the MiniMed 670G System in Children 7-13 Years of Age with Type 1 Diabetes** *DIABETES TECHNOLOGY & THERAPEUTICS*
Forlenza, G. P., Pinhas-Hamiel, O., Liljenquist, D. R., Shulman, D. I., Bailey, T. S., Bode, B. W., Wood, M. A., Buckingham, B. A., Kaiserman, K. B., Shin, J., Huang, S., Lee, S. W., Kaufman, et al
2019; 21 (1): 11–19
- **Six-Month Randomized, Multicenter Trial of Closed-Loop Control in Type 1 Diabetes.** *The New England journal of medicine*
Brown, S. A., Kovatchev, B. P., Raghinaru, D. n., Lum, J. W., Buckingham, B. A., Kudva, Y. C., Laffel, L. M., Levy, C. J., Pinsky, J. E., Wadwa, R. P., Dassau, E. n., Doyle, F. J., Anderson, et al
2019
- **Safety Evaluation of the MiniMed 670G System in Children 7-13 Years of Age with Type 1 Diabetes.** *Diabetes technology & therapeutics*
Forlenza, G. P., Pinhas-Hamiel, O., Liljenquist, D. R., Shulman, D. I., Bailey, T. S., Bode, B. W., Wood, M. A., Buckingham, B. A., Kaiserman, K. B., Shin, J., Huang, S., Lee, S. W., Kaufman, et al
2018
- **In-Clinic Evaluation of the MiniMed 670G System "Suspend Before Low" Feature in Children with Type 1 Diabetes** *DIABETES TECHNOLOGY & THERAPEUTICS*
Wood, M. A., Shulman, D. I., Forlenza, G. P., Bode, B. W., Pinhas-Hamiel, O., Buckingham, B. A., Kaiserman, K. B., Liljenquist, D. R., Bailey, T. S., Shin, J., Huang, S., Chen, X., Cordero, et al
2018
- **Predictive Low-Glucose Suspend Reduces Hypoglycemia in Adults, Adolescents, and Children With Type 1 Diabetes in an At-Home Randomized Crossover Study: Results of the PROLOG Trial** *DIABETES CARE*
Forlenza, G. P., Li, Z., Buckingham, B. A., Pinsky, J. E., Cengiz, E., Wadwa, R., Ekhlaspour, L., Church, M., Weinzimer, S. A., Jost, E., Marcal, T., Andre, C., Carria, et al
2018; 41 (10): 2155–61
- **ISPAD Clinical Practice Consensus Guidelines 2018: Insulin treatment in children and adolescents with diabetes**
Danne, T., Phillip, M., Buckingham, B. A., Jarosz-Chobot, P., Saboo, B., Urakami, T., Battelino, T., Hanas, R., Codner, E.
WILEY.2018: 115–35
- **Psychosocial and Human Factors During a Trial of a Hybrid Closed Loop System for Type 1 Diabetes Management.** *Diabetes technology & therapeutics*
Adams, R. N., Tanenbaum, M. L., Hanes, S. J., Ambrosino, J. M., Ly, T. T., Maahs, D. M., Naranjo, D., Walders-Abramson, N., Weinzimer, S. A., Buckingham, B. A., Hood, K. K.
2018
- **Psychosocial and Human Factors During a Trial of a Hybrid Closed Loop System for Type 1 Diabetes Management** *DIABETES TECHNOLOGY & THERAPEUTICS*
Adams, R. N., Tanenbaum, M. L., Hanes, S. J., Ambrosino, J. M., Ly, T. T., Maahs, D. M., Naranjo, D., Walders-Abramson, N., Weinzimer, S. A., Buckingham, B. A., Hood, K. K.
2018; 20 (10): 648–53
- **Performance of the Omnipod Personalized Model Predictive Control Algorithm with Meal Bolus Challenges in Adults with Type 1 Diabetes** *DIABETES TECHNOLOGY & THERAPEUTICS*
Buckingham, B. A., Christiansen, M. P., Forlenza, G. P., Wadwa, R., Peyser, T. A., Lee, J., O'Connor, J., Dassau, E., Huyett, L. M., Layne, J. E., Ly, T. T.
2018; 20 (9): 585–95
- **Performance of the Omnipod Personalized Model Predictive Control Algorithm with Meal Bolus Challenges in Adults with Type 1 Diabetes.** *Diabetes technology & therapeutics*
Buckingham, B. A., Christiansen, M. P., Forlenza, G. P., Wadwa, R. P., Peyser, T. A., Lee, J. B., O'Connor, J., Dassau, E., Huyett, L. M., Layne, J. E., Ly, T. T.
2018

- **Sustained Continuous Glucose Monitor Use in Low-Income Youth with Type 1 Diabetes Following Insurance Coverage Supports Expansion of Continuous Glucose Monitor Coverage for All.** *Diabetes technology & therapeutics*
Prahalad, P., Addala, A., Buckingham, B., Wilson, D. M., Maahs, D. M.
2018
- **Sustained Continuous Glucose Monitor Use in Low-Income Youth with Type 1 Diabetes Following Insurance Coverage Supports Expansion of Continuous Glucose Monitor Coverage for All** *DIABETES TECHNOLOGY & THERAPEUTICS*
Prahalad, P., Addala, A., Buckingham, B., Wilson, D. M., Maahs, D. M.
2018; 20 (9): 632–34
- **Persistence of abnormalities in white matter in children with type 1 diabetes** *DIABETOLOGIA*
Fox, L. A., Hershey, T., Mauras, N., Arbelaez, A., Tamborlane, W. V., Buckingham, B., Tsalikian, E., Englert, K., Raman, M., Jo, B., Shen, H., Reiss, A., Mazaika, et al
2018; 61 (7): 1538–47
- **A Feasibility Study to Detect Neonatal Hypoglycemia Using Real-Time Continuous Glucose Monitoring**
Nally, L. M., Bondy, N. W., Doiev, J., Buckingham, B., Wilson, D.
AMER DIABETES ASSOC.2018
- **Large Changes in Brain Volume Observed in an Asymptomatic Young Child With Type 1 Diabetes** *DIABETES CARE*
Mazaika, P. K., Aye, T., Reiss, A. L., Buckingham, B. A.
2018; 41 (7): 1535–37
- **Advances in Care for Insulin-Requiring Patients Without Closed Loop.** *Diabetes technology & therapeutics*
Lal, R. A., Buckingham, B., Maahs, D. M.
2018; 20 (S2): S285–S291
- **Advances in Care for Insulin-Requiring Patients Without Closed Loop** *DIABETES TECHNOLOGY & THERAPEUTICS*
Lal, R. A., Buckingham, B., Maahs, D. M.
2018; 20: 85–91
- **Need for Regulatory Change to Incorporate Beyond A1C Glycemic Metrics** *DIABETES CARE*
Alexander, C. M., Amiel, S., Beck, R., Bergenstal, R. M., Bloomgarden, Z., Brown, A., Buckingham, B., Cefalu, W. T., Close, K. L., Chin, I., Danne, T., DeSalvo, D., Dickinson, et al
2018; 41 (6): E92–E94
- **Predictive hyperglycemia and hypoglycemia minimization: In-home double-blind randomized controlled evaluation in children and young adolescents** *PEDIATRIC DIABETES*
Forlenza, G. P., Raghinaru, D., Cameron, F., Bequette, B., Chase, H., Wadwa, R., Maahs, D. M., Jost, E., Ly, T. T., Wilson, D. M., Norlander, L., Ekhlaspour, L., Min, et al
2018; 19 (3): 420–28
- **Fully Closed-Loop Multiple Model Probabilistic Predictive Controller Artificial Pancreas Performance in Adolescents and Adults in a Supervised Hotel Setting** *DIABETES TECHNOLOGY & THERAPEUTICS*
Forlenza, G. P., Cameron, F. M., Ly, T. T., Lam, D., Howsmon, D. P., Baysal, N., Kulina, G., Messer, L., Clinton, P., Levister, C., Patek, S. D., Levy, C. J., Wadwa, et al
2018; 20 (5): 335–43
- **Glucose sensor-augmented continuous subcutaneous insulin infusion in patients with diabetic gastroparesis: An open-label pilot prospective study** *PLOS ONE*
Calles-Escandon, J., Koch, K. L., Hasler, W. L., Van Natta, M. L., Pasricha, P. J., Tonascia, J., Parkman, H. P., Hamilton, F., Herman, W. H., Basina, M., Buckingham, B., Earle, K., Kirkeby, et al
2018; 13 (4): e0194759
- **HUMAN FACTORS DURING TRIAL OF A HYBRID CLOSED LOOP SYSTEM FOR TYPE 1 DIABETES MANAGEMENT**
Adams, R. N., Tanenbaum, M. L., Hanes, S. J., Ambrosino, J. M., Ly, T. T., Maahs, D. M., Naranjo, D., Walders-Abramson, N., Weinzimer, S. A., Buckingham, B. A., Hood, K. K.
OXFORD UNIV PRESS INC.2018: S718
- **Safety and Feasibility of the OmniPod Hybrid Closed-Loop System in Adult, Adolescent, and Pediatric Patients with Type 1 Diabetes Using a Personalized Model Predictive Control Algorithm** *DIABETES TECHNOLOGY & THERAPEUTICS*

- Buckingham, B. A., Forlenza, G. P., Pinsky, J. E., Christiansen, M. P., Wadwa, R., Schneider, J., Peyser, T. A., Dassau, E., Lee, J., O'Connor, J., Layne, J. E., Ly, T. T.
2018; 20 (4): 257–62
- **The dawn of automated insulin delivery: A new clinical framework to conceptualize insulin administration** *PEDIATRIC DIABETES*
Messer, L. H., Forlenza, G. P., Wadwa, R., Weinzimer, S. A., Sherr, J. L., Hood, K. K., Buckingham, B. A., Slover, R. H., Maahs, D. M.
2018; 19 (1): 14–17
 - **Overnight Hypoglycemia and Hyperglycemia Mitigation for Individuals with Type 1 Diabetes HOW RISKS CAN BE REDUCED** *IEEE CONTROL SYSTEMS MAGAZINE*
Bequette, B., Cameron, F., Buckingham, B. A., Maahs, D. M., Lum, J.
2018; 38 (1): 125–34
 - **Large Changes in Brain Volume Observed in an Asymptomatic Young Child With Type 1 Diabetes.** *Diabetes care*
Mazaika, P. K., Aye, T., Reiss, A. L., Buckingham, B. A.
2018; 41 (7): 1535–37
 - **Impact of Early Diabetic Ketoacidosis on the Developing Brain.** *Diabetes care*
Aye, T. n., Mazaika, P. K., Mauras, N. n., Marzelli, M. J., Shen, H. n., Hershey, T. n., Cato, A. n., Weinzimer, S. A., White, N. H., Tsalikian, E. n., Jo, B. n., Reiss, A. L.
2018
 - **Real-Time Detection of Infusion Site Failures in a Closed-Loop Artificial Pancreas.** *Journal of diabetes science and technology*
Howsmon, D. P., Baysal, N., Buckingham, B. A., Forlenza, G. P., Ly, T. T., Maahs, D. M., Marcal, T., Towers, L., Mauritzen, E., Deshpande, S., Huyett, L. M., Pinsky, J. E., Gondhalekar, et al
2018; 12 (3): 599–607
 - **Optimizing Hybrid Closed-Loop Therapy in Adolescents and Emerging Adults Using the MiniMed 670G System.** *Diabetes care*
Messer, L. H., Forlenza, G. P., Sherr, J. L., Wadwa, R. P., Buckingham, B. A., Weinzimer, S. A., Maahs, D. M., Slover, R. H.
2018; 41 (4): 789–96
 - **Glycemic Variability Percentage: A Novel Method for Assessing Glycemic Variability from Continuous Glucose Monitor Data** *DIABETES TECHNOLOGY & THERAPEUTICS*
Peyser, T. A., Balo, A. K., Buckingham, B. A., Hirsch, I. B., Garcia, A.
2018; 20 (1): 6–16
 - **A Practical Approach to Using Trend Arrows on the Dexcom G5 CGM System to Manage Children and Adolescents With Diabetes** *JOURNAL OF THE ENDOCRINE SOCIETY*
Laffel, L. M., Aleppo, G., Buckingham, B. A., Forlenza, G. P., Rasbach, L. E., Tsalikian, E., Weinzimer, S. A., Harris, D. R.
2017; 1 (12): 1461–76
 - **Application of Glycemic Variability Percentage: Implications for Continuous Glucose Monitor Utilization and Analysis of Artificial Pancreas Data.** *Diabetes technology & therapeutics*
Garcia, A., Balo, A. K., Buckingham, B. A., Hirsch, I. B., Peyser, T. A.
2017; 19 (12): 699–706
 - **Application of Glycemic Variability Percentage: Implications for Continuous Glucose Monitor Utilization and Analysis of Artificial Pancreas Data** *DIABETES TECHNOLOGY & THERAPEUTICS*
Garcia, A., Balo, A. K., Buckingham, B. A., Hirsch, I. B., Peyser, T. A.
2017; 19 (12): 699–706
 - **Trust in hybrid closed loop among people with diabetes: Perspectives of experienced system users.** *Journal of health psychology*
Tanenbaum, M. L., Iturralde, E., Hanes, S. J., Suttiratana, S. C., Ambrosino, J. M., Ly, T. T., Maahs, D. M., Naranjo, D., Walders-Abramson, N., Weinzimer, S. A., Buckingham, B. A., Hood, K. K.
2017: 1359105317718615
 - **Application of Zone Model Predictive Control Artificial Pancreas During Extended Use of Infusion Set and Sensor: A Randomized Crossover-Controlled Home-Use Trial.** *Diabetes care*
Forlenza, G. P., Deshpande, S., Ly, T. T., Howsmon, D. P., Cameron, F., Baysal, N., Mauritzen, E., Marcal, T., Towers, L., Bequette, B. W., Huyett, L. M., Pinsky, J. E., Gondhalekar, et al
2017

- **A Simple Composite Metric for the Assessment of Glycemic Status from Continuous Glucose Monitoring Data: Implications for Clinical Practice and the Artificial Pancreas** *DIABETES TECHNOLOGY & THERAPEUTICS*
Hirsch, I. B., Balo, A. K., Sayer, K., Garcia, A., Buckingham, B. A., Peyser, T. A.
2017; 19: S38–S48
- **Outpatient Closed-Loop Control with Unannounced Moderate Exercise in Adolescents Using Zone Model Predictive Control.** *Diabetes technology & therapeutics*
Huyett, L. M., Ly, T. T., Forlenza, G. P., Reuschel-DiVirgilio, S., Messer, L. H., Wadwa, R. P., Gondhalekar, R., Doyle, F. J., Pinsker, J. E., Maahs, D. M., Buckingham, B. A., Dassau, E.
2017
- **Pivotal Trial of a Hybrid-Closed Loop System in Type 1 Diabetes**
Burkett, L., Lee, S. W., Shin, J., Kaufman, F. R., Buckingham, B. A., Slover, R., Weinzimer, S.
ELSEVIER SCIENCE INC.2017: 106
- **Stabilization of glycemic control and improved quality of life using a shared medical appointment model in adolescents with type 1 diabetes in suboptimal control** *PEDIATRIC DIABETES*
Floyd, B. D., Block, J. M., Buckingham, B. B., Ly, T., Foster, N., Wright, R., Mueller, C. L., Hood, K. K., Shah, A. C.
2017; 18 (3): 204-212
- **Expectations and Attitudes of Individuals With Type 1 Diabetes After Using a Hybrid Closed Loop System** *DIABETES EDUCATOR*
Iturralde, E., Tanenbaum, M. L., Hanes, S. J., Suttiratana, S. C., Ambrosino, J. M., Ly, T. T., Maahs, D. M., Naranjo, D., Walders-Abramson, N., Weinzimer, S. A., Buckingham, B. A., Hood, K. K.
2017; 43 (2): 223-232
- **Compensatory Hyperconnectivity in Developing Brains of Young Children With Type 1 Diabetes** *DIABETES*
Saggar, M., Tsalikian, E., Mauras, N., Mazaika, P., White, N. H., Weinzimer, S., Buckingham, B., Hershey, T., Reiss, A. L.
2017; 66 (3): 754-762
- **Predictive Hyperglycemia and Hypoglycemia Minimization: In-Home Evaluation of Safety, Feasibility, and Efficacy in Overnight Glucose Control in Type 1 Diabetes.** *Diabetes care*
Spaic, T., Driscoll, M., Raghinaru, D., Buckingham, B. A., Wilson, D. M., Clinton, P., Chase, H. P., Maahs, D. M., Forlenza, G. P., Jost, E., Hramiak, I., Paul, T., Bequette, et al
2017; 40 (3): 359-366
- **Evaluation of a Predictive Low-Glucose Management System In-Clinic.** *Diabetes technology & therapeutics*
Buckingham, B. A., Bailey, T. S., Christiansen, M., Garg, S., Weinzimer, S., Bode, B., Anderson, S. M., Brazg, R., Ly, T., Kaufman, F. R.
2017
- **Glucose Outcomes with the In-Home Use of a Hybrid Closed-Loop Insulin Delivery System in Adolescents and Adults with Type 1 Diabetes.** *Diabetes technology & therapeutics*
Garg, S. K., Weinzimer, S. A., Tamborlane, W. V., Buckingham, B. A., Bode, B. W., Bailey, T. S., Brazg, R. L., Ilany, J., Slover, R. H., Anderson, S. M., Bergenstal, R. M., Grosman, B., Roy, et al
2017
- **Home use of a bihormonal bionic pancreas versus insulin pump therapy in adults with type 1 diabetes: a multicentre randomised crossover trial** *LANCET*
El-Khatib, F. H., Balliro, C., Hillard, M. A., Magyar, K. L., Ekhlaspour, L., Sinha, M., Mondesir, D., Esmaeili, A., Hartigan, C., Thompson, M. J., Malkani, S., Lock, J. P., Harlan, et al
2017; 389 (10067): 369-380
- **Continuous Glucose Monitoring Enables the Detection of Losses in Infusion Set Actuation (LISAs)** *SENSORS*
Howsmon, D. P., Cameron, F., Baysal, N., Ly, T. T., Forlenza, G. P., Maahs, D. M., Buckingham, B. A., Hahn, J., Bequette, B. W.
2017; 17 (1)
- **GLUCOSE CONTROL IN ADOLESCENTS WITH T1D DURING THE MEDTRONIC HYBRID CLOSED-LOOP PIVOTAL TRIAL**
Sherr, J., Weinzimer, S. A., Slover, R. H., Buckingham, B. A., Criego, A. B., Anderson, S. M., Bailey, T. S., Bode, B. W., Brazg, R. L., Garg, S. K., Ilany, J., Shin, J., Lee, et al
KARGER.2017: 46–47
- **Closed-Loop Control Without Meal Announcement in Type 1 Diabetes.** *Diabetes technology & therapeutics*

- Cameron, F. M., Ly, T. T., Buckingham, B. A., Maahs, D. M., Forlenza, G. P., Levy, C. J., Lam, D. n., Clinton, P. n., Messer, L. H., Westfall, E. n., Levister, C. n., Xie, Y. Y., Baysal, et al
2017; 19 (9): 527–32
- **International Consensus on Use of Continuous Glucose Monitoring.** *Diabetes care*
Danne, T. n., Nimri, R. n., Battelino, T. n., Bergenstal, R. M., Close, K. L., DeVries, J. H., Garg, S. n., Heinemann, L. n., Hirsch, I. n., Amiel, S. A., Beck, R. n., Bosi, E. n., Buckingham, et al
2017; 40 (12): 1631–40
 - **Measures from Nonlinear Dynamics Reflect Glucose Current Sensor Degradation**
Mauritzen, E., Mandell, A., Tallman, D., Buckingham, B., In, Longhini, P., Palacios, A.
SPRINGER INTERNATIONAL PUBLISHING AG.2017: 189–93
 - **Feasibility of Long-Term Closed-Loop Control: A Multicenter 6-Month Trial of 24/7 Automated Insulin Delivery** *DIABETES TECHNOLOGY & THERAPEUTICS*
Kovatchev, B., Cheng, P., Anderson, S. M., Pinsky, J. E., Boscari, F., Buckingham, B. A., Doyle, F. J., Hood, K. K., Brown, S. A., Breton, M. D., Chernavsky, D., Bevier, W. C., Bradley, et al
2017; 19 (1): 18-?
 - **Algorithms for a Single Hormone Closed-Loop Artificial Pancreas: Challenges Pertinent to Chemical Process Operations and Control** *PROCESSES*
Bequette, B., Cameron, F., Baysal, N., Howsmon, D. P., Buckingham, B. A., Maahs, D. M., Levy, C. J.
2016; 4 (4)
 - **Early Detection of Infusion Set Failure During Insulin Pump Therapy in Type 1 Diabetes.** *Journal of diabetes science and technology*
Cescon, M., DeSalvo, D. J., Ly, T. T., Maahs, D. M., Messer, L. H., Buckingham, B. A., Doyle, F. J., Dassau, E.
2016; 10 (6): 1268-1276
 - **Characteristics of youth with type 1 diabetes (T1D) with and without a parent with T1D in the T1D exchange clinic registry.** *Journal of diabetes*
Fox, L. A., Mubasher, M., Wolfsdorf, J. I., Buckingham, B. A., Peters, A. L., Tamborlane, W. V., Schatz, D. A., Maahs, D. M., Miller, K. M., Beck, R. W.
2016; 8 (6): 834-838
 - **Efficacy of an Overnight Predictive Low-Glucose Suspend System in Relation to Hypoglycemia Risk Factors in Youth and Adults With Type 1 Diabetes.** *Journal of diabetes science and technology*
Calhoun, P. M., Buckingham, B. A., Maahs, D. M., Hramiak, I., Wilson, D. M., Aye, T., Clinton, P., Chase, P., Messer, L., Kollman, C., Beck, R. W., Lum, J.
2016; 10 (6): 1216-1221
 - **Altered Integration of Structural Covariance Networks in Young Children With Type 1 Diabetes.** *Human brain mapping*
Hosseini, S. M., Mazaika, P., Mauras, N., Buckingham, B., Weinzimer, S. A., Tsalikian, E., White, N. H., Reiss, A. L.
2016; 37 (11): 4034-4046
 - **Compensatory Hyper-Connectivity in Developing Brains of Young Children with Type 1 Diabetes.** *Diabetes*
Saggar, M., Tsalikian, E., Mauras, N., Mazaika, P., White, N. H., Weinzimer, S., Buckingham, B., Hershey, T., Reiss, A. L.
2016
 - **Safety of a Hybrid Closed-Loop Insulin Delivery System in Patients With Type 1 Diabetes** *JAMA-JOURNAL OF THE AMERICAN MEDICAL ASSOCIATION*
Bergenstal, R. M., Garg, S., Weinzimer, S. A., Buckingham, B. A., Bode, B. W., Tamborlane, W. V., Kaufman, F. R.
2016; 316 (13): 1407–8
 - **Improving Patient Experience With Insulin Infusion Sets: Practical Guidelines and Future Directions.** *Diabetes educator*
Evert, A. B., Bode, B. W., Buckingham, B. A., Nardacci, E., Verderese, C. A., Wolff-McDonagh, P., Walsh, J., Hirsch, I. B.
2016; 42 (4): 470-484
 - **Day-and-Night Closed-Loop Control Using the Unified Safety System in Adolescents With Type 1 Diabetes at Camp** *DIABETES CARE*
Ly, T. T., Buckingham, B. A., DeSalvo, D. J., Shanmugham, S., Satin-Smith, M., DeBoer, M. D., Oliveri, M. C., Schertz, E., Breton, M. D., Chernavsky, D. R.
2016; 39 (8): E106–E107

- **Continuous Glucose Sensor Survival and Accuracy Over 14 Consecutive Days** *DIABETES CARE*
DeSalvo, D. J., Ly, T. T., Wadwa, R., Messer, L., Westfall, E., Gopisetty, D., Hanes, S., von Eyben, R., Maahs, D. M., Buckingham, B. A.
2016; 39 (8): E112–E113
- **Ketone production in children with type 1 diabetes, ages 4-14 years, with and without nocturnal insulin pump suspension.** *Pediatric diabetes*
Wadwa, R. P., Chase, H. P., Raghinaru, D., Buckingham, B. A., Hramiak, I., Maahs, D. M., Messer, L., Ly, T., Aye, T., Clinton, P., Kollman, C., Beck, R. W., Lum, et al
2016
- **Duration of Infusion Set Survival in Lipohypertrophy Versus Nonlipohypertrophied Tissue in Patients with Type 1 Diabetes** *DIABETES TECHNOLOGY & THERAPEUTICS*
Karlin, A. W., Ly, T. T., Pyle, L., Forlenza, G. P., Messer, L., Wadwa, R. P., DeSalvo, D. J., Payne, S. L., Hanes, S., Clinton, P., Maahs, D. M., Buckingham, B.
2016; 18 (7): 429-435
- **Multinational Home Use of Closed-Loop Control Is Safe and Effective.** *Diabetes care*
Anderson, S. M., Raghinaru, D., Pinsker, J. E., Boscarì, F., Renard, E., Buckingham, B. A., Nimri, R., Doyle, F. J., Brown, S. A., Keith-Hynes, P., Breton, M. D., Chernavvsky, D., Bevier, et al
2016; 39 (7): 1143-1150
- **Outcome Measures for Artificial Pancreas Clinical Trials: A Consensus Report.** *Diabetes care*
Maahs, D. M., Buckingham, B. A., Castle, J. R., Cinar, A., Damiano, E. R., Dassau, E., DeVries, J. H., Doyle, F. J., Griffen, S. C., Haidar, A., Heinemann, L., Hovorka, R., Jones, et al
2016; 39 (7): 1175-1179
- **Automated Overnight Closed-Loop Control Using a Proportional-Integral-Derivative Algorithm with Insulin Feedback in Children and Adolescents with Type 1 Diabetes at Diabetes Camp** *DIABETES TECHNOLOGY & THERAPEUTICS*
Ly, T. T., Keenan, D. B., Roy, A., Han, J., Grosman, B., Cantwell, M., Kurtz, N., von Eyben, R., Clinton, P., Wilson, D. M., Buckingham, B. A.
2016; 18 (6): 377-384
- **Changes in beta cell function during the proximate post-diagnosis period in persons with type 1 diabetes** *PEDIATRIC DIABETES*
Dimeglio, L. A., Cheng, P., Beck, R. W., Kollman, C., Ruedy, K. J., Slover, R., Aye, T., Weinzimer, S. A., Bremer, A. A., Buckingham, B.
2016; 17 (4): 237-243
- **Automated hybrid closed-loop control with a proportional-integral-derivative based system in adolescents and adults with type 1 diabetes: individualizing settings for optimal performance.** *Pediatric diabetes*
Ly, T. T., Weinzimer, S. A., Maahs, D. M., Sherr, J. L., Roy, A., Grosman, B., Cantwell, M., Kurtz, N., Carria, L., Messer, L., von Eyben, R., Buckingham, B. A.
2016
- **In-home nighttime predictive low glucose suspend experience in children and adults with type 1 diabetes.** *Pediatric diabetes*
Messer, L. H., Calhoun, P., Buckingham, B., Wilson, D. M., Hramiak, I., Ly, T. T., Driscoll, M., Clinton, P., Maahs, D. M.
2016: -?
- **Closed-loop control in type 1 diabetes.** *The lancet. Diabetes & endocrinology*
Buckingham, B., Ly, T.
2016; 4 (3): 191-193
- **Longitudinal Evaluation of Cognitive Functioning in Young Children with Type 1 Diabetes over 18 Months.** *Journal of the International Neuropsychological Society*
Cato, M. A., Mauras, N., Mazaika, P., Kollman, C., Cheng, P., Aye, T., Ambrosino, J., Beck, R. W., Ruedy, K. J., Reiss, A. L., Tansey, M., White, N. H., Hershey, et al
2016; 22 (3): 293-302
- **Stabilization of glycemic control and improved quality of life using a shared medical appointment model in adolescents with type 1 diabetes in suboptimal control.** *Pediatric diabetes*
Floyd, B. D., Block, J. M., Buckingham, B. B., Ly, T., Foster, N., Wright, R., Mueller, C. L., Hood, K. K., Shah, A. C.
2016
- **Variations in Brain Volume and Growth in Young Children With Type 1 Diabetes.** *Diabetes*

- Mazaika, P. K., Weinzimer, S. A., Mauras, N., Buckingham, B., White, N. H., Tsalikian, E., Hershey, T., Cato, A., Aye, T., Fox, L., Wilson, D. M., Tansey, M. J., Tamborlane, et al
2016; 65 (2): 476-485
- **Progress in Diabetes Technology: Developments in Insulin Pumps, Continuous Glucose Monitors, and Progress towards the Artificial Pancreas** *JOURNAL OF PEDIATRICS*
Forlenza, G. P., Buckingham, B., Maahs, D. M.
2016; 169: 13-20
 - **Diabetes Technology and the Human Factor** *DIABETES TECHNOLOGY & THERAPEUTICS*
Lieberman, A., Buckingham, B.
2016; 18: S101-S111
 - **Effects of Frequency of Sensor-Augmented Pump Use on HbA1c and C-Peptide Levels in the First Year of Type 1 Diabetes.** *Diabetes care*
Triolo, T. M., Maahs, D. M., Pyle, L., Slover, R., Buckingham, B., Cheng, P., DiMeglio, L. A., Bremer, A. A., Weinzimer, S. A., Chase, H. P., Diabetes Research in Children Network (DirecNet) and Type 1 Diabetes TrialNet Study Groups
2016; 39 (4): e61-2
 - **Effect of Lipohypertrophy on Accuracy of Continuous Glucose Monitoring in Patients With Type 1 Diabetes** *DIABETES CARE*
DeSalvo, D. J., Maahs, D. M., Messer, L., Wadwa, R., Payne, S., Ly, T. T., Buckingham, B. A.
2015; 38 (10): E166-E167
 - **Effect of Acetaminophen on CGM Glucose in an Outpatient Setting** *DIABETES CARE*
Maahs, D. M., DeSalvo, D., Pyle, L., Trang Ly, Messer, L., Clinton, P., Westfall, E., Wadwa, R., Buckingham, B.
2015; 38 (10): E158-E159
 - **Erratum. Predictive Low-Glucose Insulin Suspension Reduces Duration of Nocturnal Hypoglycemia in Children Without Increasing Ketosis.** *Diabetes Care* 2015;38:1197-1204. *Diabetes care*
Buckingham, B. A., Raghinaru, D., Cameron, F., Bequette, B. W., Chase, H. P., Maahs, D. M., Slover, R., Wadwa, R. P., Wilson, D. M., Ly, T., Aye, T., Hramiak, I., Clarson, et al
2015; 38 (9): 1813-?
 - **Predictive Low-Glucose Insulin Suspension Reduces Duration of Nocturnal Hypoglycemia in Children Without Increasing Ketosis (vol 38, pg 1197, 2015)** *DIABETES CARE*
Buckingham, B. A., Raghinaru, D., Cameron, F., Bequette, B. W., Chase, H. P., Maahs, D. M., Slover, R., Wadwa, R. P., Wilson, D. M., Ly, T., Aye, T., Hramiak, I., Clarson, et al
2015; 38 (9): 1813-1813
 - **Predictive Low-Glucose Insulin Suspension Reduces Duration of Nocturnal Hypoglycemia in Children Without Increasing Ketosis** *DIABETES CARE*
Buckingham, B. A., Raghinaru, D., Cameron, F., Bequette, B. W., Chase, H. P., Maahs, D. M., Slover, R., Wadwa, R. P., Wilson, D. M., Ly, T., Aye, T., Hramiak, I., Clarson, et al
2015; 38 (7): 1197-1204
 - **Day and Night Closed-Loop Control Using the Integrated Medtronic Hybrid Closed-Loop System in Type 1 Diabetes at Diabetes Camp** *DIABETES CARE*
Ly, T. T., Roy, A., Grosman, B., Shin, J., Campbell, A., Monirabbasi, S., Liang, B., von Eyben, R., Shanmugham, S., Clinton, P., Buckingham, B. A.
2015; 38 (7): 1205-1211
 - **Factors Associated with Nocturnal Hypoglycemia in At-Risk Adolescents and Young Adults with Type 1 Diabetes** *DIABETES TECHNOLOGY & THERAPEUTICS*
Wilson, D. M., Calhoun, P. M., Maahs, D. M., Chase, H. P., Messer, L., Buckingham, B. A., Aye, T., Clinton, P. K., Hramiak, I., Kollman, C., Beck, R. W.
2015; 17 (6): 385-391
 - **CGM-measured glucose values have a strong correlation with C-peptide, HbA(1c) and IDAAC, but do poorly in predicting C-peptide levels in the two years following onset of diabetes** *DIABETOLOGIA*
Buckingham, B., Cheng, P., Beck, R. W., Kollman, C., Ruedy, K. J., Weinzimer, S. A., Slover, R., Bremer, A. A., Fuqua, J., Tamborlane, W.
2015; 58 (6): 1167-1174
 - **Longitudinal Assessment of Neuroanatomical and Cognitive Differences in Young Children With Type 1 Diabetes: Association With Hyperglycemia** *DIABETES*

- Mauras, N., Mazaika, P., Buckingham, B., Weinzimer, S., White, N. H., Tsalikian, E., Hershey, T., Cato, A., Cheng, P., Kollman, C., Beck, R. W., Ruedy, K., Aye, et al
2015; 64 (5): 1770-1779
- **Body Mass Index Changes in Youth in the First Year after Type 1 Diabetes Diagnosis** *JOURNAL OF PEDIATRICS*
Gregg, B., Connor, C. G., Ruedy, K. J., Beck, R. W., Kollman, C., Schatz, D., Cengiz, E., Harris, B., Tamborlane, W. V., Klingensmith, G. J., Lee, J. M.
2015; 166 (5): 1265-U494
 - **Diabetes technology and the human factor.** *Diabetes technology & therapeutics*
Lieberman, A., Phillip, M., Buckingham, B.
2015; 17: S109-18
 - **Diabetes Technology and the Human Factor** *DIABETES TECHNOLOGY & THERAPEUTICS*
Lieberman, A., Phillip, M., Buckingham, B.
2015; 17: S109-S118
 - **The impact of accelerometer use in exercise-associated hypoglycemia prevention in type 1 diabetes.** *Journal of diabetes science and technology*
Stenerson, M., Cameron, F., Payne, S. R., Payne, S. L., Ly, T. T., Wilson, D. M., Buckingham, B. A.
2015; 9 (1): 80-85
 - **Inpatient Trial of an Artificial Pancreas Based on Multiple Model Probabilistic Predictive Control with Repeated Large Unannounced Meals** *DIABETES TECHNOLOGY & THERAPEUTICS*
Cameron, F., Niemeyer, G., Wilson, D. M., Bequette, B. W., Benassi, K. S., Clinton, P., Buckingham, B. A.
2014; 16 (11): 728-734
 - **A novel method to detect pressure-induced sensor attenuations (PISA) in an artificial pancreas.** *Journal of diabetes science and technology*
Baysal, N., Cameron, F., Buckingham, B. A., Wilson, D. M., Chase, H. P., Maahs, D. M., Bequette, B. W.
2014; 8 (6): 1091-1096
 - **Multicenter Closed-Loop/Hybrid Meal Bolus Insulin Delivery with Type 1 Diabetes** *DIABETES TECHNOLOGY & THERAPEUTICS*
Chase, H. P., Doyle, F. J., Zisser, H., Renard, E., Nimri, R., Cobelli, C., Buckingham, B. A., Maahs, D. M., Anderson, S., Magni, L., Lum, J., Calhoun, P., Kollman, et al
2014; 16 (10): 623-632
 - **Multicenter Closed-Loop Insulin Delivery Study Points to Challenges for Keeping Blood Glucose in a Safe Range by a Control Algorithm in Adults and Adolescents with Type 1 Diabetes from Various Sites** *DIABETES TECHNOLOGY & THERAPEUTICS*
Zisser, H., Renard, E., Kovatchev, B., Cobelli, C., Avogaro, A., Nimri, R., Magni, L., Buckingham, B. A., Chase, H. P., Doyle, F. J., Lum, J., Calhoun, P., Kollman, et al
2014; 16 (10): 613-622
 - **Accuracy evaluation of blood glucose monitoring systems in children on overnight closed-loop control.** *Journal of diabetes science and technology*
DeSalvo, D. J., Shanmugham, S., Ly, T. T., Wilson, D. M., Buckingham, B. A.
2014; 8 (5): 969-973
 - **Overnight glucose control with an automated, unified safety system in children and adolescents with type 1 diabetes at diabetes cAMP.** *Diabetes care*
Ly, T. T., Breton, M. D., Keith-Hynes, P., De Salvo, D., Clinton, P., Benassi, K., Mize, B., Chernavsky, D., Place, J., Wilson, D. M., Kovatchev, B. P., Buckingham, B. A.
2014; 37 (8): 2310-2316
 - **A Randomized Trial of a Home System to Reduce Nocturnal Hypoglycemia in Type 1 Diabetes** *DIABETES CARE*
Maahs, D. M., Calhoun, P., Buckingham, B. A., Chase, H. P., Hramiak, I., Lum, J., Cameron, F., Bequette, B. W., Aye, T., Paul, T., Slover, R., Wadwa, R. P., Wilson, et al
2014; 37 (7): 1885-1891
 - **A randomized trial of a home system to reduce nocturnal hypoglycemia in type 1 diabetes.** *Diabetes care*
Maahs, D. M., Calhoun, P., Buckingham, B. A., Chase, H. P., Hramiak, I., Lum, J., Cameron, F., Bequette, B. W., Aye, T., Paul, T., Slover, R., Wadwa, R. P., Wilson, et al
2014; 37 (7): 1885-1891

- **Evolution of abnormal plasma glucagon responses to mixed-meal feedings in youth with type 1 diabetes during the first 2 years after diagnosis.** *Diabetes care*
Sherr, J., Tsalikian, E., Fox, L., Buckingham, B., Weinzimer, S., Tamborlane, W. V., White, N. H., Arbelaez, A. M., Kollman, C., Ruedy, K. J., Cheng, P., Beck, R. W.
2014; 37 (6): 1741-1744
- **Effect of Lipohypertrophy on Dexcom G4p Continuous Glucose Sensor**
Desalvo, D. J., Ly, T., Clinton, P., Shanmugham, S., Buckingham, B. A.
AMER DIABETES ASSOC.2014: A221
- **Effect of Shared Medical Appointments in Youth with Type 1 Diabetes in Poor Control**
Shah, A. C., Block, J. M., Floyd, B. D., Evans-Behnke, D., Hendry, D., Buckingham, B. A.
AMER DIABETES ASSOC.2014: A327
- **Pediatric Diabetes Consortium Type 1 Diabetes New Onset (NeOn) Study: factors associated with HbA1c levels one year after diagnosis** *PEDIATRIC DIABETES*
Redondo, M. J., Connor, C. G., Ruedy, K. J., Beck, R. W., Kollman, C., Wood, J. R., Buckingham, B., Klingensmith, G. J., Silverstein, J., Tamborlane, W. V.
2014; 15 (4): 294-302
- **Frequency of Morning Ketosis After Overnight Insulin Suspension Using an Automated Nocturnal Predictive Low Glucose Suspend System** *DIABETES CARE*
Beck, R. W., Raghinaru, D., Wadwa, R. P., Chase, H. P., Maahs, D. M., Buckingham, B. A.
2014; 37 (5): 1224-1229
- **Hypoglycemia Begets Hypoglycemia: The Order Effect in the ASPIRE In-Clinic Study.** *Diabetes technology & therapeutics*
Garg, S. K., Brazg, R. L., Bailey, T. S., Buckingham, B. A., Slover, R. H., Klonoff, D. C., Shin, J., Welsh, J. B., Kaufman, F. R.
2014; 16 (3): 125-130
- **Blunted glucagon but not epinephrine responses to hypoglycemia occurs in youth with less than 1 yr duration of type 1 diabetes mellitus** *PEDIATRIC DIABETES*
Arbelaez, A. M., Xing, D., Cryer, P. E., Kollman, C., Beck, R. W., Sherr, J., Ruedy, K. J., Tamborlane, W. V., Mauras, N., Tsalikian, E., Wilson, D. M., White, N. H.
2014; 15 (2): 127-134
- **Alterations in white matter structure in young children with type 1 diabetes.** *Diabetes care*
Barnea-Goraly, N., Raman, M., Mazaika, P., Marzelli, M., Hershey, T., Weinzimer, S. A., Aye, T., Buckingham, B., Mauras, N., White, N. H., Fox, L. A., Tansey, M., Beck, et al
2014; 37 (2): 332-340
- **Cognitive functioning in young children with type 1 diabetes.** *Journal of the International Neuropsychological Society*
Cato, M. A., Mauras, N., Ambrosino, J., Bondurant, A., Conrad, A. L., Kollman, C., Cheng, P., Beck, R. W., Ruedy, K. J., Aye, T., Reiss, A. L., White, N. H., Hershey, et al
2014; 20 (2): 238-247
- **Diabetes technology and the human factor.** *Diabetes technology & therapeutics*
Lieberman, A., Buckingham, B., Phillip, M.
2014; 16: S110-8
- **Remote Glucose Monitoring in Camp Setting Reduces the Risk of Prolonged Nocturnal Hypoglycemia** *DIABETES TECHNOLOGY & THERAPEUTICS*
DeSalvo, D. J., Keith-Hynes, P., Peyser, T., Place, J., Caswell, K., Wilson, D. M., Harris, B., Clinton, P., Kovatchev, B., Buckingham, B. A.
2014; 16 (1): 1-7
- **Alterations in white matter structure in young children with type 1 diabetes mellitus** *DIABETES CARE*
Barnea-Goraly, N., Raman, M., Mazaika, P., Marzelli, M., et al
2014: 332-40
- **The Impact of Accelerometer and Heart Rate Data on Hypoglycemia Mitigation in Type 1 Diabetes.** *Journal of diabetes science and technology*
Stenerson, M., Cameron, F., Wilson, D. M., Harris, B., Payne, S., Bequette, B. W., Buckingham, B. A.
2014; 8 (1): 64-69

- **Randomized Trial of Infusion Set Function: Steel Versus Teflon** *DIABETES TECHNOLOGY & THERAPEUTICS*
Patel, P. J., Benasi, K., Ferrari, G., Evans, M. G., Shanmugham, S., Wilson, D. M., Buckingham, B. A.
2014; 16 (1): 15-19
- **Neuroanatomical correlates of dysglycemia in young children with type 1 diabetes.** *Diabetes*
Marzelli, M. J., Mazaika, P. K., Barnea-Goraly, N., Hershey, T., Tsalikian, E., Tamborlane, W., Mauras, N., White, N. H., Buckingham, B., Beck, R. W., Ruedy, K. J., Kollman, C., Cheng, et al
2014; 63 (1): 343-353
- **Effectiveness of Early Intensive Therapy on beta-Cell Preservation in Type 1 Diabetes** *DIABETES CARE*
Buckingham, B., Beck, R. W., Ruedy, K. J., Cheng, P., Kollman, C., Weinzimer, S. A., Dimeglio, L. A., Bremer, A. A., Slover, R., Tamborlane, W. V.
2013; 36 (12): 4030-4035
- **Race, Socioeconomic Status, and Treatment Center Are Associated with Insulin Pump Therapy in Youth in the First Year Following Diagnosis of Type 1 Diabetes** *DIABETES TECHNOLOGY & THERAPEUTICS*
Lin, M. H., Connor, C. G., Ruedy, K. J., Beck, R. W., Kollman, C., Buckingham, B., Redondo, M. J., Schatz, D., Haro, H., Lee, J. M., Tamborlane, W. V., Wood, J. R.
2013; 15 (11): 929-934
- **DIAs web monitoring: a real-time remote monitoring system designed for artificial pancreas outpatient trials.** *Journal of diabetes science and technology*
Place, J., Robert, A., Ben Brahim, N., Keith-Hynes, P., Farret, A., Pelletier, M., Buckingham, B., Breton, M., Kovatchev, B., Renard, E.
2013; 7 (6): 1427-1435
- **Continuous glucose monitoring: current use and future directions.** *Current diabetes reports*
DeSalvo, D., Buckingham, B.
2013; 13 (5): 657-662
- **Outpatient Safety Assessment of an In-Home Predictive Low-Glucose Suspend System with Type 1 Diabetes Subjects at Elevated Risk of Nocturnal Hypoglycemia** *DIABETES TECHNOLOGY & THERAPEUTICS*
Buckingham, B. A., Cameron, F., Calhoun, P., Maahs, D. M., Wilson, D. M., Chase, H. P., Bequette, B. W., Lum, J., Sibayan, J., Beck, R. W., Kollman, C.
2013; 15 (8): 622-627
- **Lack of Association Between Residual Insulin Production and Glucagon Response to Hypoglycemia in Youth With Short Duration of Type 1 Diabetes** *DIABETES CARE*
Sherr, J., Xing, D., Ruedy, K. J., Beck, R. W., Kollman, C., Buckingham, B., White, N. H., Fox, L., Tsalikian, E., Weinzimer, S., Arbelaez, A. M., Tamborlane, W. V.
2013; 36 (6): 1470-1476
- **The Effects of Inpatient Hybrid Closed-Loop Therapy Initiated Within 1 Week of Type 1 Diabetes Diagnosis** *DIABETES TECHNOLOGY & THERAPEUTICS*
Buckingham, B. A., Beck, R. W., Ruedy, K. J., Cheng, P., Kollman, C., Weinzimer, S. A., Dimeglio, L. A., Bremer, A. A., Slover, R., Cantwell, M., Tsalikian, E., Tansey, M. J., Coffey, et al
2013; 15 (5): 401-408
- **The effects of inpatient hybrid closed-loop therapy initiated within 1 week of type 1 diabetes diagnosis.** *Diabetes technology & therapeutics*
Buckingham, B. A., Beck, R. W., Ruedy, K. J., Cheng, P., Kollman, C., Weinzimer, S. A., Dimeglio, L. A., Bremer, A. A., Slover, R., Cantwell, M.
2013; 15 (5): 401-408
- **Recommendations for Standardizing Glucose Reporting and Analysis to Optimize Clinical Decision Making in Diabetes: The Ambulatory Glucose Profile (AGP)** *DIABETES TECHNOLOGY & THERAPEUTICS*
Bergenstal, R. M., Ahmann, A. J., Bailey, T., Beck, R. W., Bissen, J., Buckingham, B., Deeb, L., Dolin, R. H., Garg, S. K., Golland, R., Hirsch, I. B., Klonoff, D. C., Kruger, et al
2013; 15 (3): 198-211
- **Diabetes Technology and the Human Factor** *DIABETES TECHNOLOGY & THERAPEUTICS*
Lieberman, A., Buckingham, B., Phillip, M.
2013; 15: S117-S125
- **RACE AND SOCIOECONOMIC STATUS ARE ASSOCIATED WITH INSULIN PUMP THERAPY IN YOUTH IN THE FIRST YEAR FOLLOWING DIAGNOSIS OF TYPE 1 DIABETES**

Wood, J., Lin, M., Connor, C., Ruedy, K., Beck, R., KOLLMAN, C., Buckingham, B., Redondo, M. J., Schatz, D., Haro, H., Lee, J., Tamborlane, W.
MARY ANN LIEBERT INC.2013: A25–A26

● **USING ACTIVITY MONITORS TO IMPROVE CGM SENSOR ANOMALY DETECTION**

BAYSAL, N., Cameron, F., Stenerson, M., Buckingham, B. A., Wilson, D. M., Mayer-Davis, E. J., Maahs, D. M., Bequette, B. W.
MARY ANN LIEBERT INC.2013: A2–A2

● **BENEFITS OF ACCELEROMETER AND HEART RATE DATA FOR HYPOGLYCEMIA MITIGATION**

Cameron, F., Stenerson, M., Wilson, D. M., Maahs, D. M., Mayer-Davis, E. J., Bequette, B. W., Buckingham, B. A.
MARY ANN LIEBERT INC.2013: A93–A93

● **DOES INTENSIVE METABOLIC CONTROL AT THE ONSET OF DIABETES FOLLOWED BY ONE YEAR OF SENSOR AUGMENTED PUMP THERAPY IMPROVE C-PEPTIDE LEVELS ONE YEAR POST DIAGNOSIS?**

Buckingham, B., Ruedy, K., Chase, H. P., Weinzimer, S., DiMeglio, L., Russell, W., Wilson, D., Tamborlane, W., Bremer, A., Sherr, J., Slover, R., KOLLMAN, C., Cheng, et al
MARY ANN LIEBERT INC.2013: A137–A137

● **RANDOMIZED TRIAL OF REMOTE NOCTURNAL CONTINUOUS GLUCOSE MONITORING AT DIABETES CAMPS USING THE DEXCOM G4 PLATINUM AND DIAS**

Buckingham, B., Keith-Hynes, P., PEYSER, T., DeSalvo, D., Caswell, K., Ferrari, G., Wilson, D., Anjo, B., Harris, B., Clinton, P., Place, J., Mize, L. B., Kovatchev, et al
MARY ANN LIEBERT INC.2013: A56–A56

● **Acceptability and utility of the mySentry remote glucose monitoring system.** *Journal of diabetes science and technology*

Kaiserman, K., Buckingham, B. A., Prakasam, G., Gunville, F., Slover, R. H., Wang, Y., Nguyen, X., Welsh, J. B.
2013; 7 (2): 356-361

● **Detecting Sensor and Insulin Infusion Set Anomalies in an Artificial Pancreas** *American Control Conference (ACC)*

Baysal, N., Cameron, F., Buckingham, B. A., Wilson, D. M., Bequette, B. W.
IEEE.2013: 2929–2933

● **White Matter Structural Differences in Young Children With Type 1 Diabetes: A Diffusion Tensor Imaging Study** *DIABETES CARE*

Aye, T., Barnea-Goraly, N., Ambler, C., Hoang, S., Schleifer, K., Park, Y., Drobny, J., Wilson, D. M., Reiss, A. L., Buckingham, B. A.
2012; 35 (11): 2167-2173

● **Inpatient studies of a Kalman-filter-based predictive pump shutoff algorithm.** *Journal of diabetes science and technology*

Cameron, F., Wilson, D. M., Buckingham, B. A., Arzumanyan, H., Clinton, P., Chase, H. P., Lum, J., Maahs, D. M., Calhoun, P. M., Bequette, B. W.
2012; 6 (5): 1142-1147

● **Feasibility of prolonged continuous glucose monitoring in toddlers with type 1 diabetes.** *Pediatric diabetes*

Tsalikian, E., Fox, L., Weinzimer, S., Buckingham, B., White, N. H., Beck, R., Kollman, C., Xing, D., Ruedy, K.
2012; 13 (4): 301-307

● **Transient False Positive Elevations of Antibody Markers of Celiac Disease at the Onset of Diabetes**

Shanmugham, S., Buckingham, B.
AMER DIABETES ASSOC.2012: A320

● **Feasibility of prolonged continuous glucose monitoring in toddlers with type 1 diabetes** *PEDIATRIC DIABETES*

Tsalikian, E., Fox, L., Weinzimer, S., Buckingham, B., White, N., Beck, R., Kollman, C., Xing, D., Ruedy, K.
2012; 13 (4): 294-300

● **Use of continuous glucose monitoring in children and adolescents** *PEDIATRIC DIABETES*

Phillip, M., Danne, T., Shalitin, S., Buckingham, B., Laffel, L., Tamborlane, W., Battelino, T.
2012; 13 (3): 215-228

● **Achievement of Target A1C Levels With Negligible Hypoglycemia and Low Glucose Variability in Youth With Short-Term Type 1 Diabetes and Residual beta-Cell Function** *DIABETES CARE*

Sherr, J., Tamborlane, W. V., Xing, D., Tsalikian, E., Mauras, N., Buckingham, B., White, N. H., Arbelaez, A. M., Beck, R. W., Kollman, C., Ruedy, K.
2012; 35 (4): 817-820

- **Reduction in Duration of Hypoglycemia by Automatic Suspension of Insulin Delivery: The In-Clinic ASPIRE Study** *DIABETES TECHNOLOGY & THERAPEUTICS*
Garg, S., Brazg, R. L., Bailey, T. S., Buckingham, B. A., Slover, R. H., Klonoff, D. C., Shin, J., Welsh, J. B., Kaufman, F. R.
2012; 14 (3): 205-209
- **A Randomized Clinical Trial to Assess the Efficacy and Safety of Real-Time Continuous Glucose Monitoring in the Management of Type 1 Diabetes in Young Children Aged 4 to < 10 Years** *DIABETES CARE*
Mauras, N., Beck, R., Xing, D., Ruedy, K., Buckingham, B., Tansey, M., White, N. H., Weinzimer, S. A., Tamborlane, W., Kollman, C.
2012; 35 (2): 204-210
- **Diabetes technology and the human factor.** *International journal of clinical practice. Supplement*
Lieberman, A., Buckingham, B., Phillip, M.
2012: 79-84
- **The interrelationships of glycemic control measures: HbA1c, glycated albumin, fructosamine, 1,5-anhydroglucitol, and continuous glucose monitoring** *PEDIATRIC DIABETES*
Beck, R., Steffes, M., Xing, D., Ruedy, K., Mauras, N., Wilson, D. M., Kollman, C.
2011; 12 (8): 690-695
- **The ASPIRE study: design and methods of an in-clinic crossover trial on the efficacy of automatic insulin pump suspension in exercise-induced hypoglycemia.** *Journal of diabetes science and technology*
Brazg, R. L., Bailey, T. S., Garg, S., Buckingham, B. A., Slover, R. H., Klonoff, D. C., Nguyen, X., Shin, J., Welsh, J. B., Lee, S. W.
2011; 5 (6): 1466-1471
- **Continuous Glucose Monitoring: An Endocrine Society Clinical Practice Guideline** *JOURNAL OF CLINICAL ENDOCRINOLOGY & METABOLISM*
Klonoff, D. C., Buckingham, B., Christiansen, J. S., Montori, V. M., Tamborlane, W. V., Vigersky, R. A., Wolpert, H.
2011; 96 (10): 2968-2979
- **Metabolic tests to determine risk for type 1 diabetes in clinical trials** *DIABETES-METABOLISM RESEARCH AND REVIEWS*
Greenbaum, C. J., Buckingham, B., Chase, H. P., Krischer, J.
2011; 27 (6): 584-589
- **The Feasibility of Detecting Neuropsychologic and Neuroanatomic Effects of Type 1 Diabetes in Young Children** *DIABETES CARE*
Aye, T., Reiss, A. L., Kesler, S., Hoang, S., Drobny, J., Park, Y., Schleifer, K., Baumgartner, H., Wilson, D. M., Buckingham, B. A.
2011; 34 (7): 1458-1462
- **The Use of Diffusion Tensor Imaging (DTI) in Young Children with Type 1 Diabetes**
Aye, T., Barnea-Goraly, N., Park, Y., Wilson, D. M., Reiss, A. L., Buckingham, B. A.
AMER DIABETES ASSOC.2011: A44-A45
- **The Impact of Real Time Continuous Glucose Monitoring in the Classroom/School Environment**
Aye, T., Block, J. M., Buckingham, B. A., Wilson, D. M.
AMER DIABETES ASSOC.2011: A248
- **Outcome measures for outpatient hypoglycemia prevention studies.** *Journal of diabetes science and technology*
Beck, R. W., Kollman, C., Xing, D., Buckingham, B. A., Chase, H. P.
2011; 5 (4): 999-1004
- **Factors Predictive of Severe Hypoglycemia in Type 1 Diabetes Analysis from the Juvenile Diabetes Research Foundation continuous glucose monitoring randomized control trial dataset** *DIABETES CARE*
Fiallo-Scharer, R., Cheng, J., Beck, R. W., Buckingham, B. A., Chase, H. P., Kollman, C., Laffel, L., Lawrence, J. M., Mauras, N., Tamborlane, W. V., Wilson, D. M., Wolpert, H., Bode, et al
2011; 34 (3): 586-590
- **Hemoglobin A(1c) and Mean Glucose in Patients With Type 1 Diabetes Analysis of data from the Juvenile Diabetes Research Foundation continuous glucose monitoring randomized trial** *DIABETES CARE*
Wilson, D. M., Xing, D., Beck, R. W., Block, J., Bode, B., Fox, L. A., Hirsch, I., Kollman, C., Laffel, L., Ruedy, K. J., Steffes, M., Tamborlane, W. V.
2011; 34 (3): 540-544
- **A closed-loop artificial pancreas based on risk management.** *Journal of diabetes science and technology*

- Cameron, F., Bequette, B. W., Wilson, D. M., Buckingham, B. A., Lee, H., Niemeyer, G.
2011; 5 (2): 368-379
- **Optimal Sampling Intervals to Assess Long-Term Glycemic Control Using Continuous Glucose Monitoring** *DIABETES TECHNOLOGY & THERAPEUTICS*
Xing, D., Kollman, C., Beck, R. W., Tamborlane, W. V., Laffel, L., Buckingham, B. A., Wilson, D. M., Weinzimer, S., Fiallo-Scharer, R., Ruedy, K. J.
2011; 13 (3): 351-358
 - **Diabetes technology and the human factor** *INTERNATIONAL JOURNAL OF CLINICAL PRACTICE*
Lieberman, A., Buckingham, B., Phillip, M.
2011; 65: 83-90
 - **Toward Closing the Loop: An Update on Insulin Pumps and Continuous Glucose Monitoring Systems** *ENDOCRINOLOGY AND METABOLISM CLINICS OF NORTH AMERICA*
Aye, T., Block, J., Buckingham, B.
2010; 39 (3): 609-?
 - **The Pediatric Diabetes Consortium: Improving Care of Children with Type 1 Diabetes Through Collaborative Research** *DIABETES TECHNOLOGY & THERAPEUTICS*
Beck, R., Klingensmith, G., Haymond, M., Wood, J., Buckingham, B., Schatz, D., Silverstein, J., Lee, J., Cengiz, E., Tamborlane, W.
2010; 12 (9): 685-688
 - **Validation of Measures of Satisfaction with and Impact of Continuous and Conventional Glucose Monitoring** *DIABETES TECHNOLOGY & THERAPEUTICS*
Hirsch, I. B., Gilliam, L. K., Fitzpatrick, K., Khakpour, D., Weinzimer, S. A., Tamborlane, W. V., Ives, B., Bosson-Heenan, J., Wolpert, H., Shetty, G., Atakov-Castillo, A., Giusti, J., O'Donnell, et al
2010; 12 (9): 679-684
 - **Insulin Pumps in Young Children** *DIABETES TECHNOLOGY & THERAPEUTICS*
Fuld, K., Conrad, B., Buckingham, B., Wilson, D. M.
2010; 12: S67-S71
 - **Real-Time Hypoglycemia Prediction Suite Using Continuous Glucose Monitoring A safety net for the artificial pancreas** *DIABETES CARE*
Dassau, E., Cameron, F., Lee, H., Bequette, B. W., Zisser, H., Jovanovic, L., Chase, H. P., Wilson, D. M., Buckingham, B. A., Doyle, F. J.
2010; 33 (6): 1249-1254
 - **Prevention of Nocturnal Hypoglycemia Using Predictive Alarm Algorithms and Insulin Pump Suspension** *DIABETES CARE*
Buckingham, B., Chase, H. P., Dassau, E., Cobry, E., Clinton, P., Gage, V., Caswell, K., Wilkinson, J., Cameron, F., Lee, H., Bequette, B. W., Doyle, F. J.
2010; 33 (5): 1013-1017
 - **Blunted Counterregulatory Hormone Responses to Hypoglycemia in Young Children and Adolescents With Well-Controlled Type 1 Diabetes** *DIABETES CARE*
Tsalikian, E., Tamborlane, W., Xing, D., Becker, D. M., Mauras, N., Fiallo-Scharer, R., Buckingham, B., Weinzimer, S., Steffes, M., Singh, R., Beck, R., Ruedy, K., Kollman, et al
2009; 32 (11): 1954-1959
 - **Factors Predictive of Use and of Benefit From Continuous Glucose Monitoring in Type 1 Diabetes** *DIABETES CARE*
Beck, R. W., Buckingham, B., Miller, K., Wolpert, H., Xing, D., Block, J. M., Chase, H. P., Hirsch, I., Kollman, C., Laffel, L., Lawrence, J. M., Milaszewski, K., Ruedy, et al
2009; 32 (11): 1947-1953
 - **Probabilistic evolving meal detection and estimation of meal total glucose appearance.** *Journal of diabetes science and technology*
Cameron, F., Niemeyer, G., Buckingham, B. A.
2009; 3 (5): 1022-1030
 - **A closed-loop artificial pancreas using model predictive control and a sliding meal size estimator.** *Journal of diabetes science and technology*
Lee, H., Buckingham, B. A., Wilson, D. M., Bequette, B. W.
2009; 3 (5): 1082-1090
 - **The effect of continuous glucose monitoring in well-controlled type 1 diabetes.** *Diabetes care*

- Beck, R. W., Hirsch, I. B., Laffel, L., Tamborlane, W. V., Bode, B. W., Buckingham, B., Chase, P., Clemons, R., Fiallo-Scharer, R., Fox, L. A., Gilliam, L. K., Huang, E. S., Kollman, et al
2009; 32 (8): 1378-1383
- **In Silico Evaluation Platform for Artificial Pancreatic beta-Cell Development-A Dynamic Simulator for Closed-Loop Control with Hardware-in-the-Loop** *DIABETES TECHNOLOGY & THERAPEUTICS*
Dassau, E., Palerm, C. C., Zisser, H., Buckingham, B. A., Jovanovic, L., Doyle, F. J.
2009; 11 (3): 187-194
 - **In silico preclinical trials: methodology and engineering guide to closed-loop control in type 1 diabetes mellitus.** *Journal of diabetes science and technology*
Patek, S. D., Bequette, B. W., Breton, M., Buckingham, B. A., Dassau, E., Doyle, F. J., Lum, J., Magni, L., Zisser, H.
2009; 3 (2): 269-282
 - **Preventing Hypoglycemia Using Predictive Alarm Algorithms and Insulin Pump Suspension** *DIABETES TECHNOLOGY & THERAPEUTICS*
Buckingham, B., Cobry, E., Clinton, P., Gage, V., Caswell, K., Kunselman, E., Cameron, F., Chase, H. P.
2009; 11 (2): 93-97
 - **Use of continuous glucose monitoring with a proportional- integral-derivative algorithm to achieve tight glucose control in the pediatric intensive care unit**
Fuld, K. B., Pageler, N., Cortez, B., Cache, S., Buckingham, B.
KARGER.2009: 31-31
 - **Intensive Care Unit Insulin Delivery Algorithms: Why So Many? How to Choose?** *Journal of diabetes science and technology*
Steil, G. M., Deiss, D., Shih, J., Buckingham, B., Weinzimer, S., Agus, M. S.
2009; 3 (1): 125-140
 - **Duration of Nocturnal Hypoglycemia Before Seizures** *DIABETES CARE*
Buckingham, B., Wilson, D. M., Lecher, T., Hanas, R., Kaiserman, K., Cameron, F.
2008; 31 (11): 2110-2112
 - **Continuous glucose monitoring and intensive treatment of type 1 diabetes** *NEW ENGLAND JOURNAL OF MEDICINE*
Tamborlane, W. V., Beck, R. W., Bode, B. W., Buckingham, B., Chase, H. P., Clemons, R., Fiallo-Scharer, R., Fox, L. A., Gilliam, L. K., Hirsch, I. B., Huang, E. S., Kollman, C., Kowalski, et al
2008; 359 (14): 1464-U65
 - **Sensor-augmented insulin pump therapy: Results of the first randomized treat-to-target study** *DIABETES TECHNOLOGY & THERAPEUTICS*
Hirsch, I. B., Abelson, J., Bode, B. W., Fischer, J. S., Kaufman, F. R., Mastrototaro, J., Parkin, C. G., Wolpert, H. A., Buckingham, B. A.
2008; 10 (5): 377-383
 - **Clinical application of emerging sensor technologies in diabetes management: Consensus guidelines for continuous glucose monitoring (CGM)** *DIABETES TECHNOLOGY & THERAPEUTICS*
Hirsch, I. B., Armstrong, D., Bergenstal, R. M., Buckingham, B., Childs, B. P., Clarke, W. L., Peters, A., Wolpert, H.
2008; 10 (4)
 - **Statistical hypoglycemia prediction.** *Journal of diabetes science and technology*
Cameron, F., Niemeyer, G., Gundy-Burlet, K., Buckingham, B.
2008; 2 (4): 612-621
 - **Use of the DirecNet Applied Treatment Algorithm (DATA) for diabetes management with a real-time continuous glucose monitor (the FreeStyle Navigator)** *PEDIATRIC DIABETES*
Buckingham, B., Xing, D., Weinzimer, S., Fiallo-Scharer, R., Kollman, C., Mauras, N., Tsalikian, E., Tamborlane, W., Wysocki, T., Ruedy, K., Beck, R.
2008; 9 (2): 142-147
 - **Clinical overview of continuous glucose monitoring.** *Journal of diabetes science and technology*
Buckingham, B.
2008; 2 (2): 300-306
 - **Detection of a Meal Using Continuous Glucose Monitoring implications for an artificial beta-cell** *DIABETES CARE*
Dassau, E., Bequette, B. W., Buckingham, B. A., Doyle, F. J.

2008; 31 (2): 295-300

- **Continuous glucose monitoring in children with type 1 diabetes** *JOURNAL OF PEDIATRICS*
Anonymous
2007; 151 (4): 388-393
- **The medtronic MiniMed gold continuous glucose monitoring system: An effective means to discover hypo- and Hyperglycemia in children under 7 years of age** *DIABETES TECHNOLOGY & THERAPEUTICS*
Gandrud, L. M., Xing, D., Kollman, C., Block, J. M., Kunselman, B., Wilson, D. M., Buckingham, B. A.
2007; 9 (4): 307-316
- **Real-time continuous glucose monitoring.** *Current opinion in endocrinology, diabetes, and obesity*
Buckingham, B., Caswell, K., Wilson, D. M.
2007; 14 (4): 288-295
- **Glucose control in pediatric intensive care unit patients using an insulin-glucose algorithm** *DIABETES TECHNOLOGY & THERAPEUTICS*
Wintergerst, K. A., Deiss, D., Buckingham, B., Cantwell, M., Kache, S., Agarwal, S., Wilson, D. M., Steil, G.
2007; 9 (3): 211-222
- **Relative accuracy of the BD Logic (R) and FreeStyle (R) blood glucose meters** *DIABETES TECHNOLOGY & THERAPEUTICS*
Fox, L. A., Beck, R., Steffes, M., Chase, P., Coffey, J., Wysocki, T., Buckingham, B., Weinzimer, S., Tamborlane, W., Kollman, C., Ruedy, K.
2007; 9 (2): 165-168
- **Increasing the accuracy of oral glucose tolerance testing and extending its application to individuals with normal glucose tolerance for the prediction of type 1 diabetes - The Diabetes Prevention Trial-Type 1** *DIABETES CARE*
Sosenko, J. M., Palmer, J. P., Greenbaum, C. J., Mahon, J., Cowie, C., Krischer, J. P., Chase, H. P., White, N. H., Buckingham, B., Herold, K. C., Cuthbertson, D., Skyler, J. S.
2007; 30 (1): 38-42
- **Association of hypoglycemia, hyperglycemia, and glucose variability with morbidity and death in the pediatric intensive care unit** *PEDIATRICS*
Wintergerst, K. A., Buckingham, B., Gandrud, L., Wong, B. J., Kache, S., Wilson, D. M.
2006; 118 (1): 173-179
- **Evaluation of factors affecting CGMS calibration** *DIABETES TECHNOLOGY & THERAPEUTICS*
Buckingham, B. A., Kollman, C., Beck, R. W., Kalajian, A., Fiallo-Scharer, R., Tansey, M. J., Fox, L. A., Wilson, D. M., Weinzimer, S. A., Ruedy, K. J., Tamborlane, W. V.
2006; 8 (3): 318-325
- **Family assessment of the utility of the DirecNet applied treatment algorithm (DATA) for insulin adjustments in real-time and retrospective analyses of continuous glucose monitoring (CGM)**
Buckingham, B., Ruedy, K., Kollman, C., Beck, R., Tamborlane, W., Mauras, N., Weinzimer, S., Chase, P., Tsalikian, E., Diabetes Res Children Network
AMER DIABETES ASSOC.2006: A453
- **Extended use of a new continuous glucose monitoring system with wireless data transmission in children with type 1 diabetes mellitus** *DIABETES TECHNOLOGY & THERAPEUTICS*
Wong, L. J., Buckingham, B. A., Kunselman, B., Istoc, E., Leach, J., Purvis, R.
2006; 8 (2): 139-145
- **Vitamin D deficiency in the San Francisco bay area** *JOURNAL OF PEDIATRIC ENDOCRINOLOGY & METABOLISM*
McAllister, J. C., Lane, A. T., Buckingham, B. A.
2006; 19 (3): 205-208
- **Patterns of metabolic progression to type 1 diabetes in the Diabetes Prevention Trial-Type 1** *DIABETES CARE*
Sosenko, J. M., Palmer, J. P., Greenbaum, C. J., Mahon, J., Cowie, C., Krischer, J. P., Chase, H. P., White, N. H., Buckingham, B., Herold, K. C., Cuthbertson, D., Skyler, J. S.
2006; 29 (3): 643-649
- **The effects of aerobic exercise on glucose and counterregulatory hormone concentrations in children with type 1 diabetes** *65th Annual Meeting of the American-Diabetes-Association*
Tansey, M. J.

AMER DIABETES ASSOC.2006: 20–25

- **Hypoglycemia detection, and better yet, prevention, in pediatric patients.** *Diabetes technology & therapeutics*
Buckingham, B.
2005; 7 (5): 792-796
- **Accuracy of newer-generation home blood glucose meters in a Diabetes Research in Children Network (DirecNet) inpatient exercise study.** *Diabetes technology & therapeutics*
Weinzimer, S. A., Beck, R. W., Chase, H. P., Fox, L. A., Buckingham, B. A., Tamborlane, W. V., Kollman, C., Coffey, J., Xing, D., Ruedy, K. J.
2005; 7 (5): 675-680
- **Impact of exercise on overnight glycemic control in - Children with type 1 diabetes mellitus** *JOURNAL OF PEDIATRICS*
Tsalikian, E., Mauras, N., Beck, R. W., Tamborlane, W. V., Janz, K. F., Chase, H. P., Wysocki, T., Weinzimer, S. A., Buckingham, B. A., KOLLMAN, C., Xing, D. Y., Ruedy, K. J., Fiallo-Scharer, et al
2005; 147 (4): 528-534
- **Youth and parent satisfaction with clinical use of the GlucoWatch G2 Biographer in the management of pediatric type 1 diabetes** *DIABETES CARE*
Wysocki, T., Beck, R. W., Tamborlane, W. V., Fiallo-Scharer, R., Tansey, M. J., Weinzimer, S. A., KOLLMAN, C., Ruedy, K. J., Xing, D. Y., Davis, B., Chase, H. P., Fiallo-Scharer, R., Fisher, et al
2005; 28 (8): 1929-1935
- **Response to nocturnal alarms using a real-time glucose sensor.** *Diabetes technology & therapeutics*
Buckingham, B., Block, J., Burdick, J., Kalajian, A., Kollman, C., Choy, M., Wilson, D. M., Chase, P.
2005; 7 (3): 440-447
- **Eight-point glucose testing versus the continuous glucose monitoring system in evaluation of glycemic control in type 1 diabetes** *JOURNAL OF CLINICAL ENDOCRINOLOGY & METABOLISM*
Fiallo-Scharer, R., Xing, D. Y., Weinzimer, S., Buckingham, B., Mauras, N., Tansey, M., Chase, P., Beck, R., Ruedy, K., KOLLMAN, C., Tamborlane, W., Chase, H. P., Fiallo-Scharer, et al
2005; 90 (6): 3387-3391
- **A randomized multicenter trial comparing the GlucoWatch Biographer with standard glucose monitoring in children with type 1 diabetes.** *Diabetes care*
Chase, H. P., Beck, R., Tamborlane, W., Buckingham, B., Mauras, N., Tsalikian, E., Wysocki, T., Weinzimer, S., Kollman, C., Ruedy, K., Xing, D.
2005; 28 (5): 1101-1106
- **The extended Kalman filter for continuous glucose monitoring.** *Diabetes technology & therapeutics*
Knobbe, E. J., Buckingham, B.
2005; 7 (1): 15-27
- **Accuracy of the modified Continuous Glucose Monitoring System (CGMS) sensor in an outpatient setting: results from a diabetes research in children network (DirecNet) study.** *Diabetes technology & therapeutics*
Tansey, M. J., Beck, R. W., Buckingham, B. A., Mauras, N., Fiallo-Scharer, R., Xing, D., Killman, C., Tamborlane, W. V., Ruedy, K. J.
2005; 7 (1): 109-114
- **A two-center randomized controlled feasibility trial of insulin pump therapy in young children with diabetes** *63rd Annual Meeting of the American-Diabetes-Association*
Wilson, D. M., Buckingham, B. A., Kunselman, E. L., Sullivan, M. M., Paguntalan, H. U., Gitelman, S. E.
AMER DIABETES ASSOC.2005: 15–19
- **Insulin infusion set survival comparing Novolog with Humalog** *41st Annual Meeting of the European-Association-for-the-Study-of-Diabetes*
Buckingham, B., Block, J., Clinton, P., Kunselman, E., Wilson, D.
SPRINGER.2005: A299–A299
- **GlucoWatch G2 Biographer alarm reliability during hypoglycemia in children.** *Diabetes technology & therapeutics*
Tsalikian, E., Kollman, C., Mauras, N., Weinzimer, S., Buckingham, B., Xing, D., Beck, R., Ruedy, K., Tamborlane, W., Fiallo-Scharer, R.
2004; 6 (5): 559-566
- **Severe infantile hypercalcemia associated with Williams syndrome successfully treated with intravenously administered pamidronate** *PEDIATRICS*
Cagle, A. P., Waguespack, S. G., Buckingham, B. A., Shankar, R. R., DiMeglio, L. A.

2004; 114 (4): 1091-1095

- **Lack of accuracy of continuous glucose sensors in healthy, nondiabetic children: Results of the Diabetes Research in Children Network (DirecNet) Accuracy study** *JOURNAL OF PEDIATRICS*
Mauras, N., Beck, R. W., Ruedy, K. J., KOLLMAN, C., Tamborlane, W. V., Chase, P., Buckingham, B. A., Tsalikian, E., Weinzimer, S. A., Booth, A. D., Xing, D. Y.
2004; 144 (6): 770-775
- **Initiation of insulin glargine in children and adolescents with type I diabetes** *PEDIATRIC DIABETES*
Tan, C. Y., Wilson, D. M., Buckingham, B.
2004; 5 (2): 80-86
- **Accuracy of the GlucoWatch G2 Biographer and the continuous glucose monitoring system during hypoglycemia - Experience of the Diabetes Research in Children Network** *DIABETES CARE*
Tsalikian, E., Beck, R. W., Tamborlane, W. V., Chase, P., Buckingham, B. A., Weinzimer, S. A., Mauras, N., Ruedy, K. J., KOLLMAN, C., Xing, D. Y., Fiallo-Scharer, R., Fisher, J. H., Tsalikian, et al
2004; 27 (3): 722-726
- **Use of the Cygnus GlucoWatch biographer at a diabetes camp** *PEDIATRICS*
Gandrud, L. M., Paguntalan, H. U., Van Wyhe, M. M., Kunselman, B. L., Leptien, A. D., Wilson, D. M., Eastman, R. C., Buckingham, B. A.
2004; 113 (1): 108-111
- **Infantile hypercalcemia associated with Williams Syndrome treated successfully with bisphosphonate.** *25th Annual Meeting of the American-Society-for-Bone-and-Mineral-Research*
Cagle, A. P., Waguespack, S. G., Buckingham, B. A., Shankar, R., DiMeglio, L. A.
WILEY-BLACKWELL.2003: S412-S412
- **A two center randomized controlled trial of insulin pump therapy in young children with diabetes**
Wilson, D., Buckingham, B., Kunselman, E., Sullivan, M., Paguntalan, H., Gitelman, S.
AMER DIABETES ASSOC.2003: A402
- **Diabetes research in children network (DirecNet) accuracy study of the continuous glucose monitoring system (CGMS) and Gluco Watch (R) G2 (TM) biographer (GWB) in children with type 1 diabetes - A CRC-based study**
Buckingham, B., Beck, R., Tamborlane, W., Ruedy, K., Boland, E., Chase, P., Wysocki, T., Tsalikian, E., Wilson, D., Mauras, N., Weinzimer, S., Tansey, M., Fiallo-Scharer, et al
AMER DIABETES ASSOC.2003: A36
- **A 5-center CRC-Based study of the accuracy of the GlucoWatch(R) G2(TM) biographer in children and adolescents with type 1 diabetes**
Wilson, D., Buckingham, B., Beck, R., Ruedy, K., Kollman, C., Tsalikian, E., Wysocki, T., Weinzimer, S., Chase, P., Diabet Res Children Network
AMER DIABETES ASSOC.2003: A101
- **How should we interpret "real life" conditions.** *Pediatric diabetes*
Eastman, R. C., Chase, H. P., Buckingham, B., Hathout, E., Tamada, J., Ginsberg, B.
2003; 4 (1): 59-?
- **Analysis: dawn of real-time continuous glucose sensing.** *Diabetes technology & therapeutics*
Buckingham, B.
2003; 5 (3): 381-383
- **Use of the GlucoWatch biographer in children and adolescents with diabetes.** *Pediatric diabetes*
Eastman, R. C., Chase, H. P., Buckingham, B., Hathout, E. H., Fuller-Byk, L., Leptien, A., Van Wyhe, M. M., Davis, T. L., Fermi, S. J., Pechler, H., Sahyun, G., Lopatin, M., Wang, et al
2002; 3 (3): 127-134
- **Cognitive and behavioral characteristics of turner syndrome: exploring a role for ovarian hormones in female sexual differentiation.** *Hormones and behavior*
Collaer, M. L., Geffner, M. E., Kaufman, F. R., Buckingham, B., Hines, M.
2002; 41 (2): 139-155
- **Cognitive and behavioral characteristics of Turner syndrome: Exploring hormones in female sexual a role for ovarian differentiation** *HORMONES AND BEHAVIOR*
Collaer, M. L., Geffner, M. E., Kaufman, F. R., Buckingham, B., Hines, M.

2002; 41 (2): 139-155

- **Type 1 diabetes mellitus and epilepsy partialis continua in a 6-year-old boy with elevated anti-GAD65 antibodies** *PEDIATRICS*
Olson, J. A., Olson, D. M., Sandborg, C., Alexander, S., Buckingham, B.
2002; 109 (3)
- **Familial isolated hypoparathyroidism caused by a mutation in the gene for the transcription factor GCMB** *JOURNAL OF CLINICAL INVESTIGATION*
Ding, C. L., Buckingham, B., Levine, M. A.
2001; 108 (8): 1215-1220
- **Intensive diabetes management in pediatric patients.** *Current diabetes reports*
Buckingham, B., Bluck, B., Wilson, D. M.
2001; 1 (1): 11-18
- **Continuous subcutaneous insulin infusion (CSD) in children under five years of age**
Buckingham, B. A., Paguntalan, H., Fassel, B., Wilson, D. M.
AMER DIABETES ASSOC.2001: A107
- **Data entry errors in using the minimed continuous glucose sensor (CGS)**
Buckingham, B. A., Paguntalan, H., Wilson, D. M.
AMER DIABETES ASSOC.2001: A431
- **Prevention of type 1a diabetes mellitus*.** *Pediatric diabetes*
Wilson, D. M., Buckingham, B.
2001; 2 (1): 17-24
- **A randomized trial of methotrexate in newly diagnosed patients with type 1 diabetes mellitus** *CLINICAL IMMUNOLOGY*
Buckingham, B. A., Sandborg, C. I.
2000; 96 (2): 86-90
- **Decreased IL-4 production in new onset type I insulin-dependent diabetes mellitus** *JOURNAL OF IMMUNOLOGY*
Berman, M. A., Sandborg, C. I., Wang, Z. S., Imfeld, K. L., Zaldivar, F., Dadufalza, V., Buckingham, B. A.
1996; 157 (10): 4690-4696
- **Self-care behaviors in insulin-dependent diabetes: Evaluative tools and their associations with glycemic control** *JOURNAL OF PEDIATRIC PSYCHOLOGY*
Hanson, C. L., DEGUIRE, M. J., SCHINKEL, A. M., Kolterman, O. G., Goodman, J. P., Buckingham, B. A.
1996; 21 (4): 467-482
- **T-JA TRANSVERSION 11 BP FROM A SPLICE ACCEPTOR SITE IN THE HUMAN GENE FOR STEROIDOGENIC ACUTE REGULATORY PROTEIN CAUSES CONGENITAL LIPOID ADRENAL-HYPERPLASIA** *HUMAN MOLECULAR GENETICS*
Tee, M. K., LIN, D., Sugawara, T., HOLT, J. A., Guiguen, Y., Buckingham, B., Strauss, J. F., Miller, W. L.
1995; 4 (12): 2299-2305
- **IL-4 EXPRESSION IN HUMAN T-CELLS IS SELECTIVELY INHIBITED BY IL-1-ALPHA AND IL-1-BETA** *JOURNAL OF IMMUNOLOGY*
Sandborg, C. I., Imfeld, K. L., Zaldivar, F., Wang, Z. S., Buckingham, B. A., Berman, M. A.
1995; 155 (11): 5206-5212
- **BIOCHEMICAL-ABNORMALITIES IN VITREOUS OF HUMANS WITH PROLIFERATIVE DIABETIC-RETINOPATHY** *ARCHIVES OF OPHTHALMOLOGY*
SEBAG, J., Buckingham, B., Charles, M. A.
1992; 110 (10): 1472-1476
- **A NATURALLY-OCCURRING 6-9-KILODALTON INTERLEUKIN-1 (IL-1) INHIBITOR PREVENTS IL-1-MEDIATED ISLET CYTOTOXICITY BUT NOT IL-1-MEDIATED SUPPRESSION OF INSULIN-SECRETION** *JOURNAL OF IMMUNOTHERAPY*
KAWAHARA, D. J., Everts, M., Buckingham, B., Sandborg, C., Berman, M.
1991; 10 (3): 182-188
- **HETEROGENEITY IN THE SPECIFICITY OF THE ISLET CELL CYTOPLASMIC ANTIBODY-RESPONSE IN INSULIN-DEPENDENT DIABETES-MELLITUS** *PANCREAS*

- KAWAHARA, D. J., Buckingham, B., Kershner, A.
1990; 5 (6): 647-651
- **RELATIONSHIP BETWEEN THE CONTENT OF LYSYL OXIDASE DEPENDENT CROSS-LINKS IN SKIN COLLAGEN, NONENZYMATIC GLYCOSYLATION, AND LONG-TERM COMPLICATIONS IN TYPE-I DIABETES-MELLITUS** *JOURNAL OF CLINICAL INVESTIGATION*
Buckingham, B., Reiser, K. M.
1990; 86 (4): 1046-1054
 - **THE SURGICAL-MANAGEMENT OF HYPERINSULINISM IN INFANCY DUE TO NESIDIOBLASTOSIS** *JOURNAL OF PEDIATRIC SURGERY*
Warden, M. J., GERMAN, J. C., Buckingham, B. A.
1988; 23 (5): 462-465
 - **INTERFERON RESPONSIVENESS OF NATURAL-KILLER CELLS IN TYPE-I HUMAN DIABETES** *DIABETES RESEARCH CLINICAL AND EXPERIMENTAL*
Negishi, K., Gupta, S., Chandy, K. G., Waldeck, N., Kershner, A., Buckingham, B., Charles, M. A.
1988; 7 (1): 49-52
 - **NATURAL-KILLER-CELL AND ISLET KILLER-CELL ACTIVITIES IN HUMAN TYPE-1 DIABETES** *EXPERIMENTAL AND CLINICAL ENDOCRINOLOGY*
Negishi, K., Waldeck, N., Chandy, G., Buckingham, B., Kershner, A., Fisher, L., Gupta, S., Charles, A. M.
1987; 89 (3): 345-353
 - **JOINT AND PULMONARY CHANGES IN DIABETES - REPLY** *AMERICAN JOURNAL OF DISEASES OF CHILDREN*
Buckingham, B., Kershner, A., Anas, N., Sandborg, C., UITTO, J.
1987; 141 (3): 245-245
 - **NATURAL-KILLER-CELL AND ISLET KILLER-CELL ACTIVITIES IN TYPE-1 (INSULIN-DEPENDENT) DIABETES** *DIABETOLOGIA*
Negishi, K., Waldeck, N., Chandy, G., Buckingham, B., Kershner, A., Fisher, L., Gupta, S., Charles, M. A.
1986; 29 (6): 352-357
 - **MULTIPARAMETER IMMUNOLOGICAL STUDIES IN PATIENTS WITH NEWLY DIAGNOSED TYPE-1 INSULIN-DEPENDENT DIABETES-MELLITUS** *DIABETES RESEARCH CLINICAL AND EXPERIMENTAL*
Gupta, S., Charles, M. A., Waldeck, N., Kershner, A., Buckingham, B.
1986; 3 (5): 225-229
 - **SKIN, JOINT, AND PULMONARY CHANGES IN TYPE-I DIABETES-MELLITUS** *AMERICAN JOURNAL OF DISEASES OF CHILDREN*
Buckingham, B., PEREJDA, A. J., Sandborg, C., KERSHNER, A. K., UITTO, J.
1986; 140 (5): 420-423
 - **COMPLEMENT ACTIVATION IN TYPE-1 HUMAN DIABETES** *CLINICAL IMMUNOLOGY AND IMMUNOPATHOLOGY*
Sundsmo, J. S., PAPIN, R. A., Wood, L., Hirani, S., Waldeck, N., Buckingham, B., Kershner, A., Ascher, M., Charles, M. A.
1985; 35 (2): 211-225
 - **AUTOLOGOUS MIXED LYMPHOCYTE-REACTION IN MAN .15. CELLULAR AND MOLECULAR-BASIS OF DEFICIENT AUTOLOGOUS MIXED LYMPHOCYTE-RESPONSE IN INSULIN-DEPENDENT DIABETES-MELLITUS** *JOURNAL OF CLINICAL IMMUNOLOGY*
Chandy, K. G., Charles, A. M., Kershner, A., Buckingham, B., Waldeck, N., Gupta, S.
1984; 4 (6): 424-428
 - **SCLERODERMA-LIKE CHANGES IN INSULIN-DEPENDENT DIABETES-MELLITUS - CLINICAL AND BIOCHEMICAL-STUDIES** *DIABETES CARE*
Buckingham, B. A., UITTO, J., Sandborg, C., Keens, T., Roe, T., Costin, G., KAUFMAN, F., Bernstein, B., Landing, B., Castellano, A.
1984; 7 (2): 163-169
 - **IMMUNOLOGICAL EVENTS IN NEW ONSET DIABETES** *BIOMEDICA BIOCHIMICA ACTA*
CHARLES, M., Suzuki, M., SUNDSMO, J., Waldeck, N., Negishi, K., Slater, L., Ong, K., Buckingham, B., Kershner, A.
1984; 43 (5): 615-619
 - **DEFICIENCY OF MONOCLONAL-ANTIBODY (LEU 7) DEFINED NK-CELLS IN NEWLY DIAGNOSED INSULIN-DEPENDENT DIABETES-MELLITUS** *IMMUNOLOGY LETTERS*
Chandy, K. G., Charles, M. A., Buckingham, B., Waldeck, N., Kershner, A., Gupta, S.
1984; 8 (2): 89-91

- **IMMUNE ISLET KILLING MECHANISMS ASSOCIATED WITH INSULIN-DEPENDENT DIABETES - INVITRO EXPRESSION OF CELLULAR AND ANTIBODY-MEDIATED ISLET CELL CYTO-TOXICITY IN HUMANS** *JOURNAL OF IMMUNOLOGY*
Charles, M. A., Suzuki, M., Waldeck, N., DODSON, L. E., Slater, L., Ong, K., Kershner, A., Buckingham, B., Golden, M.
1983; 130 (3): 1189-1194
- **HYPERTHYROIDISM IN CHILDREN - A RE-EVALUATION OF TREATMENT** *AMERICAN JOURNAL OF DISEASES OF CHILDREN*
Buckingham, B. A., Costin, G., Roe, T. F., Weitzman, J. J., KOGUT, M. D.
1981; 135 (2): 112-117
- **STUDIES OF IMMUNE-COMPLEX GLOMERULONEPHRITIS MEDIATED BY HUMAN THYROGLOBULIN** *NEW ENGLAND JOURNAL OF MEDICINE*
Jordan, S. C., Buckingham, B., Sakai, R., Olson, D.
1981; 304 (20): 1212-1215
- **RHABDOMYOLYSIS IN DIABETIC-KETOACIDOSIS** *AMERICAN JOURNAL OF DISEASES OF CHILDREN*
Buckingham, B. A., Roe, T. F., Yoon, J. W.
1981; 135 (4): 352-354
- **THYROIDECTOMY FOR HYPERTHYROIDISM IN CHILDREN** *JOURNAL OF PEDIATRIC SURGERY*
Andrassy, R. J., Buckingham, B. A., Weitzman, J. J.
1980; 15 (4): 501-504
- **SURGICAL TREATMENT OF HYPERTHYROIDISM IN CHILDREN** *SURGERY GYNECOLOGY & OBSTETRICS*
Wesley, J. R., Buckingham, B. A., GAHR, J. A., Isaacs, H., KOGUT, M. D., Weitzman, J. J.
1977; 145 (3): 343-346
- **PATHOLOGIC AND IMMUNE FACTORS IN THYROID DISEASE** *JOURNAL OF PEDIATRICS*
Buckingham, B. A., Costin, G., KOGUT, M. D., Isaacs, H., Landing, B. H.
1977; 91 (5): 728-733
- **THYROID-FUNCTION IN CHILDREN WITH CHRONIC RENAL-FAILURE** *NEPHRON*
Wassner, S. J., Buckingham, B. A., KERSHNER, A. J., MALEKZADEH, M. H., Pennisi, A. J., Fine, R. N.
1977; 19 (4): 236-241