

Stanford



Sandy Napel

Professor of Radiology (Integrative Biomedical Imaging Informatics), Emeritus

Curriculum Vitae available Online

CONTACT INFORMATION

- **Alternate Contact**

Elizabeth Colvin - Administrative Associate

Email colvin@stanford.edu

Tel (650) 724-9286

Bio

BIO

I am the Division Chief of IBIIS (Integrative Biomedical Imaging Informatics at Stanford), whose mission is to advance the clinical and basic sciences in radiology, while improving our understanding of biology and the manifestations of disease, by pioneering methods in the information sciences that integrate imaging, clinical and molecular data, and co-director of the Radiology 3D and Quantitative Imaging Lab, providing clinical service to the Stanford and local community. My primary focus is on radiomics and radiogenomics, i.e., making image features computer-accessible, to facilitate content-based retrieval of similar lesions, and prediction of molecular phenotype, response to therapy, and prognosis from imaging features. I have also been involved in developing diagnostic and therapy-planning applications and strategies for the acquisition, visualization, and quantitation of multi-dimensional medical imaging data. Examples are: creation of three-dimensional images of blood vessels using CT, visualization of complex flow within blood vessels using MR, computer-aided detection and characterization of lesions (e.g., colonic polyps, pulmonary nodules) from cross-sectional image data, visualization and automated assessment of 4D ultrasound data, and fusion of images acquired using different modalities (e.g., CT and MR). I have also been involved in developing and evaluating techniques for exploring cross-sectional imaging data from an internal perspective, i.e., virtual endoscopy (including colonoscopy, angioscopy, and bronchoscopy), and in the quantitation of structure parameters, e.g., volumes, lengths, medial axes, and curvatures. I am also interested in creating workable solutions to the problem of "data explosion," i.e., how to look at the thousands of images generated per examination using modern CT and MR scanners.

ACADEMIC APPOINTMENTS

- Emeritus (Active) Professor, Radiology
- Member, Bio-X
- Member, Cardiovascular Institute
- Member, Stanford Cancer Institute

ADMINISTRATIVE APPOINTMENTS

- Division Chief, Integrative Biomedical Imaging Informatics at Stanford , (2009- present)
- co-Director, Radiology 3D and Quantitative Imaging Laboratory , (1996- present)

HONORS AND AWARDS

- College of Fellows, American Institute for Medical and Biological Engineering (AIMBE) (November 2009)
- Distinguished Investigator Award, Academy of Radiology Research (2012)

PROFESSIONAL EDUCATION

- BS, SUNY Stony Brook , Engineering Sciences (1974)
- MS, Stanford University , Electrical Engineering (1976)
- PhD, Stanford University , Electrical Engineering (1981)

LINKS

- Integrative Biomedical Imaging Informatics at Stanford (IBIIS): <http://ibiis.stanford.edu>
- 3D and Quantitative Imaging Web Site: <http://3dqlab.stanford.edu>
- My NCBI Publications: <http://www.ncbi.nlm.nih.gov/sites/myncbi/sandy.napel.1/bibliography/43913272/public/>
- My Lab Site: <http://med.stanford.edu/riipl.html>

Research & Scholarship

CURRENT RESEARCH AND SCHOLARLY INTERESTS

I am the Division Chief of IBIIS (Integrative Biomedical Imaging Informatics at Stanford), whose mission is to advance the clinical and basic sciences in radiology, while improving our understanding of biology and the manifestations of disease, by pioneering methods in the information sciences that integrate imaging, clinical and molecular data, and co-director of the Radiology 3D and Quantitative Imaging Lab, providing clinical service to the Stanford and local community. My primary focus is on radiomics and radiogenomics, i.e., making image features computer-accessible, to facilitate content-based retrieval of similar lesions, and prediction of molecular phenotype, response to therapy, and prognosis from imaging features. I have also been involved in developing diagnostic and therapy-planning applications and strategies for the acquisition, visualization, and quantitation of multi-dimensional medical imaging data. Examples are: creation of three-dimensional images of blood vessels using CT, visualization of complex flow within blood vessels using MR, computer-aided detection and characterization of lesions (e.g., colonic polyps, pulmonary nodules) from cross-sectional image data, visualization and automated assessment of 4D ultrasound data, and fusion of images acquired using different modalities (e.g., CT and MR). I have also been involved in developing and evaluating techniques for exploring cross-sectional imaging data from an internal perspective, i.e., virtual endoscopy (including colonoscopy, angioscopy, and bronchoscopy), and in the quantitation of structure parameters, e.g., volumes, lengths, medial axes, and curvatures. I am also interested in creating workable solutions to the problem of "data explosion," i.e., how to look at the thousands of images generated per examination using modern CT and MR scanners.

Teaching

GRADUATE AND FELLOWSHIP PROGRAM AFFILIATIONS

- Bioengineering (Phd Program)
- Biomedical Informatics (Phd Program)

Publications

PUBLICATIONS

- **Quantitative imaging feature pipeline: a web-based tool for utilizing, sharing, and building image-processing pipelines.** *Journal of medical imaging (Bellingham, Wash.)*

Mattonen, S. A., Gude, D., Echegaray, S., Bakr, S., Rubin, D. L., Napel, S.
2020; 7 (4): 042803

- **Stanford DRO Toolkit: Digital Reference Objects for Standardization of Radiomic Features.** *Tomography (Ann Arbor, Mich.)*
Jaggi, A., Mattonen, S. A., McNitt-Gray, M., Napel, S.
2020; 6 (2): 111–17
- **Radiomics and Radiogenomics: Technical Basis and Clinical Applications**
edited by Xing, L., Li, R., Napel, S., Rubin, D. L.
CRC Press.2019
- **Quantitative imaging of cancer in the postgenomic era: Radio(geno)mics, deep learning, and habitats.** *Cancer*
Napel, S., Mu, W., Jardim-Perassi, B. V., Aerts, H. J., Gillies, R. J.
2018
- **A radiogenomic dataset of non-small cell lung cancer.** *Scientific data*
Bakr, S., Gevaert, O., Echegaray, S., Ayers, K., Zhou, M., Shafiq, M., Zheng, H., Benson, J. A., Zhang, W., Leung, A. N., Kadoc, M., D Hoang, C., Shrager, et al
2018; 5: 180202
- **Radiogenomics is the future of treatment response assessment in clinical oncology** *MEDICAL PHYSICS*
El Naqa, I., Napel, S., Zaidi, H.
2018; 45 (10): 4325–28
- **NOTE: This list is not complete see CV link**
Napel, S.
2013
- **AI in Radiology: Opportunities and Challenges.** *Seminars in ultrasound, CT, and MR*
Flory, M. N., Napel, S., Tsai, E. B.
2024
- **Machine learning with multimodal data for COVID-19.** *Heliyon*
Chen, W., Sá, R. C., Bai, Y., Napel, S., Gevaert, O., Lauderdale, D. S., Giger, M. L.
2023; 9 (7): e17934
- **Performance of alternative manual and automated deep learning segmentation techniques for the prediction of benign and malignant lung nodules.** *Journal of medical imaging (Bellingham, Wash.)*
Selby, H. M., Mukherjee, P., Parham, C., Malik, S. B., Gevaert, O., Napel, S., Shah, R. P.
2023; 10 (4): 044006
- **Predicting treatment response for the safe non-operative management of patients with rectal cancer using an MRI-based deep-learning model**
Selby, H. M., Liu, C., Sheth, V., Napel, S., Wagner, T., Morris, A. M.
LIPPINCOTT WILLIAMS & WILKINS.2023
- **Early Detection of Lung Cancer in the NLST Dataset.** *medRxiv : the preprint server for health sciences*
Mukherjee, P., Brezhneva, A., Napel, S., Gevaert, O.
2023
- **Predicting recurrence risks in lung cancer patients using multimodal radiomics and random survival forests.** *Journal of medical imaging (Bellingham, Wash.)*
Christie, J. R., Daher, O., Abdelrazek, M., Romine, P. E., Malthaner, R. A., Qiabi, M., Nayak, R., Napel, S., Nair, V. S., Mattonen, S. A.
2022; 9 (6): 066001
- **The Medical Segmentation Decathlon.** *Nature communications*
Antonelli, M., Reinke, A., Bakas, S., Farahani, K., Kopp-Schneider, A., Landman, B. A., Litjens, G., Menze, B., Ronneberger, O., Summers, R. M., van Ginneken, B., Bilello, M., Bilic, et al
2022; 13 (1): 4128
- **Radiomic features quantifying pixel-level characteristics of breast tumors from magnetic resonance imaging predict risk factors in triple-negative breast cancer.**
Mantz, A. B., Zhou, R., Kozlov, A., DeMartini, W., Chen, S., Okamoto, S., Ikeda, D. M., Mattonen, S. A., Napel, S., Alkim, E., Sledge, G. W., Kurian, A. W., Liu, et al
LIPPINCOTT WILLIAMS & WILKINS.2022

- **Artificial intelligence and machine learning in cancer imaging.** *Communications medicine*
Koh, D., Papanikolaou, N., Bick, U., Illing, R., Kahn, C. E., Kalpathi-Cramer, J., Matos, C., Marti-Bonmati, L., Miles, A., Mun, S. K., Napel, S., Rockall, A., Sala, et al
2022; 2: 133
- **Lung Nodule Malignancy Prediction in Sequential CT Scans: Summary of ISBI 2018 Challenge** *IEEE TRANSACTIONS ON MEDICAL IMAGING*
Balagurunathan, Y., Beers, A., Mcnitt-Gray, M., Hadjiiski, L., Napel, S., Goldgof, D., Perez, G., Arbelaez, P., Mehrtash, A., Kapur, T., Yang, E., Moon, J., Perez, et al
2021; 40 (12): 3748-3761
- **Machine Learning Approach to Differentiation of Peripheral Schwannomas and Neurofibromas: A Multi-Center Study.** *Neuro-oncology*
Zhang, M., Tong, E., Wong, S., Hamrick, F., Mohammadzadeh, M., Rao, V., Pendleton, C., Smith, B. W., Hug, N. F., Biswal, S., Seekins, J., Napel, S., Spinner, et al
2021
- **Machine-learning Approach to Differentiation of Benign and Malignant Peripheral Nerve Sheath Tumors: A Multicenter Study**
Zhang, M., Tong, E., Hamrick, F., Pendleton, C., Smith, B., Hug, N., Mattonen, S., Napel, S., Spinner, R., Yeom, K., Wilson, T., Mahan, M.
AMER ASSOC NEUROLOGICAL SURGEONS.2021
- **Machine-Learning Approach to Differentiation of Benign and Malignant Peripheral Nerve Sheath Tumors: A Multicenter Study.** *Neurosurgery*
Zhang, M., Tong, E., Hamrick, F., Lee, E. H., Tam, L. T., Pendleton, C., Smith, B. W., Hug, N. F., Biswal, S., Seekins, J., Mattonen, S. A., Napel, S., Campen, et al
2021
- **Machine Learning Radiomics Model for Early Identification of Small-Cell Lung Cancer on Computed Tomography Scans.** *JCO clinical cancer informatics*
Shah, R. P., Selby, H. M., Mukherjee, P., Verma, S., Xie, P., Xu, Q., Das, M., Malik, S., Gevaert, O., Napel, S.
2021; 5: 746-757
- **MRI-based radiomics for prognosis of pediatric diffuse intrinsic pontine glioma: an international study.** *Neuro-oncology advances*
Tam, L. T., Yeom, K. W., Wright, J. N., Jaju, A., Radmanesh, A., Han, M., Toescu, S., Maleki, M., Chen, E., Campion, A., Lai, H. A., Eghbal, A. A., Oztekin, et al
2021; 3 (1): vdab042
- **Quantitative image features from radiomic biopsy differentiate oncocytoma from chromophobe renal cell carcinoma.** *Journal of medical imaging (Bellingham, Wash.)*
Jaggi, A., Mastrodicasa, D., Charville, G. W., Jeffrey, R. B., Napel, S., Patel, B.
2021; 8 (5): 054501
- **Interreader Variability in Semantic Annotation of Microvascular Invasion in Hepatocellular Carcinoma on Contrast-enhanced Triphasic CT Images.** *Radiology. Imaging cancer*
Bakr, S., Gevaert, O., Patel, B., Kesselman, A., Shah, R., Napel, S., Kothary, N.
2020; 2 (3): e190062
- **A Shallow Convolutional Neural Network Predicts Prognosis of Lung Cancer Patients in Multi-Institutional CT-Image Data.** *Nature machine intelligence*
Mukherjee, P., Zhou, M., Lee, E., Schicht, A., Balagurunathan, Y., Napel, S., Gillies, R., Wong, S., Thieme, A., Leung, A., Gevaert, O.
2020; 2 (5): 274-282
- **The Image Biomarker Standardization Initiative: Standardized Quantitative Radiomics for High-Throughput Image-based Phenotyping.** *Radiology*
Zwanenburg, A., Vallieres, M., Abdalah, M. A., Aerts, H. J., Andrearczyk, V., Apte, A., Ashrafinia, S., Bakas, S., Beukinga, R. J., Boellaard, R., Bogowicz, M., Boldrini, L., Buvat, et al
2020: 191145
- **A shallow convolutional neural network predicts prognosis of lung cancer patients in multi-institutional computed tomography image datasets** *Nature Machine Intelligence*
Mukherjee, P., Zhou, M., Lee, E., Schicht, A., Balagurunathan, Y., Napel, S., Gillies, R., Wong, S., Thieme, A., Leung, A., Gevaert, O.
2020; 2 (5): 274–282
- **Radiomics Signatures of Cardiovascular Risk Factors in Cardiac MRI: Results From the UK Biobank.** *Frontiers in cardiovascular medicine*
Cetin, I., Raisi-Estabragh, Z., Petersen, S. E., Napel, S., Piechnik, S. K., Neubauer, S., Gonzalez Ballester, M. A., Camara, O., Lekadir, K.
2020; 7: 591368
- **The utility of three-dimensional models in complex microsurgical reconstruction.** *Archives of plastic surgery*
Ogunleye, A. A., Deptula, P. L., Inchauste, S. M., Zelones, J. T., Walters, S. n., Gifford, K. n., LeCastillo, C. n., Napel, S. n., Fleischmann, D. n., Nguyen, D. H.

2020; 47 (5): 428–34

- **Stability and reproducibility of computed tomography radiomic features extracted from peritumoral regions of lung cancer lesions** *MEDICAL PHYSICS*
Tunali, I., Hall, L. O., Napel, S., Cherezov, D., Guvenis, A., Gillies, R. J., Schabath, M. B.
2019; 46 (11): 5075–85
- **Bone Marrow and Tumor Radiomics at 18F-FDG PET/CT: Impact on Outcome Prediction in Non-Small Cell Lung Cancer.** *Radiology*
Mattonen, S. A., Davidzon, G. A., Benson, J., Leung, A. N., Vasanawala, M., Horng, G., Shrager, J. B., Napel, S., Nair, V. S.
2019; 190357
- **[18F] FDG Positron Emission Tomography (PET) Tumor and Penumbra Imaging Features Predict Recurrence in Non-Small Cell Lung Cancer.** *Tomography (Ann Arbor, Mich.)*
Mattonen, S. A., Davidzon, G. A., Bakr, S., Echegaray, S., Leung, A. N., Vasanawala, M., Horng, G., Napel, S., Nair, V. S.
2019; 5 (1): 145–53
- **Principles and Rationale of Radiomics and Radiogenomics** *Radiomics and Radiogenomics: Technical Basis and Clinical Applications*
Napel, S.
CRC Press.2019; 1: 3–12
- **A RADIOMICS APPROACH TO ANALYZE CARDIAC ALTERATIONS IN HYPERTENSION**
Cetin, I., Petersen, S. E., Napel, S., Camara, O., Gonzalez Ballester, M., Lekadir, K., IEEE
IEEE.2019: 640–43
- **Stability and reproducibility of computed tomography radiomic features extracted from peritumoral regions of lung cancer lesions.** *Medical physics*
Tunali, I. n., Hall, L. O., Napel, S. n., Cherezov, D. n., Guvenis, A. n., Gillies, R. J., Schabath, M. B.
2019
- **Deep Learning Techniques for Automatic MRI Cardiac Multi-Structures Segmentation and Diagnosis: Is the Problem Solved?** *IEEE TRANSACTIONS ON MEDICAL IMAGING*
Bernard, O., Lalande, A., Zotti, C., Cervenansky, F., Yang, X., Heng, P., Cetin, I., Lekadir, K., Camara, O., Gonzalez Ballester, M., Sanroma, G., Napel, S., Petersen, et al
2018; 37 (11): 2514–25
- **Magnetic resonance imaging and molecular features associated with tumor-infiltrating lymphocytes in breast cancer.** *Breast cancer research : BCR*
Wu, J., Li, X., Teng, X., Rubin, D. L., Napel, S., Daniel, B. L., Li, R.
2018; 20 (1): 101
- **Deep learning to predict survival prognosis for patients with non-small cell lung cancer using images and clinical data**
Lee, E. H., Zhou, M., Gamboa, N., Brennan, K., Itakura, H., Nair, V., Napel, S., Wong, S., Gevaert, O.
AMER ASSOC CANCER RESEARCH.2018
- **Erratum: Semi-automated pulmonary nodule interval segmentation using the NLST data.** *Medical physics*
Balagurunathan, Y., Beers, A., Kalpathy-Cramer, J., McNitt-Gray, M., Hadjiiski, L., Zhao, B., Zhu, J., Yang, H., Yip, S. S., Aerts, H. J., Napel, S., Cherezov, D., Cha, et al
2018; 45 (6): 2689-2690
- **GFPT2-expressing cancer-associated fibroblasts mediate metabolic reprogramming in human lung adenocarcinoma.** *Cancer research*
Zhang, W., Bouchard, G., Yu, A., Shafiq, M., Jamali, M., Shrager, J. B., Ayers, K., Bakr, S., Gentles, A. J., Diehn, M., Quon, A., West, R. B., Nair, et al
2018
- **Semi-automated pulmonary nodule interval segmentation using the NLST data** *MEDICAL PHYSICS*
Balagurunathan, Y., Beers, A., Kalpathy-Cramer, J., McNitt-Gray, M., Hadjiiski, L., Zhao, B., Zhu, J., Yang, H., Yip, S. F., Aerts, H. L., Napel, S., Cherezov, D., Cha, et al
2018; 45 (3): 1093–1107
- **Non-Small Cell Lung Cancer Radiogenomics Map Identifies Relationships between Molecular and Imaging Phenotypes with Prognostic Implications.** *Radiology*
Zhou, M. n., Leung, A. n., Echegaray, S. n., Gentles, A. n., Shrager, J. B., Jensen, K. C., Berry, G. J., Plevritis, S. K., Rubin, D. L., Napel, S. n., Gevaert, O. n.
2018; 286 (1): 307–15
- **Intratumoral Spatial Heterogeneity at Perfusion MR Imaging Predicts Recurrence-free Survival in Locally Advanced Breast Cancer Treated with Neoadjuvant Chemotherapy.** *Radiology*

- Wu, J. n., Cao, G. n., Sun, X. n., Lee, J. n., Rubin, D. L., Napel, S. n., Kurian, A. W., Daniel, B. L., Li, R. n.
2018; 172462
- **Radiogenomics Map: A Novel Approach for Noninvasive Identification of Molecular Properties? Response *RADIOLOGY***
Gevaert, O., Napel, S.
2017; 285 (3): 1061
 - **Quantitative Image Feature Engine (QIFE): an Open-Source, Modular Engine for 3D Quantitative Feature Extraction from Volumetric Medical Images. *Journal of digital imaging***
Echegaray, S., Bakr, S., Rubin, D. L., Napel, S.
2017
 - **Prediction of EGFR and KRAS mutation in non-small cell lung cancer using quantitative 18F FDG-PET/CT metrics. *Oncotarget***
Minamimoto, R., Jamali, M., Gevaert, O., Echegaray, S., Khuong, A., Hoang, C. D., Shrager, J. B., Plevritis, S. K., Rubin, D. L., Leung, A. N., Napel, S., Quon, A.
2017; 8 (32): 52792-52801
 - **Prediction of EGFR and KRAS mutation in non-small cell lung cancer using quantitative 18F FDG-PET/CT metrics. *Oncotarget***
Minamimoto, R., Jamali, M., Gevaert, O., Echegaray, S., Khuong, A., Hoang, C. D., Shrager, J. B., Plevritis, S. K., Rubin, D. L., Leung, A. N., Napel, S., Quon, A.
2017
 - **Variations in the functional visual field for detection of lung nodules on chest computed tomography: Impact of nodule size, distance, and local lung complexity. *Medical physics***
Ebner, L., Tall, M., Choudhury, K. R., Ly, D. L., Roos, J. E., Napel, S., Rubin, G. D.
2017
 - **Adaptive local window for level set segmentation of CT and MRI liver lesions. *Medical image analysis***
Hoogi, A., Beaulieu, C. F., Cunha, G. M., Heba, E., Sirlin, C. B., Napel, S., Rubin, D. L.
2017; 37: 46-55
 - **Predictive radiogenomics modeling of EGFR mutation status in lung cancer *SCIENTIFIC REPORTS***
Gevaert, O., Echegaray, S., Khuong, A., Hoang, C. D., Shrager, J. B., Jensen, K. C., Berry, G. J., Guo, H. H., Lau, C., Plevritis, S. K., Rubin, D. L., Napel, S.,
Leung, et al
2017; 7
 - **A Convolutional Neural Network for Automatic Characterization of Plaque Composition in Carotid Ultrasound *IEEE JOURNAL OF BIOMEDICAL AND HEALTH INFORMATICS***
Lekadir, K., Galimzianova, A., Betriu, A., del Mar Vila, M., Igual, L., Rubin, D. L., Fernandez, E., Radeva, P., Napel, S.
2017; 21 (1): 48-55
 - **Noninvasive radiomics signature based on quantitative analysis of computed tomography images as a surrogate for microvascular invasion in hepatocellular carcinoma: a pilot study. *Journal of medical imaging (Bellingham, Wash.)***
Bakr, S. n., Echegaray, S. n., Shah, R. n., Kamaya, A. n., Louie, J. n., Napel, S. n., Kothary, N. n., Gevaert, O. n.
2017; 4 (4): 041303
 - **Heterogeneous Enhancement Patterns of Tumor-adjacent Parenchyma at MR Imaging Are Associated with Dysregulated Signaling Pathways and Poor Survival in Breast Cancer. *Radiology***
Wu, J. n., Li, B. n., Sun, X. n., Cao, G. n., Rubin, D. L., Napel, S. n., Ikeda, D. M., Kurian, A. W., Li, R. n.
2017; 162823
 - **Radiomics of Lung Nodules: A Multi-Institutional Study of Robustness and Agreement of Quantitative Imaging Features. *Tomography : a journal for imaging research***
Kalpathy-Cramer, J., Mamomov, A., Zhao, B., Lu, L., Cherezov, D., Napel, S., Echegaray, S., Rubin, D., McNitt-Gray, M., Lo, P., Sieren, J. C., Uthoff, J., Dilger,
et al
2016; 2 (4): 430-437
 - **A Rapid Segmentation-Insensitive "Digital Biopsy" Method for Radiomic Feature Extraction: Method and Pilot Study Using CT Images of Non-Small Cell Lung Cancer. *Tomography : a journal for imaging research***
Echegaray, S., Nair, V., Kadoch, M., Leung, A., Rubin, D., Gevaert, O., Napel, S.
2016; 2 (4): 283-294

- **Intratumor Partitioning of Serial Computed Tomography and FDG Positron Emission Tomography Images Identifies High-Risk Tumor Subregions and Predicts Patterns of Failure in Non-Small Cell Lung Cancer After Radiation Therapy** *58th Annual Meeting of the American-Society-for-Radiation-Oncology (ASTRO)*
Wu, J., Gensheimer, M. F., Dong, X., Rubin, D. L., Napel, S., Diehn, M., Loo, B. W., Li, R.
ELSEVIER SCIENCE INC.2016: S100–S100
- **Robust Intratumor Partitioning to Identify High-Risk Subregions in Lung Cancer: A Pilot Study.** *International journal of radiation oncology, biology, physics*
Wu, J., Gensheimer, M. F., Dong, X., Rubin, D. L., Napel, S., Diehn, M., Loo, B. W., Li, R.
2016; 95 (5): 1504-1512
- **A Comparison of Lung Nodule Segmentation Algorithms: Methods and Results from a Multi-institutional Study** *JOURNAL OF DIGITAL IMAGING*
Kalpathy-Cramer, J., Zhao, B., Goldgof, D., Gu, Y., Wang, X., Yang, H., Tan, Y., Gillies, R., Napel, S.
2016; 29 (4): 476-487
- **SU-D-207B-05: Robust Intra-Tumor Partitioning to Identify High-Risk Subregions for Prognosis in Lung Cancer.** *Medical physics*
Wu, J., Gensheimer, M., Dong, X., Rubin, D., Napel, S., Diehn, M., Loo, B., Li, R.
2016; 43 (6): 3349-?
- **A Rapid Segmentation-Insensitive 'Digital Biopsy' Method for Radiomic Feature Extraction; Method and Pilot Study Using CT Images of Non-Small Cell Lung Cancer Tomography**
Echegaray, S., Nair, V., Kadoch, M., Leung, A., Rubin, D., Gevaert, O., Napel Sandy , et al
2016; 2 (4): 283–94
- **Core samples for radiomics features that are insensitive to tumor segmentation: method and pilot study using CT images of hepatocellular carcinoma.** *Journal of medical imaging (Bellingham, Wash.)*
Echegaray, S., Gevaert, O., Shah, R., Kamaya, A., Louie, J., Kothary, N., Napel, S.
2015; 2 (4): 041011-?
- **Special Section Guest Editorial:Radiomics and Imaging Genomics: Quantitative Imaging for Precision Medicine.** *Journal of medical imaging (Bellingham, Wash.)*
Napel, S., Giger, M.
2015; 2 (4): 041001-?
- **Magnetic resonance image features identify glioblastoma phenotypic subtypes with distinct molecular pathway activities.** *Science translational medicine*
Itakura, H., Achrol, A. S., Mitchell, L. A., Loya, J. J., Liu, T., Westbroek, E. M., Feroze, A. H., Rodriguez, S., Echegaray, S., Azad, T. D., Yeom, K. W., Napel, S., Rubin, et al
2015; 7 (303): 303ra138-?
- **Magnetic resonance image features identify glioblastoma phenotypic subtypes with distinct molecular pathway activities.** *Science translational medicine*
Itakura, H., Achrol, A. S., Mitchell, L. A., Loya, J. J., Liu, T., Westbroek, E. M., Feroze, A. H., Rodriguez, S., Echegaray, S., Azad, T. D., Yeom, K. W., Napel, S., Rubin, et al
2015; 7 (303): 303ra138-?
- **Glioblastoma Multiforme: Exploratory Radiogenomic Analysis by Using Quantitative Image Features.** *Radiology*
Gevaert, O., Mitchell, L. A., Achrol, A. S., Xu, J., Echegaray, S., Steinberg, G. K., Cheshier, S. H., Napel, S., Zaharchuk, G., Plevritis, S. K.
2015; 276 (1): 313-?
- **Content-based image retrieval in radiology: analysis of variability in human perception of similarity.** *Journal of medical imaging (Bellingham, Wash.)*
Faruque, J., Beaulieu, C. F., Rosenberg, J., Rubin, D. L., Yao, D., Napel, S.
2015; 2 (2): 025501-?
- **Characterizing Search, Recognition, and Decision in the Detection of Lung Nodules on CT Scans: Elucidation with Eye Tracking** *RADIOLOGY*
Rubin, G. D., Roos, J. E., Tall, M., Harrawood, B., Bag, S., Ly, D. L., Seaman, D. M., Hurwitz, L. M., Napel, S., Choudhury, K. R.
2015; 274 (1): 276-286
- **GLIOBLASTOMA SUBTYPES DEFINED BY QUANTITATIVE IMAGING MAP TO DIFFERENT CANONICAL SIGNALING PATHWAYS**
Itakura, H., Achrol, A., Loya, J., Mitchell, L., Azad, T., Echegaray, S., Yeom, K., Napel, S., Harsh, G., Gevaert, O.
OXFORD UNIV PRESS INC.2014
- **On combining image-based and ontological semantic dissimilarities for medical image retrieval applications.** *Medical image analysis*

- Kurtz, C., Depeursinge, A., Napel, S., Beaulieu, C. F., Rubin, D. L.
2014; 18 (7): 1082-1100
- **Glioblastoma multiforme: exploratory radiogenomic analysis by using quantitative image features.** *Radiology*
Gevaert, O., Mitchell, L. A., Achrol, A. S., Xu, J., Echegaray, S., Steinberg, G. K., Cheshier, S. H., Napel, S., Zaharchuk, G., Plevritis, S. K.
2014; 273 (1): 168-174
 - **NCI Workshop Report: Clinical and Computational Requirements for Correlating Imaging Phenotypes with Genomics Signatures** *TRANSLATIONAL ONCOLOGY*
Colen, R., Foster, I., Gatenby, R., Giger, M. E., Gillies, R., Gutman, D., Heller, M., Jain, R., Madabhushi, A., Madhavan, S., Napel, S., Rao, A., Saltz, et al
2014; 7 (5): 556-569
 - **Glioblastoma Multiforme: Exploratory Radiogenomic Analysis by Using Quantitative Image Features** *RADIOLOGY*
Gevaert, O., Mitchell, L. A., Achrol, A. S., Xu, J., Echegaray, S., Steinberg, G. K., Cheshier, S. H., Napel, S., Zaharchuk, G., Plevritis, S. K.
2014; 273 (1): 168-174
 - **GLIOBLASTOMA SUBTYPES DEFINED BY QUANTITATIVE IMAGING MAP TO DIFFERENT CANONICAL SIGNALING PATHWAYS**
Itakura, H., Achrol, A., Loya, J., Mitchell, L., Azad, T., Echegaray, S., Yeom, K., Napel, S., Harsh, G., Gevaert, O.
OXFORD UNIV PRESS INC.2014
 - **Predicting Visual Semantic Descriptive Terms From Radiological Image Data: Preliminary Results With Liver Lesions in CT.** *IEEE transactions on medical imaging*
Depeursinge, A., Kurtz, C., Beaulieu, C., Napel, S., Rubin, D.
2014; 33 (8): 1669-1676
 - **A hierarchical knowledge-based approach for retrieving similar medical images described with semantic annotations** *JOURNAL OF BIOMEDICAL INFORMATICS*
Kurtz, C., Beaulieu, C. F., Napel, S., Rubin, D. L.
2014; 49: 227-244
 - **CT Angiography after 20 Years: A Transformation in Cardiovascular Disease Characterization Continues to Advance** *RADIOLOGY*
Rubin, G. D., Leipsic, J., Schoepf, U. J., Fleischmann, D., Napel, S.
2014; 271 (3): 633-652
 - **A hierarchical knowledge-based approach for retrieving similar medical images described with semantic annotations.** *Journal of biomedical informatics*
Kurtz, C., Beaulieu, C. F., Napel, S., Rubin, D. L.
2014; 49: 227-244
 - **CREATING A RADIOGENOMICS MAP OF MULTI-OMICS AND QUANTITATIVE IMAGE FEATURES IN GLIOBLASTOMA MULTIFORME**
Gevaert, O., Mitchell, L., Achrol, A., Xu, J., Steinberg, G., Cheshier, S., Napel, S., Zaharchuk, G., Plevritis, S.
OXFORD UNIV PRESS INC.2013: 140-41
 - **Modeling Perceptual Similarity Measures in CT Images of Focal Liver Lesions** *JOURNAL OF DIGITAL IMAGING*
Faruque, J., Rubin, D. L., Beaulieu, C. F., Napel, S.
2013; 26 (4): 714-720
 - **Uncluttered Single-Image Visualization of Vascular Structures Using GPU and Integer Programming** *IEEE TRANSACTIONS ON VISUALIZATION AND COMPUTER GRAPHICS*
Won, J., Jeon, Y., Rosenberg, J. K., Yoon, S., Rubin, G. D., Napel, S.
2013; 19 (1): 81-93
 - **Prognostic PET F-18-FDG Uptake Imaging Features Are Associated with Major Oncogenomic Alterations in Patients with Resected Non-Small Cell Lung Cancer** *CANCER RESEARCH*
Nair, V. S., Gevaert, O., Davidzon, G., Napel, S., Graves, E. E., Hoang, C. D., Shrager, J. B., Quon, A., Rubin, D. L., Plevritis, S. K.
2012; 72 (15): 3725-3734
 - **Non-Small Cell Lung Cancer: Identifying Prognostic Imaging Biomarkers by Leveraging Public Gene Expression Microarray Data-Methods and Preliminary Results** *RADIOLOGY*
Gevaert, O., Xu, J., Hoang, C. D., Leung, A. N., Xu, Y., Quon, A., Rubin, D. L., Napel, S., Plevritis, S. K.
2012; 264 (2): 387-396

- **Radiogenomic analysis indicates MR images are potentially predictive of EGFR mutation status in glioblastoma multiforme**
Gevaert, O., Mitchell, L., Xu, J., Yu, C., Rubin, D., Zaharchuk, G., Napel, S., Plevritis, S.
AMER ASSOC CANCER RESEARCH.2012
- **A Comprehensive Descriptor of Shape: Method and Application to Content-Based Retrieval of Similar Appearing Lesions in Medical Images** *JOURNAL OF DIGITAL IMAGING*
Xu, J., Faruque, J., Beaulieu, C. F., Rubin, D., Napel, S.
2012; 25 (1): 121-128
- **Accuracy of a Remote Eye Tracker for Radiologic Observer Studies: Effects of Calibration and Recording Environment** *ACADEMIC RADIOLOGY*
Tall, M., Choudhury, K. R., Napel, S., Roos, J. E., Rubin, G. D.
2012; 19 (2): 196-202
- **Automatic annotation of radiological observations in liver CT images.** *AMIA ... Annual Symposium proceedings / AMIA Symposium. AMIA Symposium*
Gimenez, F., Xu, J., Liu, Y., Liu, T., Beaulieu, C., Rubin, D., Napel, S.
2012; 2012: 257-263
- **Quantifying the margin sharpness of lesions on radiological images for content-based image retrieval** *MEDICAL PHYSICS*
Xu, J., Napel, S., Greenspan, H., Beaulieu, C. F., Neeraj, A., Rubin, D. L.
2012; 39 (9): 5405-5418
- **Automated Tracing of the Adventitial Contour of Aortoiliac and Peripheral Arterial Walls in CT Angiography (CTA) to Allow Calculation of Non-calcified Plaque Burden** *JOURNAL OF DIGITAL IMAGING*
Raman, B., Raman, R., Rubin, G. D., Napel, S.
2011; 24 (6): 1078-1086
- **Automated temporal tracking and segmentation of lymphoma on serial CT examinations** *MEDICAL PHYSICS*
Xu, J., Greenspan, H., Napel, S., Rubin, D. L.
2011; 38 (11): 5879-5886
- **Managing Biomedical Image Metadata for Search and Retrieval of Similar Images** *JOURNAL OF DIGITAL IMAGING*
Korenblum, D., Rubin, D., Napel, S., Rodriguez, C., Beaulieu, C.
2011; 24 (4): 739-748
- **Integrating medical images and transcriptomic data in non-small cell lung cancer**
Gevaert, O., Xu, J., Hoang, C., Leung, A., Quon, A., Rubin, D., Napel, S., Plevritis, S.
AMER ASSOC CANCER RESEARCH.2011
- **Content-Based Image Retrieval in Radiology: Current Status and Future Directions** *JOURNAL OF DIGITAL IMAGING*
Akgul, C. B., Rubin, D. L., Napel, S., Beaulieu, C. F., Greenspan, H., Acar, B.
2011; 24 (2): 208-222
- **Automated Quantification of Aortoaortic and Aortoiliac Angulation for Computed Tomographic Angiography of Abdominal Aortic Aneurysms before Endovascular Repair: Preliminary Study** *JOURNAL OF VASCULAR AND INTERVENTIONAL RADIOLOGY*
Raman, B., Raman, R., Napel, S., Rubin, G. D.
2010; 21 (11): 1746-1750
- **Automated Retrieval of CT Images of Liver Lesions on the Basis of Image Similarity: Method and Preliminary Results** *RADIOLOGY*
Napel, S. A., Beaulieu, C. F., Rodriguez, C., Cui, J., Xu, J., Gupta, A., Korenblum, D., Greenspan, H., Ma, Y., Rubin, D. L.
2010; 256 (1): 243-252
- **Assessing operating characteristics of CAD algorithms in the absence of a gold standard** *MEDICAL PHYSICS*
Choudhury, K. R., Paik, D. S., Yi, C. A., Napel, S., Roos, J., Rubin, G. D.
2010; 37 (4): 1788-1795
- **Computer-aided detection (CAD) of lung nodules in CT scans: radiologist performance and reading time with incremental CAD assistance** *EUROPEAN RADIOLOGY*
Roos, J. E., Paik, D., Olsen, D., Liu, E. G., Chow, L. C., Leung, A. N., Mindelzun, R., Choudhury, K. R., Naidich, D. P., Napel, S., Rubin, G. D.
2010; 20 (3): 549-557

- **Imaging informatics: toward capturing and processing semantic information in radiology images.** *Yearbook of medical informatics*
Rubin, D. L., Napel, S.
2010; 34-42
- **Uncluttered single-image visualization of the abdominal aortic vessel tree: Method and evaluation** *MEDICAL PHYSICS*
Won, J., Rosenberg, J., Rubin, G. D., Napel, S.
2009; 36 (11): 5245-5260
- **Lower Extremity CT Angiography (CTA): Initial Evaluation of a Knowledge-Based Centerline Estimation Algorithm for Femoro-Popliteal Artery (FPA) Occlusions** *ACADEMIC RADIOLOGY*
Roos, J. E., Rakshe, T., Tran, D. N., Rosenberg, J., Straka, M., El-Helw, T., Sofilos, M. C., Napel, S., Fleischmann, D.
2009; 16 (6): 646-653
- **Dual-energy CT Discrimination of Iodine and Calcium: Experimental Results and Implications for Lower Extremity CT Angiography** *ACADEMIC RADIOLOGY*
Tran, D. N., Straka, M., Roos, J. E., Napel, S., Fleischmann, D.
2009; 16 (2): 160-171
- **Adaptive border marching algorithm: Automatic lung segmentation on chest CT images** *COMPUTERIZED MEDICAL IMAGING AND GRAPHICS*
Pu, J., Roos, J., Yi, C. A., Napel, S., Rubin, G. D., Paik, D. S.
2008; 32 (6): 452-462
- **An improved algorithm for femoropopliteal artery centerline restoration using prior knowledge of shapes and image space data** *MEDICAL PHYSICS*
Rakshe, T., Fleischmann, D., Rosenberg, J., Roos, J. E., Straka, M., Napel, S.
2008; 35 (7): 3372-3382
- **Improved speed of bone removal in computed tomographic angiography using automated targeted morphological separation: Method and evaluation in computed tomographic angiography of lower extremity occlusive disease** *JOURNAL OF COMPUTER ASSISTED TOMOGRAPHY*
Raman, R., Raman, B., Napel, S., Rubin, G. D.
2008; 32 (3): 485-491
- **Colon polyp detection using smoothed shape operators: Preliminary results** *MEDICAL IMAGE ANALYSIS*
Sundaram, P., Zomorodian, A., Beaulieu, C., Napel, S.
2008; 12 (2): 99-119
- **Semiautomated quantification of the mass and distribution of vascular calcification with multidetector CT: Method and evaluation** *RADIOLOGY*
Raman, R., Raman, B., Napel, S., Rubin, G. D.
2008; 247 (1): 241-250
- **Learning-enhanced simulated annealing: method, evaluation, and application to lung nodule registration** *APPLIED INTELLIGENCE*
Sun, S., Zhuge, F., Rosenberg, J., Steiner, R. M., Rubin, G. D., Napel, S.
2008; 28 (1): 83-99
- **ConTrack: Finding the most likely pathways between brain regions using diffusion tractography** *JOURNAL OF VISION*
Sherbondy, A. J., Dougherty, R. F., Ben-Shachar, M., Napel, S., Wandell, B. A.
2008; 8 (9)
- **Identifying the human optic radiation using diffusion imaging and fiber tractography** *JOURNAL OF VISION*
Sherbondy, A. J., Dougherty, R. F., Napel, S., Wandell, B. A.
2008; 8 (10)
- **Polyp enhancing level set evolution of colon wall: Method and pilot study** *IEEE TRANSACTIONS ON MEDICAL IMAGING*
Konukoglu, E., Acar, B., Paik, D. S., Beaulieu, C. F., Rosenberg, J., Napel, S.
2007; 26 (12): 1649-1656
- **A directional distance aided method for medical image segmentation** *MEDICAL PHYSICS*
Zhuge, F., Sun, S., Rubin, G., Napel, S.
2007; 34 (12): 4962-4976
- **Transparent rendering of intraluminal contrast for 3D polyp visualization at CT colonography** *JOURNAL OF COMPUTER ASSISTED TOMOGRAPHY*

- Shi, R., Napel, S., Rosenberg, J. K., Shin, L. K., Walsh, C. F., Mogensen, M. A., Joshi, A. J., Pankhudi, P., Beaulieu, C. F.
2007; 31 (5): 773-779
- **Femoropopliteal artery centerline interpolation using contralateral shape** *MEDICAL PHYSICS*
Tran, D. N., Fleischmann, D., Rakshe, T., Roos, J. E., Rosenberg, J., Straka, M., Napel, S.
2007; 34 (9): 3428-3435
 - **Knowledge-based interpolation of curves: Application to femoropopliteal arterial centerline restoration** *MEDICAL IMAGE ANALYSIS*
Rakshe, T., Fleischmann, D., Rosenberg, J., Roos, J. E., Napel, S.
2007; 11 (2): 157-168
 - **Registration of lung nodules using a semi-rigid model: Method and preliminary results** *MEDICAL PHYSICS*
Sun, S., Rubin, G. D., Paik, D., Steiner, R. M., Zhuge, F., Napel, S.
2007; 34 (2): 613-626
 - **Rotational roadmapping: a new image-based navigation technique for the interventional room.** *Medical image computing and computer-assisted intervention : MICCAI ... International Conference on Medical Image Computing and Computer-Assisted Intervention*
Kukuk, M., Napel, S.
2007; 10: 636-643
 - **Rotational roadmapping: A new image-based navigation technique for the interventional room** *10th International Conference on Medical Image Computing and Computer-Assisted Intervention (MICCAI 2007)*
Kukuk, M., Napel, S.
SPRINGER-VERLAG BERLIN.2007: 636–43
 - **Targeted 2D/3D registration using ray normalization and a hybrid optimizer** *MEDICAL PHYSICS*
Dey, J., Napel, S.
2006; 33 (12): 4730-4738
 - **"Flying through" and "flying around" a PET/CT scan: Pilot study and development of 3D integrated F-18-FDG PET/CT for virtual bronchoscopy and colonoscopy** *JOURNAL OF NUCLEAR MEDICINE*
Quon, A., Napel, S., Beaulieu, C. F., Gambhir, S. S.
2006; 47 (7): 1081-1087
 - **CT colonography: Influence of 3D viewing and polyp candidate features on interpretation with computer-aided detection** *RADIOLOGY*
Shi, R., Schraedley-Desmond, P., Napel, S., Olcott, E. W., Jeffrey, R. B., Yee, J., Zalis, M. E., Margolis, D., Paik, D. S., Sherbondy, A. J., Sundaram, P., Beaulieu, C. F.
2006; 239 (3): 768-776
 - **An abdominal aortic aneurysm segmentation method: Level set with region and statistical information** *MEDICAL PHYSICS*
Zhuge, F., Rubin, G. D., Sun, S., Napel, S.
2006; 33 (5): 1440-1453
 - **Flattening the abdominal aortic tree for effective visualization.** *Conference proceedings : ... Annual International Conference of the IEEE Engineering in Medicine and Biology Society. IEEE Engineering in Medicine and Biology Society. Conference*
Won, J. H., Rubin, G. D., Napel, S.
2006; 1: 3345-3348
 - **Flattening the abdominal aortic tree for effective visualization** *28th Annual International Conference of the IEEE-Engineering-in-Medicine-and-Biology-Society*
Won, J. H., Rubin, G. D., Napel, S.
IEEE.2006: 2098–2101
 - **Biomedical imaging research opportunities workshop II: Report and recommendations** *RADIOLOGY*
Partain, C. L., Chan, H. P., Gelovani, J. G., Giger, M. L., Izatt, J. A., Jolesz, F. A., Kandarpa, K., Li, K. C., McNitt-Gray, M., Napel, S., Summers, R. M., Gazelle, G. S.
2005; 236 (2): 389-403
 - **Alternative input devices for efficient navigation of large CT angiography data sets** *RADIOLOGY*
Sherbonly, A., Holmlund, D., Rubin, G. D., Schraedley, P. K., Winograd, T., Napel, S.
2005; 234 (2): 391-398

- **Pulmonary nodules on multi-detector row CT scans: Performance comparison of radiologists and computer-aided detection** *RADIOLOGY*
Rubin, G. D., Lyo, J. K., Paik, D. S., Sherbondy, A. J., Chow, L. C., Leung, A. N., Mindelzun, R., Schraedley-Desmond, P. K., Zinck, S. E., Naidich, D. P., Napel, S.
2005; 234 (1): 274-283
- **Registration of central paths and colonic polyps between supine and prone scans in computed tomography colonography: Pilot study** *MEDICAL PHYSICS*
Ping, L., Napel, S., Acar, B., Paik, D. S., Jeffrey, R. B., Beaulieu, C. F.
2004; 31 (10): 2912-2923
- **Automatic detection and classification of hypodense hepatic lesions on contrast-enhanced venous-phase CT** *MEDICAL PHYSICS*
Bilello, M., Gokturk, S. B., Desser, T., Napel, S., Jeffrey, R. B., Beaulieu, C. F.
2004; 31 (9): 2584-2593
- **Surface normal overlap: A computer-aided detection algorithm, with application to colonic polyps and lung nodules in helical CT** *IEEE TRANSACTIONS ON MEDICAL IMAGING*
Paik, D. S., Beaulieu, C. F., Rubin, G. D., Acar, B., Jeffrey, R. B., Yee, J., Dey, J., Napel, S.
2004; 23 (6): 661-675
- **Computed tomography colonography - Feasibility of computer-aided polyp detection in a "First reader" paradigm** *88th Scientific Assembly and Annual Meeting of the Radiological-Society-of-North-America*
Mani, A., Napel, S., Paik, D. S., Jeffrey, R. B., Yee, J., Olcott, E. W., Prokesch, R., Davila, M., Schraedley-Desmond, P., Beaulieu, C. F.
LIPPINCOTT WILLIAMS & WILKINS.2004: 318-26
- **Curved-slab maximum intensity projection: Method and evaluation** *87th Scientific Assembly and Annual Meeting of the Radiological-Society-of-North-America*
Raman, R., Napel, S., Rubin, G. D.
RADIOLOGICAL SOC NORTH AMERICA.2003: 255-60
- **CT colonography: Does improved z resolution help computer-aided polyp detection?** *MEDICAL PHYSICS*
Sundaram, P., Beaulieu, C. F., Paik, D. S., Schraedley-Desmond, P., Napel, S.
2003; 30 (10): 2663-2674
- **Semiautomated segmentation of blood vessels using ellipse-overlap criteria: Method and comparison to manual editing** *MEDICAL PHYSICS*
Shiffman, S., Rubin, G. D., Schraedley-Desmond, P., Napel, S.
2003; 30 (10): 2572-2583
- **Can low-dose unenhanced multidetector CT be used for routine evaluation of suspected renal colic?** *AMERICAN JOURNAL OF ROENTGENOLOGY*
Katz, D. S., Venkataraman, N., Napel, S., Sommer, F. G.
2003; 180 (2): 313-315
- **EPI distortion correction for MR-DTI by using texture memory on graphics hardware** *17th International Congress and Exhibition of Computer Assisted Radiology and Surgery*
Masutani, Y., Yoshikawa, T., Aoki, S., Ohtomo, K., Sherbondy, A., Napel, S.
ELSEVIER SCIENCE BV.2003: 1315-1315
- **Fast volume segmentation with simultaneous visualization using programmable graphics hardware** *IEEE Visualization 2003 Conference*
Sherbondy, A., Houston, M., Napel, S.
IEEE.2003: 171-176
- **Edge displacement field-based classification for improved detection of polyps in CT colonography** *IEEE TRANSACTIONS ON MEDICAL IMAGING*
Acar, B., Beaulieu, C. F., Gokturk, S. B., Tomasi, C., Paik, D. S., Jeffrey, R. B., Yee, J., Napel, S.
2002; 21 (12): 1461-1467
- **CT colonography: Improved polyp detection sensitivity and efficiency with computer aided detection (CAD)** *88th Scientific Assembly and Annual Meeting of the Radiological-Society-of-North-America*
Mani, A., Napel, S. S., Paik, D. S., Olcott, E. W., Yee, J., Beaulieu, C. F.
RADIOLOGICAL SOC NORTH AMERICA.2002: 304-304
- **3D differential descriptors for improved computer-aided detection (CAD) of colonic polyps in computed tomography colonography (CTC)** *88th Scientific Assembly and Annual Meeting of the Radiological-Society-of-North-America*
Acar, B., Beaulieu, C. F., Paik, D. S., Yee, J., Jeffrey, R. B., Napel, S. S.

RADIOLOGICAL SOC NORTH AMERICA.2002: 405–406

- **Quantitative 3-D diagnostic ultrasound imaging using a modified transducer array and an automated image tracking technique** *IEEE TRANSACTIONS ON ULTRASONICS FERROELECTRICS AND FREQUENCY CONTROL*
Hossack, J. A., Sumanaweera, T. S., Napel, S., Ha, J. S.
2002; 49 (8): 1029-1038
- **Automated generation of curved planar reformations from volume data: Method and evaluation** *RADIOLOGY*
Raman, R., Napel, S., Beaulieu, C. F., Bain, E. S., Jeffrey, R. B., Rubin, G. D.
2002; 223 (1): 275-280
- **Quantification of distention in CT colonography: Development and validation of three computer algorithms** *RADIOLOGY*
Hung, P. W., Paik, D. S., Napel, S., Yee, J., Jeffrey, R. B., Steinauer-Gebauer, A., Min, J., Jathavedam, A., Beaulieu, C. F.
2002; 222 (2): 543-554
- **Carotid disease: Automated analysis with cardiac-gated three-dimensional US - Technique and preliminary results** *RADIOLOGY*
Napel, S., Xu, H. B., Paik, D. S., Ross, B. A., Sumanaweera, T. S., Hossack, J. A., Jeffrey, R. B.
2002; 222 (2): 560-563
- **A statistical 3-D pattern processing method for computer-aided detection of polyps in CT colonography** *IEEE TRANSACTIONS ON MEDICAL IMAGING*
Gokturk, S. B., Tomasi, C., Acar, B., Beaulieu, C. F., Paik, D. S., Jeffrey, R. B., Yee, J., Napel, S.
2001; 20 (12): 1251-1260
- **Prediction of aortoiliac stent-graft length: Comparison of measurement methods** *RADIOLOGY*
Tillich, M., Hill, B. B., Paik, D. S., Petz, K., Napel, S., Zarins, C. K., Rubin, G. D.
2001; 220 (2): 475-483
- **Medial axis registration of supine and prone CT colonography data** *23rd Annual International Conference of the IEEE-Engineering-in-Medicine-and-Biology-Society*
Acar, B., Napel, S., Paik, D. S., Li, P., Yee, J., Jeffrey, R. B., Beaulieu, C. F.
IEEE.2001: 2433–2436
- **A new 3-D volume processing method for polyp detection** *23rd Annual International Conference of the IEEE-Engineering-in-Medicine-and-Biology-Society*
Gokturk, S. B., Tomasi, C., Acar, B., Paik, D., Beaulieu, C., Napel, S.
IEEE.2001: 2522–2525
- **Assessment of an optical flow field-based polyp detector for CT colonography** *23rd Annual International Conference of the IEEE-Engineering-in-Medicine-and-Biology-Society*
Acar, B., Beaulieu, C. F., Paik, D. S., Gokturk, S. B., Tomasi, C., Yee, J., Napel, S.
IEEE.2001: 2774–2777
- **Medical image segmentation using analysis of isolable-contour maps** *IEEE TRANSACTIONS ON MEDICAL IMAGING*
Shiffman, S., Rubin, G. D., Napel, S.
2000; 19 (11): 1064-1074
- **Stair-step artifacts with single versus multiple detector-row helical CT** *85th Annual Meeting and Scientific Assembly of the Radiological-Society-of-North-America (RSNA)*
Fleischmann, D., Rubin, G. D., Paik, D. S., Yen, S. Y., Hilfiker, P. R., Beaulieu, C. F., Napel, S.
RADIOLOGICAL SOC NORTH AMERICA.2000: 185–96
- **Automated polyp detector for CT colonography: Feasibility study** *RADIOLOGY*
Summers, R. M., Beaulieu, C. F., Pusanik, L. M., Malley, J. D., Jeffrey, R. B., Glazer, D. I., Napel, S.
2000; 216 (1): 284-290
- **Cost identification of abdominal aortic aneurysm imaging by using time and motion analyses** *RADIOLOGY*
Rubin, G. D., Armerding, M. D., Dake, M. D., Napel, S.
2000; 215 (1): 63-70
- **Visualization modes for CT colonography using cylindrical and planar map projections** *JOURNAL OF COMPUTER ASSISTED TOMOGRAPHY*
Paik, D. S., Beaulieu, C. F., Jeffrey, R. B., Karadi, C. A., Napel, S.
2000; 24 (2): 179-188

- **Reconstruction algorithm for polychromatic CT imaging: Application to beam hardening correction** *IEEE TRANSACTIONS ON MEDICAL IMAGING*
Yan, C. H., Whalen, R. T., Beaupre, G. S., Yen, S. Y., Napel, S.
2000; 19 (1): 1-11
- **Quantitative 3D ultrasound imaging using an automated image tracking technique** *IEEE Ultrasonics Symposium*
Hossack, J. A., Sumanaweera, T. S., Napel, S.
IEEE.2000: 1593–1596
- **Automatic selection of blood-vessel regions from preprocessed image sequences: Method and evaluation** *14th International Congress and Exhibition on Computer Assisted Radiology and Surgery (CARS 2000)*
Shiffman, S., Napel, S.
ELSEVIER SCIENCE BV.2000: 1018–1018
- **Automated quantification of 4D ultrasound for carotid artery disease** *14th International Congress and Exhibition on Computer Assisted Radiology and Surgery (CARS 2000)*
Xu, H., Paik, D. S., Ross, B., Sumanaweera, T. S., Hossack, J., Jeffrey, R. B., Napel, S.
ELSEVIER SCIENCE BV.2000: 666–670
- **Spatially varying longitudinal aliasing and resolution in spiral computed tomography** *MEDICAL PHYSICS*
Yen, S. Y., Rubin, G. D., Napel, S.
1999; 26 (12): 2617-2625
- **Computed tomographic angiography: Historical perspective and new state-of-the-art using multi detector-row helical computed tomography** *Workshop on Multiple Perspectives in Magnetic Resonance Imaging Contrast*
Rubin, G. D., Shiau, M. C., Schmidt, A. J., Fleischmann, D., Logan, L., Leung, A. N., Jeffrey, R. B., Napel, S.
LIPPINCOTT WILLIAMS & WILKINS.1999: S83–S90
- **Display modes for CT colonography - Part II. Blinded comparison of axial CT and virtual endoscopic and panoramic endoscopic volume-rendered studies** *RADIOLOGY*
Beaulieu, C. F., Jeffrey, R. B., Karadi, C., Paik, D. S., Napel, S.
1999; 212 (1): 203-212
- **Display modes for CT colonography - Part I. Synthesis and insertion of polyps into patient CT data** *RADIOLOGY*
Karadi, C., Beaulieu, C. F., Jeffrey, R. B., Paik, D. S., Napel, S.
1999; 212 (1): 195-201
- **Virtual endoscopy using perspective volume-rendered three-dimensional sonographic Data: Technique and clinical applications** *AMERICAN JOURNAL OF ROENTGENOLOGY*
Yuh, E. L., Jeffrey, R. B., Birdwell, R. L., Chen, B. H., Napel, S.
1999; 172 (5): 1193-1197
- **Fast 3D cardiac cine MR imaging** *JOURNAL OF MAGNETIC RESONANCE IMAGING*
Alley, M. T., Napel, S., Amano, Y., Paik, D. S., Shifrin, R. Y., Shimakawa, A., Pelc, N. J., Herfkens, R. J.
1999; 9 (5): 751-755
- **Modeling of polychromatic attenuation using computed tomography reconstructed images** *MEDICAL PHYSICS*
Yan, C. H., Whalen, R. T., Beaupre, G. S., Yen, S. Y., Napel, S.
1999; 26 (4): 631-642
- **Longitudinal sampling and aliasing in spiral CT** *IEEE TRANSACTIONS ON MEDICAL IMAGING*
Yen, S. Y., Yan, C. H., Rubin, G. D., Napel, S.
1999; 18 (1): 43-58
- **New visualization techniques for virtual colonoscopy: Methods and evaluation** *1st International Workshop on Computer-Aided Diagnosis*
Napel, S., Beaulieu, C. F., Paik, D. S., Karadi, C., Jeffrey, R. B.
ELSEVIER SCIENCE BV.1999: 463–468
- **Detection of colonic polyps in a phantom model: Implications for virtual colonoscopy data acquisition** *JOURNAL OF COMPUTER ASSISTED TOMOGRAPHY*
Beaulieu, C. F., Napel, S., Daniel, B. L., Ch'en, I. Y., Rubin, G. D., Johnstone, I. M., Jeffrey, R. B.

1998; 22 (4): 656-663

● **Automated flight path planning for virtual endoscopy** *MEDICAL PHYSICS*

Paik, D. S., Beaulieu, C. F., Jeffrey, R. B., Rubin, G. D., Napel, S.
1998; 25 (5): 629-637

● **Measurement of the aorta and its branches with helical CT** *RADIOLOGY*

Rubin, G. D., Paik, D. S., Johnston, P. C., Napel, S.
1998; 206 (3): 823-829

● **A new frame-based registration algorithm** *MEDICAL PHYSICS*

Yan, C. H., Whalen, R. T., Beaupre, G. S., Sumanawera, T. S., Yen, S. Y., Napel, S.
1998; 25 (1): 121-128

● **Accuracy of detection and measurement of renal calculi: In vitro comparison of three-dimensional spiral CT, radiography, and nephrotomography** *RADIOLOGY*

Olcott, E. W., Sommer, F. G., Napel, S.
1997; 204 (1): 19-25

● **Comparison and evaluation of retrospective intermodality brain image registration techniques** *Medical Imaging 1996 Meeting*

West, J., Fitzpatrick, J. M., Wang, M. Y., Dawant, B. M., Maurer, C. R., Kessler, R. M., MACIUNAS, R. J., Barillot, C., Lemoine, D., Collignon, A., Maes, F., Suetens, P., Vandermeulen, et al
LIPPINCOTT WILLIAMS & WILKINS.1997: 554-66

● **Helical CT angiography of renal artery stenosis** *AMERICAN JOURNAL OF ROENTGENOLOGY*

Rubin, G. D., Napel, S.
1997; 168 (4): 1109-1110

● **Virtual endoscopy of the paranasal sinuses using perspective volume rendered helical sinus computed tomography** *Meeting of the Western Section of the American-Laryngological-Rhinological-and-Otological-Society*

Gilani, S., Norbash, A. M., Ringl, H., Rubin, G. D., Napel, S., Terris, D. J.
LIPPINCOTT-RAVEN PUBL.1997: 25-29

● **MRI of pulmonary embolism using Gd-DTPA-polyethylene glycol polymer enhanced 3D fast gradient echo technique in a canine model** *MAGNETIC RESONANCE IMAGING*

Li, K. C., Pelc, L. R., NAPEL, S. A., Goris, M. L., Lin, D. T., SONG, C. K., Leung, A. N., Rubin, G. D., HOLLETT, M. D., Harris, D. P.
1997; 15 (5): 543-550

● **Volumetric, analysis of volumetric data: Achieving a paradigm shift** *RADIOLOGY*

Rubin, G. D., Napel, S., Leung, A. N.
1996; 200 (2): 312-317

● **Perspective volume rendering of CT and MR images: Applications for endoscopic imaging** *RADIOLOGY*

Rubin, G. D., Beaulieu, C. F., Argiro, V., Ringl, H., Norbash, A. M., Feller, J. F., Dake, M. D., Jeffrey, R. B., Napel, S.
1996; 199 (2): 321-330

● **Fast sliding thin slab volume visualization** *1996 Symposium on Volume Visualization*

Yen, S. Y., Napel, S., Rubin, G. D.
ASSOC COMPUTING MACHINERY.1996: 79-86

● **Surface rendering versus volume rendering in medical imaging: Techniques and applications** *7th Annual IEEE Conference on Visualization (Visualization 96)*

Shahidi, R., Lorensen, B., Kikinis, R., Flynn, J., Kaufman, A., Napel, S.
IEEE COMPUTER SOC.1996: 439-440

● **Optimizing the choice of an image interpolating function** *Conference on Image Processing - Medical Imaging 1996*

Yan, C. H., Napel, S.
SPIE - INT SOC OPTICAL ENGINEERING.1996: 376-389

● **Semiautomated editing of computed tomography sections for visualization of vasculature** *Conference on Image Display*

Shiffman, S., Rubin, G. B., Napel, S.

SPIE - INT SOC OPTICAL ENGINEERING.1996: 140–151

● **Comparison and evaluation of retrospective intermodality image registration techniques** *Conference on Image Processing - Medical Imaging 1996*

West, J., Fitzpatrick, J. M., Wang, M. Y., Dawant, B. M., Maurer, C. R., Kessler, R. M., MACIUNAS, R. J., Barillot, C., Lemoine, D., Collignon, A., Maes, F., Suetens, P., Vandermeulen, et al

SPIE - INT SOC OPTICAL ENGINEERING.1996: 332–347

● **Quantified registration error versus the accuracy of registered surfaces for a multimodality surface-based registration system** *Conference on Image Processing - Medical Imaging 1996*

Hemler, P. F., Sumanaweera, T. S., VANDENELSEN, P. A., Napel, S., Adler, J. R.

SPIE - INT SOC OPTICAL ENGINEERING.1996: 348–357

● **Assessment of several virtual endoscopy techniques using computed tomography and perspective volume rendering** *4th International Conference on Visualization in Biomedical Computing (VBC 96)*

Shahidi, R., Argiro, V., Napel, S., Gray, L., McAdams, H. P., Rubin, G. D., Beaulieu, C. F., Jeffrey, R. B., Johnson, A.

SPRINGER-VERLAG BERLIN.1996: 521–528

● **Perspective volume rendering of cross-sectional images for simulated endoscopy and intra-parenchymal viewing** *Conference on Image Display*

Napel, S., Rubin, G. D., Beaulieu, C. F., Jeffrey, R. B., Argiro, V.

SPIE - INT SOC OPTICAL ENGINEERING.1996: 75–86

● **Fast spill echo image distortion correction for MR-guided stereotactic pallidotomy** *1996 Annual Meeting on the Physics of Medical Imaging*

Sumanaweera, T. S., Lim, K. O., Glover, G. H., Hemler, P. F., Heit, G., VANDENELSEN, P. A., Silverberg, G., Napel, S.

SPIE - INT SOC OPTICAL ENGINEERING.1996: 718–726

● **INCREASED SCAN PITCH FOR VASCULAR AND THORACIC SPIRAL CT RADIOLOGY**

Rubin, G. D., Napel, S.

1995; 197 (1): 316–317

● **DETECTION OF URETERAL CALCULI IN PATIENTS WITH SUSPECTED RENAL COLIC - VALUE OF REFORMATTED NONCONTRAST HELICAL CT** *AMERICAN JOURNAL OF ROENTGENOLOGY*

Sommer, F. G., Jeffrey, R. B., Rubin, G. D., Napel, S., RIMMER, S. A., Benford, J., Harter, P. M.

1995; 165 (3): 509–513

● **REGISTRATION ERROR QUANTIFICATION OF A SURFACE-BASED MULTIMODALITY IMAGE FUSION SYSTEM** *MEDICAL PHYSICS*

Hemler, P. F., Napel, S., Sumanaweera, T. S., PICHUMANI, R., VANDENELSEN, P. A., Martin, D., Drace, J., Adler, J. R., Perkash, I.

1995; 22 (7): 1049–1056

● **MR GEOMETRIC DISTORTION CORRECTION FOR IMPROVED FRAME-BASED STEREOTAXIC TARGET LOCALIZATION ACCURACY** *MAGNETIC RESONANCE IN MEDICINE*

Sumanaweera, T. S., Glover, G. H., Hemler, P. F., VANDENELSEN, P. A., Martin, D., Adler, J. R., Napel, S.

1995; 34 (1): 106–113

● **CIRCLE OF WILLIS - EVALUATION WITH SPIRAL CT ANGIOGRAPHY, MR-ANGIOGRAPHY, AND CONVENTIONAL ANGIOGRAPHY** *RADIOLOGY*

Katz, D. A., Marks, M. P., NAPEL, S. A., Bracci, P. M., Roberts, S. L.

1995; 195 (2): 445–449

● **PHASE UNWRAPPING OF MR PHASE IMAGES USING POISSON EQUATION** *IEEE TRANSACTIONS ON IMAGE PROCESSING*

Song, S. M., Napel, S., Pelc, N. J., Glover, G. H.

1995; 4 (5): 667–676

● **A versatile system for multimodality image fusion.** *Journal of image guided surgery*

Hemler, P. F., Sumanaweera, T. S., van den Elsen, P. A., Napel, S., Adler, J.

1995; 1 (1): 35–45

● **A quantitative comparison of residual error for three different multimodality registration techniques** *14th International Conference on Information Processing in Medical Imaging*

Hemler, P. F., VANDENELSEN, P. A., Sumanaweera, T. S., Napel, S., Drace, J., Adler, J. R.

KLUWER ACADEMIC PUBL.1995: 251–262

- **Method for correcting magnetic resonance image distortion for frame-based stereotactic surgery, with preliminary results.** *Journal of image guided surgery* Sumanaweera, T. S., Adler, J. R., Glover, G. H., Hemler, P. F., van den Elsen, P. A., Martin, D., Napel, S. 1995; 1 (3): 151-157
- **CHARACTERIZATION OF SPATIAL DISTORTION IN MAGNETIC-RESONANCE-IMAGING AND ITS IMPLICATIONS FOR STEREOTAXIC SURGERY NEUROSURGERY** Sumanaweera, T. S., Adler, J. R., Napel, S., Glover, G. H. 1994; 35 (4): 696-703
- **SINGLE BREATH-HOLD PULMONARY MAGNETIC-RESONANCE ANGIOGRAPHY - OPTIMIZATION AND COMPARISON OF 3 IMAGING STRATEGIES** *INVESTIGATIVE RADIOLOGY* Rubin, G. D., Herfkens, R. J., Pelc, N. J., Foo, T. K., Napel, S., Shimakawa, A., Steiner, R. M., Bergin, C. J. 1994; 29 (8): 766-772
- **DETERMINING CARDIAC VELOCITY-FIELDS AND INTRAVENTRICULAR PRESSURE DISTRIBUTION FROM A SEQUENCE OF ULTRAFAST CT CARDIAC IMAGES** *IEEE TRANSACTIONS ON MEDICAL IMAGING* Song, S. M., Leahy, R. M., Boyd, D. P., Brundage, B. H., Napel, S. 1994; 13 (2): 386-397
- **DOSIMETRY COMPUTATION FROM TISSUE DISTRIBUTION DATA ENTERED IN AN ELECTRONIC MOUSE MODEL WITH CONVOLUTION OF THE BETA-RAY DEPOSITION PROFILE** Goris, M. L., Nielsen, K. K., NAPEL, S. A. SOC NUCLEAR MEDICINE INC.1994: P161-P161
- **QUANTIFYING MRI GEOMETRIC DISTORTION IN TISSUE** *MAGNETIC RESONANCE IN MEDICINE* Sumanaweera, T., Glover, G., Song, S., Adler, T., Napel, S. 1994; 31 (1): 40-47
- **VOLUMETRIC APPLICATIONS FOR SPIRAL CT IN THE THORAX** *Conference on Physiology and Function from Multidimensional Images* Rubin, G. D., Napel, S., Leung, A. SPIE - INT SOC OPTICAL ENGINEERING.1994: 353-360
- **A SYSTEM FOR MULTIMODALITY IMAGE FUSION** *7th Annual IEEE Symposium on Computer-Based Medical Systems* Hemler, P. F., Sumanaweera, T., VANDENELSEN, P. A., Napel, S., Adler, J. I E E E, COMPUTER SOC PRESS.1994: 335-340
- **GREY VALUE CORRELATION TECHNIQUES USED FOR AUTOMATIC MATCHING OF CT AND MR BRAIN AND SPINE IMAGES** *3rd Conference on Visualization in Biomedical Computing 1994 (VBC 94)* VANDENELSEN, P. A., Pol, E. J., Sumanaweera, T. S., Hemler, P. F., Napel, S., Adler, J. R. SPIE - INT SOC OPTICAL ENGINEERING.1994: 227-237
- **SPIRAL CT OF RENAL-ARTERY STENOSIS - COMPARISON OF 3-DIMENSIONAL RENDERING TECHNIQUES** *RADIOLOGY* Rubin, G. D., Dake, M. D., Napel, S., Jeffrey, R. B., McDonnell, C. H., Sommer, F. G., Wexler, L., Williams, D. M. 1994; 190 (1): 181-189
- **3-DIMENSIONAL SPIRAL COMPUTED TOMOGRAPHIC ANGIOGRAPHY - AN ALTERNATIVE IMAGING MODALITY FOR THE ABDOMINAL-AORTA AND ITS BRANCHES** *8TH ANNUAL MEETING OF THE WESTERN-VASCULAR-SOC* Rubin, G. D., Walker, P. J., Dake, M. D., Napel, S., Jeffrey, R. B., McDonnell, C. H., Mitchell, R. S., Miller, D. C. MOSBY-ELSEVIER.1993: 656-65
- **STS-MIP - A NEW RECONSTRUCTION TECHNIQUE FOR CT OF THE CHEST** *JOURNAL OF COMPUTER ASSISTED TOMOGRAPHY* Napel, S., Rubin, G. D., Jeffrey, R. B. 1993; 17 (5): 832-838
- **NOISE-REDUCTION IN 3-DIMENSIONAL PHASE-CONTRAST MR VELOCITY-MEASUREMENTS** *JMRI-JOURNAL OF MAGNETIC RESONANCE IMAGING* Song, S. M., Napel, S., Glover, G. H., Pelc, N. J. 1993; 3 (4): 587-596
- **DIAGNOSIS OF CAROTID-ARTERY DISEASE - PRELIMINARY EXPERIENCE WITH MAXIMUM-INTENSITY-PROJECTION SPIRAL CT ANGIOGRAPHY** *AMERICAN JOURNAL OF ROENTGENOLOGY*

- Marks, M. P., Napel, S., Jordan, J. E., Enzmann, D. R.
1993; 160 (6): 1267-1271
- **3-DIMENSIONAL SPIRAL CT ANGIOGRAPHY OF THE ABDOMEN - INITIAL CLINICAL-EXPERIENCE** *RADIOLOGY*
Rubin, G. D., Dake, M. D., NAPEL, S. A., McDonnell, C. H., Jeffrey, R. B.
1993; 186 (1): 147-152
- **A LEAST-SQUARES BASED PHASE UNWRAPPING ALGORITHM FOR MRI** *Nuclear Science Symposium and Medical Imaging Conference (NSS-MIC 93)*
Song, S. M., Napel, S., Pelc, N. J., Glover, G. H.
IEEE.1993: 1784-1788
- **QUANTIFICATION OF THE GEOMETRIC ACCURACY OF MRI IN TISSUE - A NEW APPROACH USING MRI ITSELF** *Nuclear Science Symposium and Medical Imaging Conference (NSS-MIC 93)*
Sumanaweera, T. S., Napel, S., Glover, G. H., Song, S. M.
IEEE.1993: 1789-1793
- **CT ANGIOGRAPHY WITH SPIRAL CT AND MAXIMUM INTENSITY PROJECTION** *RADIOLOGY*
Napel, S., Marks, M. P., Rubin, G. D., Dake, M. D., McDonnell, C. H., Song, S. M., Enzmann, D. R., Jeffrey, R. B.
1992; 185 (2): 607-610
- **INTERACTIVE DISPLAY OF VOLUMETRIC DATA BY FAST FOURIER PROJECTION** *COMPUTERIZED MEDICAL IMAGING AND GRAPHICS*
Dunne, S., Napel, S., Rutt, B.
1992; 16 (4): 237-251
- **Visualizing three-dimensional flow with simulated streamlines and three-dimensional phase-contrast MR imaging.** *Journal of magnetic resonance imaging : JMRI*
Napel, S., Lee, D. H., Frayne, R., Rutt, B. K.
1992; 2 (2): 143-153
- **VISUALIZING 3-DIMENSIONAL FLOW WITH SIMULATED STREAMLINES AND 3-DIMENSIONAL PHASE-CONTRAST MR IMAGING** *JMRI-JOURNAL OF MAGNETIC RESONANCE IMAGING*
Napel, S., Lee, D. H., Frayne, R., Rutt, B. K.
1992; 2 (2): 143-153
- **FAST FOURIER PROJECTION FOR MR ANGIOGRAPHY** *MAGNETIC RESONANCE IN MEDICINE*
Napel, S., Dunne, S., Rutt, B. K.
1991; 19 (2): 393-405
- **MAGNETIC-RESONANCE TECHNIQUES FOR BLOOD-FLOW MEASUREMENT AND VASCULAR IMAGING** *JOURNAL OF THE CANADIAN ASSOCIATION OF RADIOLOGISTS-JOURNAL DE L'ASSOCIATION CANADIENNE DES RADIOLOGISTES*
Rutt, B. K., Napel, S.
1991; 42 (1): 21-30
- **PROJECTION PRESATURATION .2. SINGLE-SHOT LOCALIZATION OF MULTIPLE REGIONS OF INTEREST** *JOURNAL OF MAGNETIC RESONANCE*
Singh, S., Rutt, B. K., Napel, S.
1990; 90 (2): 313-329
- **HIGH-SPEED COMPUTED-TOMOGRAPHY - SYSTEMS AND PERFORMANCE** *APPLIED OPTICS*
PESCHMANN, K. R., Napel, S., COUCH, J. L., Rand, R. E., ALEI, R., ACKELSBERG, S. M., Gould, R., Boyd, D. P.
1985; 24 (23): 4052-4060
- **MEASUREMENT OF CARDIAC-OUTPUT BY COMPUTED TRANSMISSION TOMOGRAPHY** *INVESTIGATIVE RADIOLOGY*
Herfkens, R. J., Axel, L., Lipton, M. J., Napel, S., BERNINGER, W., REDINGTON, R.
1982; 17 (6): 550-553
- **A COMPARISON BETWEEN THE INFORMATION IN GATED AND NON-GATED CARDIAC CT IMAGES** *JOURNAL OF COMPUTER ASSISTED TOMOGRAPHY*
Ringertz, H. G., SKIOLDEBRAND, C. G., Refsum, H., Tyberg, J. V., NAPEL, S. A., Lipton, M. J.
1982; 6 (5): 933-938

- **HIGH-SPEED, MULTI-SLICE, X-RAY COMPUTED-TOMOGRAPHY *PROCEEDINGS OF THE SOCIETY OF PHOTO-OPTICAL INSTRUMENTATION ENGINEERS***
Boyd, D. P., COUCH, J. L., NAPEL, S. A., Parker, D. L., PESCHMANN, K. R., Rand, R. E., Herrmannsfeldt, W. B.
1982; 372: 139-150
- **FUNCTIONAL IMAGING OF THE BRAIN USING COMPUTED-TOMOGRAPHY *RADIOLOGY***
BERNINGER, W. H., Axel, L., Norman, D., Napel, S., REDINGTON, R. W.
1981; 138 (3): 711-716
- **FETAL BLOOD VELOCITY WAVEFORMS *AMERICAN JOURNAL OF OBSTETRICS AND GYNECOLOGY***
MC CALLUM, W. D., Williams, C. S., Napel, S., DAIGLE, R. E.
1978; 132 (4): 425-429