




Paul Yock, MD

The Martha Meier Weiland Professor in the School of Medicine and Professor of Bioengineering and, by courtesy, of Mechanical Engineering

 NIH Biosketch available Online

 Resume available Online

CLINICAL OFFICES

- James H Clark Center

318 Campus Dr Ste E100

MC 5428

Stanford, CA 94305

Tel (650) 736-1161

Fax (650) 724-8696

ACADEMIC CONTACT INFORMATION

- Alternate Contact

Annette Ewanich - Executive Assistant

Tel 650-736-1161

Bio

BIO

Yock began his faculty career as an interventional cardiologist at UC San Francisco and then moved to Stanford in 1994. Yock is known for his work in inventing, developing and testing new devices, including the Rapid Exchange angioplasty and stenting system, which is the primary approach used worldwide. Yock also authored the fundamental patents for intravascular ultrasound imaging, conducted the initial clinical trials and established the Stanford Center for Research in Cardiovascular Interventions as a core laboratory for analysis of intravascular ultrasound clinical studies. He also invented the Smart Needle and is a co-inventor of the strain-reduction patch for wound healing. Yock was founding Co-Chair of the Department of Bioengineering and continues research related to new device technologies. Yock also founded and is the Director of the Program in Bidesign, a unit of Bio-X dedicated to advanced training in medical technology innovation.

CLINICAL FOCUS

- Cardiology (Heart)
- Cardiovascular Disease

ACADEMIC APPOINTMENTS

- Professor - Med Center Line, Bioengineering
- Professor - Med Center Line, Medicine - Cardiovascular Medicine
- Member, Bio-X
- Member, Cardiovascular Institute

ADMINISTRATIVE APPOINTMENTS

- Director, Byers Center for Bidesign, (2001- present)
- Co-Chair, Stanford University School of Medicine - Bioengineering, (2003-2006)

HONORS AND AWARDS

- Phoenix Innovator Award, Phoenix Hall of Fame for Medical Device and Diagnostic Leadership (2005)
- Career Achievement Award, Transcatheter Cardiovascular Therapeutics (TCT) (2006)

- Doctor of Science (Honoris Causa), Amherst College (2007)
- Distinguished Scientist Award, American College of Cardiology (2008)

BOARDS, ADVISORY COMMITTEES, PROFESSIONAL ORGANIZATIONS

- Fellow, American Institute for Medical and Biological Engineering (2010 - present)
- Member, National Academy of Engineering (2013 - present)
- member, American Association of Physicians (2016 - present)

PROFESSIONAL EDUCATION

- Internship: UCSF Medical Center (1980) CA
- Residency: UCSF Medical Center (1982) CA
- Medical Education: Harvard Medical School (1979) MA
- Board Certification: Cardiovascular Disease, American Board of Internal Medicine (1985)
- Fellowship: Stanford University Medical Center (1985) CA
- Board Certification: Internal Medicine, American Board of Internal Medicine (1982)
- M.D., Harvard Medical School , Medicine (1979)
- M.A., Trinity College, Oxford , Philosophy and Physiology (1975)
- A.B., Amherst College , Chemistry, Independent Study (Philosophy) (1973)

LINKS

- BioX Clark Center Faculty: <http://biox.stanford.edu/clark/yock.html>
- Stanford Biodesign Website: <http://biodesign.stanford.edu/>

Research & Scholarship

CURRENT RESEARCH AND SCHOLARLY INTERESTS

Founder and Director of the Byers Center for Biodesign, a multidisciplinary training and support program for physicians and engineers with the ambition and talent to become health technology innovators. The Center has educational/training programs at multiple levels including a postgraduate fellowship, multiple graduate and undergraduate classes and a faculty training program. In addition, Biodesign administers seed grant programs and a mentoring system for faculty and students who seek to translate health technology innovations into patient care.

Teaching

COURSES

2017-18

- Biodesign Innovation: Concept Development and Implementation: BIOE 374B, ME 368B, MED 272B (Spr)
- Biodesign Innovation: Concept Development and Implementation: OIT 385 (Spr)
- Biodesign Innovation: Needs Finding and Concept Creation: BIOE 374A, ME 368A, MED 272A (Win)
- Biodesign Innovation: Needs Finding and Concept Creation: OIT 384 (Win)
- Biodesign for Mobile Health: BIOE 273, MED 273 (Aut)

2016-17

- Biodesign Innovation: Concept Development and Implementation: BIOE 374B, ME 368B, MED 272B (Spr)
- Biodesign Innovation: Concept Development and Implementation: OIT 385 (Spr)

- Biodesign Innovation: Needs Finding and Concept Creation: BIOE 374A, ME 368A, MED 272A (Win)
- Biodesign Innovation: Needs Finding and Concept Creation: OIT 384 (Win)
- Biodesign for Mobile Health: BIOE 273, MED 273 (Aut)

2015-16

- BIODESIGN FOR MOBILE HEALTH: BIOE 273, MED 273 (Aut)
- Biodesign Innovation: Concept Development and Implementation: BIOE 374B (Spr)
- Biodesign Innovation: Concept Development and Implementation: BIOE 375B (Spr)
- Biodesign Innovation: Concept Development and Implementation: ME 368B, MED 272B (Spr)
- Biodesign Innovation: Concept Development and Implementation: OIT 385 (Spr)
- Biodesign Innovation: Needs Finding and Concept Creation: BIOE 374A (Win)
- Biodesign Innovation: Needs Finding and Concept Creation: BIOE 375A (Win, Spr)
- Biodesign Innovation: Needs Finding and Concept Creation: ME 368A, MED 272A (Win)
- Biodesign Innovation: Needs Finding and Concept Creation: OIT 384 (Win)
- Global Biodesign: Medical Technology in an International Context: BIOE 371, MED 271 (Spr)
- Global Biodesign: Medical Technology in an International Context: OIT 587 (Spr)

2014-15

- BIODESIGN FOR MOBILE HEALTH: BIOE 273, MED 273 (Aut)
- Biodesign Innovation: Concept Development and Implementation: BIOE 374B (Spr)
- Biodesign Innovation: Concept Development and Implementation: BIOE 375B (Spr)
- Biodesign Innovation: Concept Development and Implementation: ME 368B, MED 272B (Spr)
- Biodesign Innovation: Concept Development and Implementation: OIT 385 (Spr)
- Biodesign Innovation: Needs Finding and Concept Creation: BIOE 374A (Win)
- Biodesign Innovation: Needs Finding and Concept Creation: BIOE 375A (Win)
- Biodesign Innovation: Needs Finding and Concept Creation: ME 368A, MED 272A (Win)
- Biodesign Innovation: Needs Finding and Concept Creation: OIT 384 (Win)
- Global Biodesign: OIT 587 (Spr)
- Global Biodesign: Medical Technology in an International Context: BIOE 371, MED 271 (Spr)

STANFORD ADVISEES

Postdoctoral Faculty Sponsor

Benjamin Berkowitz, Bryan Hartley, Christopher Kinsella, Nassireddin Mokarram-Dorri, Veronique Peiffer, Derek Thong, Orestis Vardoulis, Wei Gen Scott Wong

Postdoctoral Research Mentor

Benjamin Berkowitz, Andrew Chou, Bryan Hartley, Christopher Kinsella, Nassireddin Mokarram-Dorri, Derek Thong, Orestis Vardoulis, Wei Gen Scott Wong

GRADUATE AND FELLOWSHIP PROGRAM AFFILIATIONS

- Medicine (Masters Program)

Publications

PUBLICATIONS

- **Multimodality Molecular Imaging of Cardiac Cell Transplantation: Part II. In Vivo Imaging of Bone Marrow Stromal Cells in Swine with PET/CT and MR Imaging.** *Radiology*
Parashurama, N., Ahn, B., Ziv, K., Ito, K., Paulmurugan, R., Willmann, J. K., Chung, J., Ikeno, F., Swanson, J. C., Merk, D. R., Lyons, J. K., Yerushalmi, D., Teramoto, et al
2016; 280 (3): 826-836
- **Multimodality Molecular Imaging of Cardiac Cell Transplantation: Part I. Reporter Gene Design, Characterization, and Optical in Vivo Imaging of Bone Marrow Stromal Cells after Myocardial Infarction.** *Radiology*
Parashurama, N., Ahn, B., Ziv, K., Ito, K., Paulmurugan, R., Willmann, J. K., Chung, J., Ikeno, F., Swanson, J. C., Merk, D. R., Lyons, J. K., Yerushalmi, D., Teramoto, et al
2016; 280 (3): 815-825
- **Attenuated-Signal Plaque Progression Predicts Long-Term Mortality After Heart Transplantation: IVUS Assessment of Cardiac Allograft Vasculopathy.** *Journal of the American College of Cardiology*
Okada, K., Fearon, W. F., Luikart, H., Kitahara, H., Otagiri, K., Tanaka, S., Kimura, T., Yock, P. G., Fitzgerald, P. J., Yeung, A. C., Valantine, H. A., Khush, K. K., Honda, et al
2016; 68 (4): 382-392
- **Acute stent recoil and optimal balloon inflation strategy: an experimental study using real-time optical coherence tomography.** *EuroIntervention*
Kitahara, H., Waseda, K., Yamada, R., Otagiri, K., Tanaka, S., Kobayashi, Y., Okada, K., Kume, T., Nakagawa, K., Teramoto, T., Ikeno, F., Yock, P. G., Fitzgerald, et al
2016; 12 (2): e190-8
- **Association of periarterial neovascularization with progression of cardiac allograft vasculopathy and long-term clinical outcomes in heart transplant recipients** *JOURNAL OF HEART AND LUNG TRANSPLANTATION*
Kitahara, H., Okada, K., Tanaka, S., Yang, H., Miki, K., Kobayashi, Y., Kimura, T., Luikart, H., Yock, P. G., Yeung, A. C., Fitzgerald, P. J., Khush, K. K., Fearon, et al
2016; 35 (6): 752-759
- **Quantitative precision of optical frequency domain imaging: direct comparison with frequency domain optical coherence tomography and intravascular ultrasound.** *Cardiovascular intervention and therapeutics*
Kobayashi, Y., Kitahara, H., Tanaka, S., Okada, K., Kimura, T., Ikeno, F., Yock, P. G., Fitzgerald, P. J., Honda, Y.
2016; 31 (2): 79-88
- **Functional Versus Anatomic Assessment of Myocardial Bridging by Intravascular Ultrasound: Impact of Arterial Compression on Proximal Atherosclerotic Plaque.** *Journal of the American Heart Association*
Yamada, R., Tremmel, J. A., Tanaka, S., Lin, S., Kobayashi, Y., Hollak, M. B., Yock, P. G., Fitzgerald, P. J., Schnittger, I., Honda, Y.
2016; 5 (4)
- **Relative dose and vascular response after drug-eluting stent implantation: A dosimetric 3D-intravascular ultrasound study** *INTERNATIONAL JOURNAL OF CARDIOLOGY*
Kitahara, H., Waseda, K., Yamada, R., Sakamoto, K., Yock, P. G., Fitzgerald, P. J., Honda, Y.
2016; 204: 211-217
- **Paradoxical Vessel Remodeling of the Proximal Segment of the Left Anterior Descending Artery Predicts Long-Term Mortality After Heart Transplantation** *JACC-HEART FAILURE*
Okada, K., Kitahara, H., Yang, H., Tanaka, S., Kobayashi, Y., Kimura, T., Luikart, H., Yock, P. G., Yeung, A. C., Valantine, H. A., Fitzgerald, P. J., Khush, K. K., Honda, et al
2015; 3 (12): 942-952
- **Paradoxical Vessel Remodeling of the Proximal Segment of the Left Anterior Descending Artery Predicts Long-Term Mortality After Heart Transplantation.** *JACC. Heart failure*
Okada, K., Kitahara, H., Yang, H., Tanaka, S., Kobayashi, Y., Kimura, T., Luikart, H., Yock, P. G., Yeung, A. C., Valantine, H. A., Fitzgerald, P. J., Khush, K. K., Honda, et al
2015; 3 (12): 942-952

- **A Y-shaped bifurcation-dedicated stent for the treatment of de novo coronary bifurcation lesions: an IVUS analysis from the BRANCH trial.** *EuroIntervention*
Sakata, K., Koo, B., Waseda, K., Nakatani, D., Yock, P. G., Whitbourn, R., Worthley, S. G., Ormiston, J., Webster, M., Wilkins, G. T., Honda, Y., Meredith, I. T., Fitzgerald, et al
2015; 10 (11): e1-8
- **Intravascular Ultrasound Analysis of Small Vessel Lesions Treated with the Sparrow Coronary Stent System: Results of the CARE II Trial** *CATHETERIZATION AND CARDIOVASCULAR INTERVENTIONS*
Kume, T., Waseda, K., Koo, B., Yock, P. G., Botelho, R., Verheye, S., Whitbourn, R., Meredith, I., Worthley, S., Hai, K. T., Honda, Y., Abizaid, A., Fitzgerald, et al
2014; 83 (1): 19-24
- **Intracoronary and Retrograde Coronary Venous Myocardial Delivery of Adipose-Derived Stem Cells in Swine Infarction Lead to Transient Myocardial Trapping with Predominant Pulmonary Redistribution** *CATHETERIZATION AND CARDIOVASCULAR INTERVENTIONS*
Hong, S. J., Hou, D., Brinton, T. J., Johnstone, B., Feng, D., Rogers, P., Fearon, W. F., Yock, P., March, K. L.
2014; 83 (1): E17-E25
- **Intracoronary and retrograde coronary venous myocardial delivery of adipose-derived stem cells in swine infarction lead to transient myocardial trapping with predominant pulmonary redistribution.** *Catheterization and cardiovascular interventions*
Hong, S. J., Hou, D., Brinton, T. J., Johnstone, B., Feng, D., Rogers, P., Fearon, W. F., Yock, P., March, K. L.
2014; 83 (1): E17-25
- **Outcomes from a Postgraduate Biomedical Technology Innovation Training Program: The First 12 Years of Stanford Biodesign** *ANNALS OF BIOMEDICAL ENGINEERING*
Brinton, T. J., Kurihara, C. Q., Camarillo, D. B., Pietzsch, J. B., Gorodsky, J., Zenios, S. A., Doshi, R., Shen, C., Kumar, U. N., Mairal, A., Watkins, J., Popp, R. L., Wang, et al
2013; 41 (9): 1803-1810
- **Cost-effectiveness landscape analysis of treatments addressing xerostomia in patients receiving head and neck radiation therapy.** *Oral surgery, oral medicine, oral pathology and oral radiology*
Sasportas, L. S., Hosford, D. N., Sodini, M. A., Waters, D. J., Zambricki, E. A., Barral, J. K., Graves, E. E., Brinton, T. J., Yock, P. G., Le, Q., Sirjani, D.
2013; 116 (1): e37-51
- **Cost-effectiveness landscape analysis of treatments addressing xerostomia in patients receiving head and neck radiation therapy.** *Oral surgery, oral medicine, oral pathology and oral radiology*
Sasportas, L. S., Hosford, D. N., Sodini, M. A., Waters, D. J., Zambricki, E. A., Barral, J. K., Graves, E. E., Brinton, T. J., Yock, P. G., Le, Q., Sirjani, D.
2013; 116 (1): e37-51
- **IMPACT OF MYOCARDIAL BRIDGING ON MAJOR ADVERSE CARDIAC EVENTS: VERY LONG-TERM CLINICAL OUTCOMES FOLLOWING FIRST- AND SECOND-GENERATION DRUG-ELUTING STENT IMPLANTATION** *62nd Annual Scientific Session of the American-College-of-Cardiology*
Yamada, R., Sakamoto, K., Kitahara, H., Yock, P., Fitzgerald, P., Honda, Y.
ELSEVIER SCIENCE INC.2013: E1725-E1725
- **FINAL IVUS RESULTS FROM THE DESOLVE-I FIRST-IN-HUMAN TRIAL: LONG-TERM ARTERIAL RESPONSE TO A NOVEL SIROLIMUS-ELUTING STENT WITH FULLY ABSORBABLE POLYMER AND CRYSTALLINE DRUG** *62nd Annual Scientific Session of the American-College-of-Cardiology*
Otagiri, K., Sakamoto, K., Waseda, K., Yock, P., Whitbourn, R., Vrolix, M., Stewart, J., Webster, M., Honda, Y., Wijns, W., Ormiston, J., Fitzgerald, P.
ELSEVIER SCIENCE INC.2013: E1666-E1666
- **ACCELERATED NEOINTIMAL HYPERPLASIA AFTER DES IMPLANTATION IN LESIONS WITH IVUS-SIGNAL ATTENUATION: A 3D-IVUS ANALYSIS FROM THE J-DESSERT TRIAL** *62nd Annual Scientific Session of the American-College-of-Cardiology*
Kitahara, H., Waseda, K., Sakamoto, K., Yamada, R., Huang, C., Nakatani, D., Sakata, K., Kawarada, O., Yock, P. G., Matsuyama, Y., Yokoi, H., Nakamura, M., Muramatsu, et al
ELSEVIER SCIENCE INC.2013: E1790-E1790
- **PREDICTORS OF LATE TARGET LESION REVASCULARIZATION AFTER ENDEAVOR AND RESOLUTE ZOTAROLIMUS-ELUTING STENT IMPLANTATION: 3D-INTRAVASCULAR ULTRASOUND AND ANGIOGRAPHIC ANALYSES** *62nd Annual Scientific Session of the American-College-of-Cardiology*
Kitahara, H., Kume, T., Waseda, K., Sakamoto, K., Yamada, R., Yock, P. G., Yeung, A. C., Fitzgerald, P. J., Honda, Y.
ELSEVIER SCIENCE INC.2013: E1777-E1777

- **PLAQUE ASSESSMENT WITH A NOVEL HIGH-DEFINITION 60-MHZ IVUS IMAGING SYSTEM: COMPARISON WITH CONVENTIONAL 40 MHZ IVUS AND OPTICAL COHERENCE TOMOGRAPHY** *62nd Annual Scientific Session of the American-College-of-Cardiology*
Tanaka, S., Sakamoto, K., Yamada, R., Nakagawa, K., Yock, P. G., Fitzgerald, P. J., Ikeno, F., Honda, Y.
ELSEVIER SCIENCE INC.2013: E1878–E1878
- **Improved automated lumen contour detection by novel multifrequency processing algorithm with current intravascular ultrasound system** *CATHETERIZATION AND CARDIOVASCULAR INTERVENTIONS*
Kume, T., Kim, B., Waseda, K., Sathyanarayana, S., Li, W., Teo, T., Yock, P. G., Fitzgerald, P. J., Honda, Y.
2013; 81 (3): E173-E177
- **Gastroenterology and Biodesign: Contributing to the Future of Our Specialty** *GASTROENTEROLOGY*
Nimgaonkar, A., Yock, P. G., Brinton, T. J., Krummel, T., Pasricha, P. J.
2013; 144 (2): 258-262
- **Impact of Diabetes Mellitus on Vessel Response in the Drug-Eluting Stent Era Pooled Volumetric Intravascular Ultrasound Analyses** *CIRCULATION-CARDIOVASCULAR INTERVENTIONS*
Sakata, K., Waseda, K., Kume, T., Otake, H., Nakatani, D., Yock, P. G., Fitzgerald, P. J., Honda, Y.
2012; 5 (6): 763-771
- **Clinical Feasibility of Higher-Frequency IVUS for Quantitative Measurements of Native Coronary Lesions: First-in-Human Experience with 60MHz versus 40MHz IVUS Imaging** *Transcatheter Cardiovascular Therapeutics (TCT) Symposium*
Huang, C., Sakamoto, K., Nakagawa, K., Yock, P., Ebner, A., Fitzgerald, P., Ikeno, F., Honda, Y.
ELSEVIER SCIENCE INC.2012: B81–B82
- **Impact of Baseline Peri-Stent Plaque Volume on Positive Vessel Remodeling after Implantation of Paclitaxel Eluting Stents: A Pooled Volumetric Intravascular Ultrasound Analysis** *Transcatheter Cardiovascular Therapeutics (TCT) Symposium*
Sakamoto, K., Waseda, K., Kitahara, H., Yamada, R., Huang, C., Yock, P., Fitzgerald, P., Honda, Y.
ELSEVIER SCIENCE INC.2012: B85–B85
- **Myocardial Bridging Increases Diffuse and Focal Chronic Stent Recoil Following Drug-Eluting Stent Implantation** *Transcatheter Cardiovascular Therapeutics (TCT) Symposium*
Yamada, R., Waseda, K., Sakamoto, K., Kitahara, H., Huang, C., Yock, P., Fitzgerald, P., Honda, Y.
ELSEVIER SCIENCE INC.2012: B122–B122
- **Impact of Stent Edge Plaque Burden on Lumen Preservation After DES Implantation: A 3D-IVUS Analysis from the J-DESSERT Trial** *Transcatheter Cardiovascular Therapeutics (TCT) Symposium*
Kitahara, H., Waseda, K., Sakamoto, K., Yamada, R., Huang, C., Nakatani, D., Sakata, K., Kawarada, O., Yock, P., Matsuyama, Y., Yokoi, H., Nakamura, M., Muramatsu, et al
ELSEVIER SCIENCE INC.2012: B74–B74
- **Intravascular Ultrasound Comparison of Small Coronary Lesions Between Novel Guidewire-Based Sirolimus-Eluting Stents and Conventional Sirolimus-Eluting Stents** *JOURNAL OF INVASIVE CARDIOLOGY*
Kume, T., Waseda, K., Koo, B., Botelho, R., Verheye, S., Whitbourn, R., Meredith, I., Worthley, S., Hai, K. T., Yock, P. G., Azevedo de Oliveira, F. R., Abizaid, A., Fitzgerald, et al
2012; 24 (10): 489-493
- **Applying a Structured Innovation Process to Interventional Radiology: A Single-Center Experience** *JOURNAL OF VASCULAR AND INTERVENTIONAL RADIOLOGY*
Sista, A. K., Hwang, G. L., Hovsepian, D. M., Sze, D. Y., Kuo, W. T., Kothary, N., Louie, J. D., Yamada, K., Hong, R., Dhanani, R., Brinton, T. J., Krummel, T. M., Makower, et al
2012; 23 (4): 488-494
- **EFFECTS OF INTER-STENT COMPRESSED INTIMAL VOLUME AFTER DRUG-ELUTING STENT TREATMENTS FOR BARE METAL IN-STENT RESTENOSIS: A VOLUMETRIC INTRAVASCULAR ULTRASOUND ANALYSIS** *61st Annual Scientific Session and Expo of the American-College-of-Cardiology (ACC)/Conference on ACC-i2 with TCT*
Sakamoto, K., Waseda, K., Yock, P., Holmes, D., Stone, G., Fitzgerald, P., Honda, Y.
ELSEVIER SCIENCE INC.2012: E113–E113
- **VESSEL RESPONSE TO NOVEL SIROLIMUS-ELUTING STENTS WITH ABSORBABLE POLYMER IN DE NOVO CORONARY LESIONS: FIRST-IN-HUMAN IVUS RESULTS FROM THE DESSOLVE-I 8-MONTH COHORT** *61st Annual Scientific Session and Expo of the American-College-of-Cardiology (ACC)/Conference on ACC-i2 with TCT*
Sakamoto, K., Waseda, K., Yock, P., Whitbourn, R., Vrolix, M., Stewart, J., Webster, M., Wijns, W., Ormiston, J., Honda, Y., Fitzgerald, P.

ELSEVIER SCIENCE INC.2012: E154–E154

- **COMPARISON OF VASCULAR RESPONSE TO NOVOLIMUS-ELUTING STENT VERSUS ZOTAROLIMUS-ELUTING STENT IMPLANTATION: IVUS RESULTS FROM THE EXCELLA BD TRIAL** *61st Annual Scientific Session and Expo of the American-College-of-Cardiology (ACC)/Conference on ACC-i2 with TCT*
Kitahara, H., Waseda, K., Yamada, R., Hahn, J., Sakamoto, K., Yock, P., Schofer, J., Hauptmann, K. E., Dubois, C., Abizaid, A., Verheye, S., Honda, Y., Fitzgerald, et al
ELSEVIER SCIENCE INC.2012: E210–E210
- **Three-Dimensional Microstructural Changes in Murine Abdominal Aortic Aneurysms Quantified Using Immunofluorescent Array Tomography** *JOURNAL OF HISTOCHEMISTRY & CYTOCHEMISTRY*
Saatchi, S., Azuma, J., Wanchoo, N., Smith, S. J., Yock, P. G., Taylor, C. A., Tsao, P. S.
2012; 60 (2): 97-109
- **Sex Differences in Neointimal Hyperplasia Following Zotarolimus-Eluting Stent Implantation: Potential Impact of Drug and Carrier Matrix** *Scientific Sessions of the American-Heart-Association/Resuscitation Science Symposium*
Yamada, R., Nakatani, D., Kume, T., Waseda, K., Tremmel, J. A., Yock, P. G., Meredith, I. T., Leon, M. B., Mauri, L., Yeung, A. C., Honda, Y., Fitzgerald, P. J.
LIPPINCOTT WILLIAMS & WILKINS.2011
- **Impact of Stent Size and Length on Neointimal Hyperplasia After Resolute Zotarolimus-Eluting Stent Implantation: Insights From RESOLUTE Trials** *23rd Annual Scientific Symposium of Transcatheter Cardiovascular Therapeutics (TCT)*
Yamada, R., Kume, T., Waseda, K., Kitahara, H., Sakamoto, K., Yock, P. G., Meredith, I. T., Leon, M. B., Mauri, L., Yeung, A. C., Honda, Y., Fitzgerald, P. J.
ELSEVIER SCIENCE INC.2011: B62–B62
- **Relative Dose and Vascular Response After Resolute Zotarolimus-Eluting Stent Implantation: A Dosimetric 3D-Intravascular Ultrasound Study** *23rd Annual Scientific Symposium of Transcatheter Cardiovascular Therapeutics (TCT)*
Kitahara, H., Kume, T., Waseda, K., Sakamoto, K., Yamada, R., Yock, P., Meredith, I. T., Leon, M. B., Mauri, L., Yeung, A. C., Fitzgerald, P. J., Honda, Y.
ELSEVIER SCIENCE INC.2011: B168–B169
- **Arterial Response to Sirolimus Eluting Stents with Bioabsorbable Polymer: First IVUS Report from the DESSOLVE-I FIM Trial** *23rd Annual Scientific Symposium of Transcatheter Cardiovascular Therapeutics (TCT)*
Sakamoto, K., Waseda, K., Yock, P. G., Honda, Y., Wijns, W., Ormiston, J., Fitzgerald, P. J.
ELSEVIER SCIENCE INC.2011: B32–B32
- **Sex Differences in Neointimal Hyperplasia Following Endeavor Zotarolimus-Eluting Stent Implantation** *AMERICAN JOURNAL OF CARDIOLOGY*
Nakatani, D., Aki, J., Tremmel, J. A., Waseda, K., Otake, H., Koo, B., Miyazawa, A., Hongo, Y., Hur, S., Sakurai, R., Yock, P. G., Honda, Y., Fitzgerald, et al
2011; 108 (7): 912-917
- **Teaching Biomedical Technology Innovation as a Discipline** *SCIENCE TRANSLATIONAL MEDICINE*
Yock, P. G., Brinton, T. J., Zenios, S. A.
2011; 3 (92)
- **Impact of Donor-Transmitted Atherosclerosis on Early Cardiac Allograft Vasculopathy: New Findings by Three-Dimensional Intravascular Ultrasound Analysis** *TRANSPLANTATION*
Yamasaki, M., Sakurai, R., Hirohata, A., Honda, Y., Bonneau, H. N., Luikart, H., Yock, P. G., Fitzgerald, P. J., Yeung, A. C., Valentine, H. A., Fearon, W. F.
2011; 91 (12): 1406-1411
- **The Use of Immunofluorescent Array Tomography to Study the Three-Dimensional Microstructure of Murine Blood Vessels** *CELLULAR AND MOLECULAR BIOENGINEERING*
Saatchi, S., Wanchoo, N., Azuma, J., Smith, S. J., Tsao, P. S., Yock, P. G., Taylor, C. A.
2011; 4 (2): 311-323
- **VESSEL RESPONSE TO THE NOVEL POLYMER-FREE BIOFREEDOM STENT VERSUS CONVENTIONAL DURABLE POLYMER COATING STENT: SHORT- AND MID-TERM INTRAVASCULAR ULTRASOUND RESULTS FROM THE BIOFREEDOM FIRST-IN-MAN TRIAL** *60th Annual Scientific Session and Expo of the American-College-of-Cardiology (ACC) / I2 Summit / ACCF/Herman K. Gold Young Investigator's Award in Molecular and Cellular Cardiology*
Sakata, K., Kim, B., Otake, H., Waseda, K., Schuler, G. C., Hauptmann, K. E., Schofer, J., Yock, P. G., Honda, Y., Grube, E., Fitzgerald, P. J.
ELSEVIER SCIENCE INC.2011: E1758–E1758
- **GENDER-ASSOCIATED DIFFERENCES IN NEOINTIMAL VOLUME AFTER CORONARY ZOTAROLIMUS-ELUTING STENT IMPLANTATION: RELATIONSHIP TO RENAL FUNCTION** *60th Annual Scientific Session and Expo of the American-College-of-Cardiology (ACC) / I2 Summit / ACCF/Herman K. Gold Young Investigator's Award in Molecular and Cellular Cardiology*

- Kawarada, O., Waseda, K., Kume, T., Sakata, K., Yock, P. G., Honda, Y., Fitzgerald, P. J.
ELSEVIER SCIENCE INC.2011: E1902–E1902
- **NONPOLYMER-BASED BIOLIMUS-ELUTING STENT ACCELERATES OVERALL NEOINTIMAL COVERAGE: SHORT- AND MID-TERM INTRAVASCULAR ULTRASOUND RESULTS FROM STEALTH AND BIOFREEDOM TRIALS** *60th Annual Scientific Session and Expo of the American-College-of-Cardiology (ACC) / I2 Summit / ACCF/Herman K. Gold Young Investigator's Award in Molecular and Cellular Cardiology*
Sakata, K., Kim, B., Otake, H., Waseda, K., Schuler, G. C., Hauptmann, K. E., Schofer, J., Yock, P. G., Grube, E., Fitzgerald, P. J., Honda, Y.
ELSEVIER SCIENCE INC.2011: E1756–E1756
 - **COMPARISON OF VESSEL RESPONSE TO SIROLIMUS-VS. PACLITAXEL-ELUTING STENT TREATMENTS FOR BARE METAL IN-STENT RESTENOSIS: A VOLUMETRIC INTRAVASCULAR ULTRASOUND ANALYSIS** *60th Annual Scientific Session and Expo of the American-College-of-Cardiology (ACC) / I2 Summit / ACCF/Herman K. Gold Young Investigator's Award in Molecular and Cellular Cardiology*
Sakamoto, K., Waseda, K., Kume, T., Sakata, K., Kawarada, O., Hahn, J., Yock, P. G., Fitzgerald, P. J., Honda, Y.
ELSEVIER SCIENCE INC.2011: E1972–E1972
 - **IMPROVED AUTOMATED LUMEN CONTOUR DETECTION BY A NOVEL MULTI-FREQUENCY PROCESSING ALGORITHM USING A CURRENT INTRAVASCULAR ULTRASOUND SYSTEM** *60th Annual Scientific Session and Expo of the American-College-of-Cardiology (ACC) / I2 Summit / ACCF/Herman K. Gold Young Investigator's Award in Molecular and Cellular Cardiology*
Kume, T., Kim, B., Waseda, K., Sathyanarayana, S., Li, W., Teo, T., Yock, P. G., Fitzgerald, P. J., Honda, Y.
ELSEVIER SCIENCE INC.2011: E1854–E1854
 - **A LOW COST ALTERNATIVE FOR MECHANICAL VENTILATION IN LARGE SCALE DISASTERS** *40th Critical Care Congress*
Callaghan, M., Boddupalli, D., Yock, P., Krummel, T., Ruoss, S.
LIPPINCOTT WILLIAMS & WILKINS.2010: U252–U252
 - **Intravascular Ultrasound Comparison of Small Coronary Lesions Between the CardioMind Coronary Stent and Conventional Sirolimus-Eluting Stent**
Kume, T., Waseda, K., Koo, B., Botelho, R., Verheye, S., Whitbourn, R., Meredith, I., Worthley, S., Hai, K. T., Yock, P. G., Honda, Y., Abizaid, A., Fitzgerald, et al
LIPPINCOTT WILLIAMS & WILKINS.2010
 - **Impact of Mechanical Factor and Biologic Response on Severe In-Stent Lumen Narrowing in Currently Approved Drug-Eluting Stents**
Sakata, K., Waseda, K., Otake, H., Nakatani, D., Kume, T., Yock, P. G., Fitzgerald, P. J., Honda, Y.
LIPPINCOTT WILLIAMS & WILKINS.2010
 - **Optical Control of Cardiomyocyte Depolarization and Inhibition Utilizing Channelrhodopsin-2 (ChR2) and a Third Generation Halorhodopsin (eNpHR3.0)**
Park, S., Vijaykumar, R., Yock, P. G., Wang, P. J., Deisseroth, K.
LIPPINCOTT WILLIAMS & WILKINS.2010
 - **Impact of Diabetes Mellitus on Vessel Response in the Drug-Eluting Stent Era: Pooled Volumetric Intravascular Ultrasound Analysis**
Sakata, K., Waseda, K., Otake, H., Nakatani, D., Kume, T., Yock, P. G., Fitzgerald, P. J., Honda, Y.
LIPPINCOTT WILLIAMS & WILKINS.2010
 - **Novel 3-Dimensional Microscopy Methodology Development to Study Regional Microstructural Changes over the Time Course of Abdominal Aortic Aneurysm Development** *Scientific Sessions on Arteriosclerosis, Thrombosis and Vascular Biology*
Saatchi, S., Azuma, J., Wanchoo, N., Tsao, P. S., Smith, S. J., Yock, P. G., Taylor, C. A.
LIPPINCOTT WILLIAMS & WILKINS.2010: E277–E277
 - **Sirolimus-eluting stent implantation in small coronary arteries: A three dimensional intravascular ultrasound study from the SIRIUS trial** *INTERNATIONAL JOURNAL OF CARDIOLOGY*
Kaneda, H., Ako, J., Terashima, M., Morino, Y., Honda, Y., Yock, P. G., Leon, M. B., Moses, J. W., Fitzgerald, P. J.
2010; 138 (2): 126-130
 - **Repeat Coronary Revascularization Procedures after Successful Bare-Metal or Drug-Eluting Stent Implantation** *JOURNAL OF INVASIVE CARDIOLOGY*
Yock, C. A., Isbill, J. M., King, S. B., Hlatky, M. A.
2010; 22 (1): 27-33
 - **Preprocedural Inflammation Does Not Affect Neointimal Hyperplasia following Everolimus-Eluting Stent Implantation** *JOURNAL OF INVASIVE CARDIOLOGY*
Nakatani, D., Ako, J., Yamasaki, M., Shimohama, T., Hasegawa, T., Otake, H., Waseda, K., Tsujino, I., Sakurai, R., Koo, B., Chang, H., Yock, P. G., Sudhir, et al
2009; 21 (12): 613-617

- **Comparison of Sirolimus-Eluting NEVO (TM) Stents With Paclitaxel-eluting CoStar (TM) Stents and Paclitaxel-eluting Taxus Liberte (TM) Stents: Insights From Intravascular Ultrasound Analysis of the Res-elution I and Costar II Trials** *82nd National Conference and Exhibitions and Scientific Sessions of the American-Heart-Association*
Otake, H., Shimohama, T., Tsujino, I., Ako, J., Waseda, K., Yock, P. G., Honda, Y., Kereiakes, D. J., Krucoff, M. W., Spaulding, C., Ormiston, J., Abizaid, A., Fitzgerald, et al
LIPPINCOTT WILLIAMS & WILKINS.2009: S915–S915
- **Evaluation of the Peri-strut Low Intensity Area Following Sirolimus- and Paclitaxel-Eluting Stents Implantation: Insights From an Optical Coherence Tomography Study in Humans** *82nd National Conference and Exhibitions and Scientific Sessions of the American-Heart-Association*
Otake, H., Ikeno, F., Shinke, T., Teramoto, T., Sawada, T., Miyoshi, N., Ako, J., Honda, Y., Yock, P. G., Fitzgerald, P. J., Hirata, K.
LIPPINCOTT WILLIAMS & WILKINS.2009: S1000–S1000
- **Impact of Lumen Narrowing Within Everolimus-Eluting Stents on Downstream Vessel Segments** *21st Annual Transcatheter Cardiovascular Therapeutics Conference*
Sakata, K., Ako, J., Waseda, K., Yamasaki, M., Tsujino, I., Shimohama, T., Otake, H., Hasegawa, T., Sakurai, R., Yock, P. G., Sudhir, K., Kusano, H., Stone, et al
EXCERPTA MEDICA INC-ELSEVIER SCIENCE INC.2009: 18D–18D
- **Six-Month Volumetric IVUS Analysis in Diabetic and non-Diabetic Patients Treated with The Custom NX Biolimus-A9 Eluting stent: A Pooled Analysis of CUSTOM II and III Trials** *21st Annual Transcatheter Cardiovascular Therapeutics Conference*
Shimohama, T., Ako, J., Nakatani, D., Waseda, K., Chang, H., Yock, P. G., Honda, Y., DeBruyne, B., Grube, E., Fitzgerald, P. J.
EXCERPTA MEDICA INC-ELSEVIER SCIENCE INC.2009: 63D–63D
- **Intravascular Ultrasound Results From the ENDEAVOR IV Trial Randomized Comparison Between Zotarolimus- and Paclitaxel-Eluting Stents in Patients With Coronary Artery Disease** *JACC-CARDIOVASCULAR INTERVENTIONS*
Waseda, K., Miyazawa, A., Ako, J., Hasegawa, T., Tsujino, I., Sakurai, R., Yock, P. G., Honda, Y., Kandzari, D. E., Leon, M. B., Fitzgerald, P. J.
2009; 2 (8): 779-784
- **Imaging Gene Expression in Human Mesenchymal Stem Cells: From Small to Large Animals** *RADIOLOGY*
Willmann, J. K., Paulmurugan, R., Rodriguez-Porcel, M., Stein, W., Brinton, T. J., Connolly, A. J., Nielsen, C. H., Lutz, A. M., Lyons, J., Ikeno, F., Suzuki, Y., Rosenberg, J., Chen, et al
2009; 252 (1): 117-127
- **Distribution pattern of neointimal hyperplasia following sirolimus-eluting stent implantation assessed by 3-dimensional intravascular ultrasound** *INTERNATIONAL JOURNAL OF CARDIOLOGY*
Kaneda, H., Ako, J., Terashima, M., Waseda, K., Yock, P. G., Fitzgerald, P. J.
2009; 135 (2): 243-245
- **Stage-Gate Process for the Development of Medical Devices** *JOURNAL OF MEDICAL DEVICES-TRANSACTIONS OF THE ASME*
Pietzsch, J. B., Shluzas, L. A., Pate-Cornell, M. E., Yock, P. G., Linehan, J. H.
2009; 3 (2)
- **Intraoperative Fluorescence Imaging System for On-Site Assessment of Off-Pump Coronary Artery Bypass Graft** *JACC-CARDIOVASCULAR IMAGING*
Waseda, K., Ako, J., Hasegawa, T., Shimada, Y., Ikeno, F., Ishikawa, T., Demura, Y., Hatada, K., Yock, P. G., Honda, Y., Fitzgerald, P. J., Takahashi, M.
2009; 2 (5): 604-612
- **Toward a 21st-Century Health Care System: Recommendations for Health Care Reform** *ANNALS OF INTERNAL MEDICINE*
Arrow, K., Auerbach, A., Bertko, J., Brownlee, S., Casalino, L. P., Cooper, J., Crosson, F. J., Enthoven, A., Falcone, E., Feldman, R. C., Fuchs, V. R., Garber, A. M., Gold, et al
2009; 150 (7): 493-?
- **Relative Dose and Vascular Response After Drug-Eluting Stent Implantation: A Dosimetric 3D-Intravascular Ultrasound Study** *58th Annual Scientific Session of the American-College-of-Cardiology*
Waseda, K., Hasegawa, T., Nakatani, D., Koo, B., Otake, H., Shimohama, T., Chang, H., Ako, J., Yock, P. G., Fitzgerald, P. J., Honda, Y.
ELSEVIER SCIENCE INC.2009: A9–A9
- **Comparison of Vessel Response Between Zotarolimus- and Paclitaxel-eluting Stents: Global and Focal Vessel Responses as Assessed by Serial Intravascular Ultrasound** *58th Annual Scientific Session of the American-College-of-Cardiology*
Waseda, K., Miyazawa, A., Hasegawa, T., Tsujino, I., Sakurai, R., Ako, J., Yock, P. G., Kandzari, D. E., Leon, M. B., Fitzgerald, P. J., Honda, Y.
ELSEVIER SCIENCE INC.2009: A12–A12
- **Intravascular Ultrasound Analysis of Vessel Response in Acute Coronary Syndrome Treated with Zotarolimus-Eluting Stents** *58th Annual Scientific Session of the American-College-of-Cardiology*

- Nakatani, D., Waseda, K., Otake, H., Koo, B., Sakurai, R., Miyazawa, A., Yamasaki, M., Ako, J., Chang, H., Fajadet, J., Kuntz, R. E., Wijns, W., Kandzari, et al
ELSEVIER SCIENCE INC.2009: A15–A15
- **Gender Difference in Vessel Response in Coronary Artery Disease Treated with Zotarolimus-Eluting Stents** *58th Annual Scientific Session of the American-College-of-Cardiology*
Nakatani, D., Waseda, K., Otake, H., Koo, B., Sakurai, R., Miyazawa, A., Yamasaki, M., Ako, J., Chang, H., Fajadet, J., Kuntz, R. E., Wijns, W., Kandzari, et al
ELSEVIER SCIENCE INC.2009: A94–A94
 - **THE ITERATIVE NATURE OF MEDICAL DEVICE DESIGN** *17th International Conference on Engineering Design*
Shluzas, L. A., Pietzsch, J. B., Pate-Cornell, M. E., Yock, P. G., Linehan, J. H.
DESIGN SOCIETY.2009: 85–96
 - **Arterial Responses at Proximal and Distal Edges of Everolimus-Eluting Stents: Insights from the Spirit III Randomized Controlled Trial** *81st Annual Scientific Session of the American-Heart-Association*
Otake, H., Ako, J., Yamasaki, M., Tsujino, I., Shimohama, T., Hasegawa, T., Sakurai, R., Waseda, K., Honda, Y., Yock, P. G., Cheong, W., Sudhir, K., Stone, et al
LIPPINCOTT WILLIAMS & WILKINS.2008: S1045–S1045
 - **Local Determinants and Clinical Significance of Thrombus Formation Following Sirolimus-Eluting Stent Implantation: Insights from Optical Coherence Tomography Analysis** *81st Annual Scientific Session of the American-Heart-Association*
Otake, H., Shite, J., Ako, J., Shinke, T., Sawada, T., Bon-Kwon, K., Yock, P. G., Honda, Y., Fitzgerald, P. J., Hirata, K.
LIPPINCOTT WILLIAMS & WILKINS.2008: S896–S896
 - **Efficacy Of The Everolimus-eluting Stent in Diabetic Patients: Comparison With The Paclitaxel-eluting Stent** *81st Annual Scientific Session of the American-Heart-Association*
Otake, H., Ako, J., Yamasaki, M., Tsujino, I., Shimohama, T., Hasegawa, T., Sakurai, R., Waseda, K., Yock, P. G., Honda, Y., Sood, P., Sudhir, K., Stone, et al
LIPPINCOTT WILLIAMS & WILKINS.2008: S1042–S1042
 - **Impact of Pre-procedural C-reactive Protein on Intravascular Ultrasound Parameters following Everolimus-eluting Stent Implantation: Results from the SPIRIT III Trial** *81st Annual Scientific Session of the American-Heart-Association*
Nakatani, D., Ake, J., Yamasaki, M., Shimohama, T., Otake, H., Tsujino, I., Koo, B., Waseda, K., Chang, H., Sakurai, R., Yock, P. G., Honda, Y., Pierson, et al
LIPPINCOTT WILLIAMS & WILKINS.2008: S1051–S1051
 - **SPIRIT III Japan: Eight-Month IVUS Analysis of Everolimus-Eluting Stent Compared to the US Arm** *81st Annual Scientific Session of the American-Heart-Association*
Shimohama, T., Otake, H., Ako, J., Yamasaki, M., Tsujino, I., Waseda, K., Hasegawa, T., Sakurai, R., Nakatani, D., Chang, H., Yock, P. G., Honda, Y., Kusano, et al
LIPPINCOTT WILLIAMS & WILKINS.2008: S1044–S1044
 - **Vascular Response to Overlapping Everolimus-eluting stents: Comparison with Paclitaxel-eluting Stents** *20th Annual Transcatheter Cardiovascular Therapeutics Conference*
Otake, H., Ako, J., Yamasaki, M., Tsujino, I., Shimohama, T., Hasegawa, T., Sakurai, R., Waseda, K., Yock, P. G., Honda, Y., Sudhir, K., Stone, G. W., Fitzgerald, et al
EXCERPTA MEDICA INC-ELSEVIER SCIENCE INC.2008: 170I–170I
 - **IVUS Analysis in the SPIRIT III Japan Treated with XIENCE (TM) V Everolimus-Eluting Stent Compared to the SPIRIT III US Arm** *20th Annual Transcatheter Cardiovascular Therapeutics Conference*
Shimohama, T., Otake, H., Ako, J., Yamasaki, M., Tsujino, I., Waseda, K., Hasegawa, T., Sakurai, R., Nakatani, D., Chang, H., Yock, P. G., Honda, Y., Kusano, et al
EXCERPTA MEDICA INC-ELSEVIER SCIENCE INC.2008: 138I–138I
 - **Pooled Analysis of CUSTOM II and III Trials: Six-Month IVUS Analysis of Very Long Lesions Treated with the Custom NX Biolimus-A9 Eluting Stent** *20th Annual Transcatheter Cardiovascular Therapeutics Conference*
Shimohama, T., Ako, J., Nakatani, D., Waseda, K., Chang, H., Yock, P. G., Honda, Y., De Bruyne, B., Grube, E., Fitzgerald, P. J.
EXCERPTA MEDICA INC-ELSEVIER SCIENCE INC.2008: 137I–137I
 - **Comparison of Vascular Response to Zotarolimus-Eluting Stent Versus Paclitaxel-Eluting Stent Implantation: IVUS Results From the ENDEAVOR IV Trial** *20th Annual Transcatheter Cardiovascular Therapeutics Conference*
Waseda, K., Miyazawa, A., Hasegawa, T., Tsujino, I., Sakurai, R., Ako, J., Yock, P. G., Honda, Y., Kandzari, D. E., Leon, M. B., Fitzgerald, P. J.
EXCERPTA MEDICA INC-ELSEVIER SCIENCE INC.2008: 146I–146I
 - **Six-Month IVUS Analysis of Pimecrolimus and Dual Pimecrolimus/Paclitaxel Eluting Stents: Results of the GENESIS Trial** *20th Annual Transcatheter Cardiovascular Therapeutics Conference*

- Shimohama, T., Tsujino, I., Ako, J., Hasegawa, T., Chang, H., Yock, P. G., Honda, Y., Dawkins, K. D., Verheye, S., Fitzgerald, P. J.
EXCERPTA MEDICA INC-ELSEVIER SCIENCE INC.2008: 139I-140I
- **Transcriptome Alteration in the Diabetic Heart by Rosiglitazone: Implications for Cardiovascular Mortality** *PLOS ONE*
Wilson, K. D., Li, Z., Wagner, R., Yue, P., Tsao, P., Nestorova, G., Huang, M., Hirschberg, D. L., Yock, P. G., Quertermous, T., Wu, J. C.
2008; 3 (7)
 - **In Vivo Comparison Between Optical Coherence Tomography and Intravascular Ultrasound for Detecting Small Degrees of In-Stent Neointima After Stent Implantation** *JACC-CARDIOVASCULAR INTERVENTIONS*
Suzuki, Y., Ikeno, F., Koizumi, T., Tio, F., Yeung, A. C., Yock, P. G., Fitzgerald, P. J., Fearon, W. F.
2008; 1 (2): 168-173
 - **Eight-month volumetric IVUS analysis in DIM and non-DM patients treated with XIENCE V everolimus-eluting coronary stent** *57th Annual Scientific Session of the American-College-of-Cardiology*
Shimohama, T., Ake, J., Yamasaki, M., Tsujino, I., Hassan, A. H., Hasegawa, T., Sakurai, R., Waseca, K., Yock, P. G., Honda, Y., Suchir, K., Stone, G. W., Fitzgerald, et al
ELSEVIER SCIENCE INC.2008: B43-B43
 - **Overlapping drug-eluting stents: Intravascular ultrasound insights from cobalt chromium stent with antiproliferative for restenosis II (COSTAR II) trial** *57th Annual Scientific Session of the American-College-of-Cardiology*
Ako, J., Tsujino, I., Koizumi, T., Waseda, K., Honda, Y., Yock, P. G., Kereiakes, D. J., Krucoff, M. W., Fitzgerald, P. J.
ELSEVIER SCIENCE INC.2008: B41-B41
 - **Coronary risk factors and coronary atheroma burden at severely narrowing segments** *INTERNATIONAL JOURNAL OF CARDIOLOGY*
Kaneda, H., Kataoka, T., Ako, J., Honda, Y., Yock, P. G., Fitzgerald, P. J.
2008; 124 (1): 124-126
 - **Reporter gene imaging following percutaneous delivery in swine - Moving toward clinical applications** *JOURNAL OF THE AMERICAN COLLEGE OF CARDIOLOGY*
Rodriguez-Porcel, M., Brinton, T. J., Chen, I. Y., Gheysens, O., Lyons, J., Ikeno, F., Willmann, J. K., Wu, L., Wu, J. C., Yeung, A. C., Yock, P., Gambhir, S. S.
2008; 51 (5): 595-597
 - **Predictive value of the index of microcirculatory resistance in patients with ST-segment elevation myocardial infarction** *JOURNAL OF THE AMERICAN COLLEGE OF CARDIOLOGY*
Fearon, W. F., Shah, M., Ng, M., Brinton, T., Wilson, A., Tremmel, J. A., Schnitger, I., Lee, D. P., Vagelos, R. H., Fitzgerald, P. J., Yock, P. G., Yeung, A. C.
2008; 51 (5): 560-565
 - **Determinants of lumen loss between years 1 and 2 after cardiac transplantation** *TRANSPLANTATION*
Sakurai, R., Yamasaki, M., Nakamura, M., Hirohata, A., Honda, Y., Bonneau, H. N., Luikart, H., Yock, P. G., Fitzgerald, P. J., Yeung, A. C., Valentine, H. A., Fearon, W. F.
2007; 84 (9): 1097-1102
 - **Neointimal hyperplasia patterns among 3 drug-eluting stents: A comparative intravascular ultrasound analysis of everolimus-, sirolimus-, and paclitaxel-eluting stents** *80th Annual Scientific Session of the American-Heart-Association (AHA)*
Sakurai, R., Courtney, B. K., Yamasaki, M., Tsujino, I., Waseda, K., Hasegawa, T., Shimohama, T., Ako, J., Hongo, Y., Morino, Y., Miyazawa, A., Hur, S., Koizumi, et al
LIPPINCOTT WILLIAMS & WILKINS.2007: 615-15
 - **Characteristics of late incomplete stent apposition: A comparison between sirolimus- and zotarblimds-eluting stents** *80th Annual Scientific Session of the American-Heart-Association (AHA)*
Waseda, K., Ako, J., Tsujino, I., Yamasaki, M., Koizumi, T., Miyazawa, A., Shimada, Y., Yock, P. G., Meredith, I., Fitzgerald, P. J., Honda, Y.
LIPPINCOTT WILLIAMS & WILKINS.2007: 468-68
 - **Detailed intravascular ultrasound analysis of Zotarolimus-eluting phosphorylcholine-coated cobalt-chromium alloy stent in de Novo Coronary lesions (results from the ENDEAVOR II trial)** *AMERICAN JOURNAL OF CARDIOLOGY*
Sakurai, R., Hongo, Y., Yamasaki, M., Honda, Y., Bonneau, H. N., Yock, P. G., Cutlip, D., Popma, J. J., Zimetbaum, P., Fajadet, J., Kuntz, R. E., Wijns, W., Fitzgerald, et al
2007; 100 (5): 818-823
 - **Neointimal progression and luminal narrowing in sirolimus-eluting stent treatment for bare metal in-stent restenosis: A quantitative intravascular ultrasound analysis** *AMERICAN HEART JOURNAL*
Sakurai, R., Ako, J., Hassan, A. H., Bonneau, H. N., Neumann, F., Desmet, W., Holmes, D. R., Yock, P. G., Fitzgerald, P. J., Honda, Y.

2007; 154 (2): 361-365

- **Changes in coronary anatomy and physiology after heart transplantation** *AMERICAN JOURNAL OF CARDIOLOGY*
Hirohata, A., Nakamura, M., Waseda, K., Honda, Y., Lee, D. P., Vagelos, R. H., Hunt, S. A., Valentine, H. A., Yock, P. G., Fitzgerald, P. J., Yeung, A. C., Fearon, W. F.
2007; 99 (11): 1603-1607
- **Serial intravascular ultrasonic study of outcomes of coronary culprit lesions with plaque rupture following bare metal stent implantation in patients with angina pectoris** *AMERICAN JOURNAL OF CARDIOLOGY*
Hur, S., Hassan, A. H., Rekh, R., Ako, J., Shimada, Y., Nakamura, M., Yamasaki, M., Bonneau, H. N., Sudhir, K., Yock, P. G., Honda, Y., Fitzgerald, P. J.
2007; 99 (10): 1394-1398
- **Comparison of vessel response following sirolimus-eluting stent implantation as assessed by serial 3-D intravascular ultrasound study.** *journal of invasive cardiology*
Waseda, K., Ako, J., Shimada, Y., Morino, Y., Tsujino, I., Hongo, Y., Sudhir, K., Yock, P. G., Fitzgerald, P. J., Honda, Y.
2007; 19 (4): 171-173
- **Aggressive prophylaxis against cytomegalovirus plays a key role in preseving epicardial artery flow early after cardiac transplantation** *56th Annual Scientific Session of the American-College-of-Cardiology*
Sakurai, R., Yamasaki, M., Potena, L., Hirohata, A., Honda, Y., Yock, P. G., Fitzgerald, P. J., Yeung, A. C., Valentine, H. A., Fearon, W. F.
ELSEVIER SCIENCE INC.2007: 78A-78A
- **Impact of gender on neointimal hyperplasia following coronary artery stenting** *AMERICAN JOURNAL OF CARDIOLOGY*
Kaneda, H., Ako, J., Kataoka, T., Takahashi, T., Terashima, M., Waseda, K., Miyazawa, A., Hassan, A. H., Honda, Y., Yock, P. G., Fitzgerald, P. J.
2007; 99 (4): 491-493
- **Comparison of the efficacy of direct coronary stenting with sirolimus-eluting stents versus stenting with predilation by intravascular ultrasound imaging (from the DIRECT trial)** *AMERICAN JOURNAL OF CARDIOLOGY*
Hirohata, A., Morino, Y., Ako, J., Sakurai, R., Buchbinder, M., Caputo, R. P., Karas, S. P., Mishkel, G. J., Mooney, M. R., O'Shaughnessy, C. D., Raizner, A. E., Wilensky, R. L., Williams, et al
2006; 98 (11): 1464-1467
- **Inventing our future: training the next generation of surgeon innovators.** *Seminars in pediatric surgery*
Krummel, T. M., Gertner, M., Makower, J., Milroy, C., Gurtner, G., Woo, R., Riskin, D. J., Binyamin, G., Connor, J. A., Mery, C. M., Shafi, B. M., Yock, P. G.
2006; 15 (4): 309-318
- **Impact of donor-transmitted atherosclerosis on early cardiac allograft vasculopathy; New findings by 3-D IVUS** *79th Annual Scientific Session of the American-Heart-Association*
Yamasaki, M., Sakurai, R., Hirohata, A., Honda, Y., Yock, P. G., Fitzgerald, P. J., Yeung, A. C., Valentine, H. A., Fearon, W. F.
LIPPINCOTT WILLIAMS & WILKINS.2006: 533-33
- **Two-year intravascular ultrasound observations in diabetic patient treated with single and double dose sirolimus-eluting stents: Results of the double dose diabetes (3D) study** *79th Annual Scientific Session of the American-Heart-Association*
Hur, S., Shimada, Y., Tsushino, I., Ako, J., Hassan, A. H., Abizaid, A., Sousa, J. E., Lewis, B. S., Guagliumi, G., Yock, P. G., Honda, Y., Fitzgerald, P. J.
LIPPINCOTT WILLIAMS & WILKINS.2006: 589-89
- **Impact of stent dimension on neointimal hyperplasia within zotarolimus eluting phosphorylcholine-coated cobalt-chromium Alloy Stent: A 3-D IVUS analysis** *79th Annual Scientific Session of the American-Heart-Association*
Yamasaki, M., Sakurai, R., Hongo, Y., Miyazawa, A., Hur, S., Honda, Y., Yock, P. G., Fitzgerald, P. J.
LIPPINCOTT WILLIAMS & WILKINS.2006: 394-94
- **Impact of double dose sirolimus-eluting stents on neointimal hyperplasia in diabetic patients: A serial (6-month and 2-year) intravascular ultrasound analysis from the double dose diabetes (3D) study** *18th Annual Transcatheter Cardiovascular Therapeutics Symposium*
Hur, S., Shimada, Y., Tsushino, I., Ako, J., Hassan, A. H., Abizaid, A., Sousa, J. E., Lewis, B. S., Guagliumi, G., Yock, P. G., Fitzgerald, P. J., Honda, Y.
EXCERPTA MEDICA INC-ELSEVIER SCIENCE INC.2006: 116M-116M
- **Impact of double dose sirolimus-eluting stents on neointimal hyperplasia in diabetic patients: A serial (6-month and 2-year) intravascular ultrasound analysis from the double dose diabetes (3D) study** *18th Annual Transcatheter Cardiovascular Therapeutics Symposium*
Hur, S., Shimada, Y., Tsushino, I., Ako, J., Hassan, A. H., Abizaid, A., Sousa, J. E., Lewis, B. S., Guagliumi, G., Yock, P. G., Fitzgerald, P. J., Honda, Y.
EXCERPTA MEDICA INC-ELSEVIER SCIENCE INC.2006: 46M-47M

- **Influence of diabetes mellitus on vessel response following zotarolimus-eluting stent: Volumetric intravascular ultrasound analysis from the ZOMAXX IVUS trial** *18th Annual Transcatheter Cardiovascular Therapeutics Symposium*
Waseda, K., Hasegawa, T., Ako, J., Yock, P. G., Honda, Y., Abizaid, A., Fitzgerald, P. J.
EXCERPTA MEDICA INC-ELSEVIER SCIENCE INC.2006: 125M–125M
- **Novel intra-operative fluorescence imaging system for on-site assessment of off-pump coronary artery bypass graft** *18th Annual Transcatheter Cardiovascular Therapeutics Symposium*
Waseda, K., Chang, H., Ako, J., Shimoda, Y., Hasegawa, T., Ikeno, F., Ishikawa, T., Okayama, T., Yock, P. G., Honda, Y., Fitzgerald, P. J., Takahashi, M.
EXCERPTA MEDICA INC-ELSEVIER SCIENCE INC.2006: 247M–248M
- **Optical coherence tomography: In-vivo correlation with histology** *18th Annual Transcatheter Cardiovascular Therapeutics Symposium*
Ikeno, F., Koizumi, T., Yeung, A. C., Yock, P. G., Fitzgerald, P. J., Fearon, W. F.
EXCERPTA MEDICA INC-ELSEVIER SCIENCE INC.2006: 93M–93M
- **Predictors of recurrent in-stent restenosis after beta-radiation: An analysis from the START 40/20 trial.** *Journal of interventional cardiology*
Kaneda, H., Honda, Y., Morino, Y., Lansky, A. J., Yock, P. G., Bonan, R., Fitzgerald, P. J.
2006; 19 (5): 376-380
- **Intravascular ultrasonic analysis of atherosclerotic vessel remodeling and plaque distribution of stenotic left anterior descending coronary arterial bifurcation lesions upstream and downstream of the side branch** *AMERICAN JOURNAL OF CARDIOLOGY*
Shimada, Y., Courtney, B. K., Nakamura, M., Hongo, Y., Sonoda, S., Hassan, A. H., Yock, P. G., Honda, Y., Fitzgerald, P. J.
2006; 98 (2): 193-196
- **Discordant changes in epicardial and microvascular coronary physiology after cardiac transplantation: Physiologic investigation for transplant arteriopathy II (PITA II) study** *JOURNAL OF HEART AND LUNG TRANSPLANTATION*
Fearon, W. F., Hirohata, A., Nakamura, M., Luikart, H., Lee, D. P., Vagelos, R. H., Hunt, S. A., Valentine, H. A., Fitzgerald, P. J., Yock, P. G., Yeung, A. C.
2006; 25 (7): 765-771
- **Safety of beta radiation exposure to the non-target segment: an intravascular ultrasound dosimetric analysis.** *journal of invasive cardiology*
Kaneda, H., Honda, Y., Morino, Y., Fox, T., Crocker, I., Lansky, A. J., Yock, P. G., Bonan, R., Fitzgerald, P. J.
2006; 18 (7): 309-312
- **Influence of plaque calcium on neointimal hyperplasia following bare metal and drug-eluting stent implantation** *CATHETERIZATION AND CARDIOVASCULAR INTERVENTIONS*
Shimada, Y., Kataoka, T., Courtney, B. K., Morino, Y., Bonneau, H. N., Yock, P. G., Grube, E., Honda, Y., Fitzgerald, P. J.
2006; 67 (6): 866-869
- **Location of focal vasospasm provoked by ergonovine maleate within coronary arteries in patients with vasospastic angina pectoris** *AMERICAN JOURNAL OF CARDIOLOGY*
Koizumi, T., Yokoyama, M., Namikawa, S., Kuriyama, N., Nameki, M., Nakayama, T., Kaneda, H., Sudhir, K., Yock, P. G., Komiyama, N., Fitzgerald, P. J.
2006; 97 (9): 1322-1325
- **Mechanisms of lumen narrowing of saphenous vein bypass grafts 12 months after implantation: An intravascular ultrasound study** *AMERICAN HEART JOURNAL*
Kaneda, H., Terashima, M., Takahashi, T., Iversen, S., Felderhoff, T., Grube, E., Yock, P. G., Honda, Y., Fitzgerald, P. J.
2006; 151 (3): 726-729
- **Longitudinal distribution of neointimal hyperplasia within ABT-578 eluting phosphorylcholine-coated stents in de novo coronary lesions** *i2 Summit 2006 on Innovation in Intervention*
Sakurai, R., Hongo, Y., Wijns, W., Fajadet, J., Kuntz, R. E., Cutlip, D., Popma, J. J., Zimetbaum, P., Yock, P. G., Fitzgerald, P. J., Honda, Y.
ELSEVIER SCIENCE INC.2006: 3B–3B
- **Novel intra-operative fluorescence imaging system for on-site assessment of off-pump coronary artery bypass graft** *55th Annual Scientific Session of the American-College-of-Cardiology*
Waseda, K., Hasegawa, T., SHIMADA, Y., Ako, J., Ikeno, F., Yock, P. G., Honda, Y., Fitzgerald, P. J., Takahashi, M.
ELSEVIER SCIENCE INC.2006: 178A–178A
- **Impact of final stent dimensions on long-term stent patency following ABT-578 eluting phosphorylcholine coated cobalt chromium alloy stent implantation: A serial 3-D IVUS study** *i2 Summit 2006 on Innovation in Intervention*
Hu, S. H., Miyazawa, A., Sakurai, R., YAMASAKI, M., Hongo, Y., Wijns, W., Faladet, J., Leon, M. B., Kandzari, D. E., Yock, P. G., Fitzgerald, P. J., Honda, Y.
ELSEVIER SCIENCE INC.2006: 2B–2B

- **Twelve-month intravascular ultrasound results from STEALTH-1: A randomized first in man trial of Biolimus A9 eluting stents** *i2 Summit 2006 on Innovation in Intervention*
Jegere, S., Koizumi, T., YAMASAKI, M., SHIMADA, Y., Hassan, A. H., Yock, P. G., Hauptmann, K. E., Grube, E., Honda, G., Abizaid, A., Fitzgerald, P. J. ELSEVIER SCIENCE INC.2006: 39B–39B
- **Quantitative evaluation of sex mismatch cell transplantation using real-time polymerase chain reaction is efficacious for determining myocardial cell delivery efficiency** *i2 Summit 2006 on Innovation in Intervention*
Brinton, T. J., Wilson, K. D., Price, E. T., Zhang, S. X., Krishnan, M., Wu, J. C., Yeung, A. C., Yock, P. G. ELSEVIER SCIENCE INC.2006: 42B–42B
- **Heterogeneity of neointimal distribution of in-stent restenosis in patients with diabetes mellitus** *AMERICAN JOURNAL OF CARDIOLOGY*
Kaneda, H., Ako, J., Kataoka, T., Takahashi, T., Terashima, M., Waseda, K., Miyazawa, A., Hassan, A., Honda, Y., Yock, P. G., Fitzgerald, P. J. 2006; 97 (3): 340-342
- **Design in BME: Challenges, issues, and opportunities** *3rd Annual Biomedical Imaging Research Opportunities Workshop*
Lerner, A. L., KenKnight, B. H., Rosenthal, A., Yock, P. G. SPRINGER.2006: 200–208
- **Impact of asymmetric stent expansion on neointimal hyperplasia following sirolimus-eluting stent implantation** *AMERICAN JOURNAL OF CARDIOLOGY*
Kaneda, H., Ako, J., Honda, Y., Terashima, M., Morino, Y., Yock, P. G., Popma, J. J., Leon, M. B., Moses, J. W., Fitzgerald, P. J. 2005; 96 (10): 1404-1407
- **Predictors of edge stenosis following sirolimus-eluting stent deployment (A quantitative intravascular ultrasound analysis from the SIRIUS trial)** *AMERICAN JOURNAL OF CARDIOLOGY*
Sakurai, R., Ako, J., Morino, Y., Sonoda, S., Kaneda, H., Terashima, M., Hassan, A. H., Leon, M. B., Moses, J. W., Popma, J. J., Bonneau, H. N., Yock, P. G., Fitzgerald, et al 2005; 96 (9): 1251-1253
- **Impact of intravascular ultrasound lesion characteristics on neointimal hyperplasia following sirolimus-eluting stent implantation** *AMERICAN JOURNAL OF CARDIOLOGY*
Kaneda, H., Koizumi, T., Ako, J., Terashima, M., Morino, Y., Honda, Y., Yock, P. G., Leon, M. B., Moses, J. W., Fitzgerald, P. J. 2005; 96 (9): 1237-1241
- **Different vessel response between LAD and non-LAD after treatment with sirolimus-eluting stent: A serial 3D-intravascular ultrasound study** *78th Annual Scientific Session of the American-Heart-Association*
Waseda, K., Ako, J., SHIMADA, Y., Morino, Y., Hongo, Y., Sudhir, K., Yock, P. G., Fitzgerald, P. J., Honda, Y. LIPPINCOTT WILLIAMS & WILKINS.2005: U799–U799
- **A randomized comparison of ABT-578 eluting phosphorylcholine-coated cobalt-chromium stents with bare metal stents in de novo coronary lesions: Final intravascular ultrasound results from the ENDEAVOR II trial** *78th Annual Scientific Session of the American-Heart-Association*
Sakurai, R., Hongo, Y., Honda, Y., Cutlip, D., Popma, J. J., Zimetbaum, P., Yock, P. G., Fajadet, J., Pasteur, C., Kuntz, R. E., Wijns, W., Fitzgerald, P. J. LIPPINCOTT WILLIAMS & WILKINS.2005: U748–U748
- **Characteristics of late incomplete stent apposition: A comparison among bare metal stents, intracoronary radiation, and drug-eluting stents** *78th Annual Scientific Session of the American-Heart-Association*
Miyazawa, A., SHIMADA, Y., Courtney, B. K., Sakurai, R., Nakamura, M., Ako, J., Okura, H., Hassan, A. H., Sudhir, K., Yock, P. G., Fitzgerald, P. J., Honda, Y. LIPPINCOTT WILLIAMS & WILKINS.2005: U800–U800
- **Impact of gender on neointimal hyperplasia following coronary artery stenting** *78th Annual Scientific Session of the American-Heart-Association*
Kaneda, H., Ako, J., Kataoka, T., Takahashi, T., Terashima, M., SHIMADA, Y., Waseda, K., Miyazawa, A., Sakurai, R., Honda, Y., Yock, P. G., Fitzgerald, P. J. LIPPINCOTT WILLIAMS & WILKINS.2005: U834–U834
- **Changes in the anatomy and physiology of the coronary circulation after cardiac transplantation: Novel structural and physiologic evidence of cardiac transplant arteriopathy** *78th Annual Scientific Session of the American-Heart-Association*
Hirohata, A., Nakamura, M., Waseda, K., Valantine, H. A., Hunt, S. A., Honda, Y., Yock, P. G., Fitzgerald, P. J., Yeung, A. C., Fearon, W. F. LIPPINCOTT WILLIAMS & WILKINS.2005: U517–U517
- **Double balloon occlusion system superior to single balloon occlusion for selective interstitial retrograde venous delivery** *17th Annual Transcatheter Cardiovascular Therapeutics Symposium/4th Annual Transcatheter Cardiovascular Therapeutics Inflammation Summit*
Brinton, T. J., Price, E. T., Ikeno, F., Hou, D. M., Lyons, J. K., Rezaee, M., March, K. L., Fitzgerald, P. J., Yeung, A. C., Yock, P. G. EXCERPTA MEDICA INC-ELSEVIER SCIENCE INC.2005: 40H–40H

- **Safety and feasibility of novel guidewire-based self-expanding stent delivery system** *17th Annual Transcatheter Cardiovascular Therapeutics Symposium/4th Annual Transcatheter Cardiovascular Therapeutics Inflammation Summit*
YAMASAKI, M., Honda, Y., Hongo, Y., George, B., Nikolchev, J., Yock, P. G., Fitzgerald, P. J., Gradman, M.
EXCERPTA MEDICA INC-ELSEVIER SCIENCE INC.2005: 33H–33H
- **Intravascular ultrasound analysis of ABT-578 eluting phosphorylcholine-coated cobalt-chromium stents compared to bare metal stents in de novo coronary lesions: Results from the ENDEAVOR II trial** *17th Annual Transcatheter Cardiovascular Therapeutics Symposium/4th Annual Transcatheter Cardiovascular Therapeutics Inflammation Summit*
Sakurai, R., Hongo, Y., Honda, Y., Cutlip, D., Popma, J. J., Zimetbaum, P., Yock, P. G., Fajadet, J., Kuntz, R. E., Wijns, W., Fitzgerald, P. J.
EXCERPTA MEDICA INC-ELSEVIER SCIENCE INC.2005: 184H–184H
- **Intravascular ultrasound analysis of sirolimus-eluting stents for the treatment of in-stent restenosis: Results from the TROPICAL trial** *17th Annual Transcatheter Cardiovascular Therapeutics Symposium/4th Annual Transcatheter Cardiovascular Therapeutics Inflammation Summit*
Sakurai, R., Ako, J., Kaneda, H., Hassan, A. H., Honda, Y., Grube, E., Mugge, A., Aengevaeren, W., Yock, P. G., Neumann, F. J., Desmet, W., Fitzgerald, P. J.
EXCERPTA MEDICA INC-ELSEVIER SCIENCE INC.2005: 95H–95H
- **Late incomplete stent apposition after sirolimus-eluting stent implantation - A serial intravascular ultrasound analysis** *JOURNAL OF THE AMERICAN COLLEGE OF CARDIOLOGY*
Ako, J., Morino, Y., Honda, Y., Hassan, A., Sonoda, S., Yock, P. G., Leon, M. B., Moses, J. W., Bonneau, H. N., Fitzgerald, P. J.
2005; 46 (6): 1002-1005
- **Radiolabeled cell distribution after intramyocardial, intracoronary, and interstitial retrograde coronary venous delivery - Implications for current clinical trials** *CIRCULATION*
Hou, D. M., Youssef, E. A., Brinton, T. J., Zhang, P., Rogers, P., Price, E. T., Yeung, A. C., Johnstone, B. H., Yock, P. G., March, K. L.
2005; 112 (9): I150-I156
- **Effect of lumen narrowing within coronary stents on proximal and distal vessel segments following bare metal stent implantation** *AMERICAN JOURNAL OF CARDIOLOGY*
Kaneda, H., Ako, J., Kataoka, T., Miyazawa, A., Terashima, M., Ikeno, F., Sonoda, S., SHIMADA, Y., Morino, Y., Honda, Y., Yock, P. G., Fitzgerald, P. J.
2005; 96 (3): 376-378
- **Heterogeneity of neointimal distribution of instant restenosis in diabetic patients** *54th Annual Scientific Session of the American-College-of-Cardiology*
Ako, J., Kaneda, H., Miyazawa, A., Nakamura, M., Sonoda, S., Morino, Y., Yock, P. G., Fitzgerald, P. J., Honda, Y.
ELSEVIER SCIENCE INC.2005: 59A–59A
- **Assessment of fibrous cap thickness in lipid-rich plaques by optical coherence tomography assisted with attenuation signal analysis** *54th Annual Scientific Session of the American-College-of-Cardiology*
Sakanoue, Y., Courtney, B. K., Stamper, D. L., Honda, Y., Herz, P. R., Giattina, S. D., Ko, T. H., Adams, S. B., Roberts, M. J., Chan, F. P., Yock, P. G., Robertson, A. L., Fujimoto, et al
ELSEVIER SCIENCE INC.2005: 45A–45A
- **Impact of direct coronary stenting on neointimal distribution within sirolimus-eluting stents - IVUS subanalysis from the DIRECT trial** *54th Annual Scientific Session of the American-College-of-Cardiology*
Hirohata, A., Ako, J., Sakurai, R., Fearon, W. F., Caputo, R., Mishkel, G., Mooney, M., O'Shaughnessy, C., Raizner, A., Wilensky, R., Williams, D., Wong, S. C., Karas, et al
ELSEVIER SCIENCE INC.2005: 70A–70A
- **High resolution ex vivo magnetic resonance imaging of human coronary arteries: A comparison with intravascular ultrasound imaging** *54th Annual Scientific Session of the American-College-of-Cardiology*
SHIMADA, Y., Courtney, B. K., McConnell, M. V., Stamper, D. L., Giattina, S. D., Brezinski, M. E., Yock, P. G., Fitzgerald, P. J., Honda, Y.
ELSEVIER SCIENCE INC.2005: 77A–77A
- **Efficacy of reduced sirolimus doses on neointimal hyperplasia: Serial IVUS analyses from the REDOX trial** *54th Annual Scientific Session of the American-College-of-Cardiology*
Hirohata, A., Abizaid, A., Nakamura, M., Yock, P. G., Tanajura, L. F., Mattos, L. A., Chaves, A., Centemero, M., Feres, F., Giorgianni, J. A., Sousa, A., Honda, Y., Fitzgerald, et al
ELSEVIER SCIENCE INC.2005: 43A–44A
- **Efficacy of direct coronary stenting in sirolimus-eluting stents: IVUS analysis from the DIRECT trial** *77th Scientific Meeting of the American-Heart-Association*
Hirohata, A., Ako, J., Sakurai, R., Wilensky, R. L., Williams, D. O., Wong, S. C., Karas, S. P., Yock, P. G., Moses, J. W., Honda, Y., Fitzgerald, P. J.

LIPPINCOTT WILLIAMS & WILKINS.2004: 356–57

- **Time course of neointimal hyperplasia growth in de novo human coronary lesions treated with the ABT-578 eluting phosphorylcholine-coated Stent implantation** *77th Scientific Meeting of the American-Heart-Association*
Hongo, Y., Sakurai, R., Meredith, I. T., Whitbourn, R., Kay, I. P., Adams, M., Aroney, C., Hassan, A., Yock, P. G., Fitzgerald, P. J., Honda, Y.
LIPPINCOTT WILLIAMS & WILKINS.2004: 379–79
- **Impact of lumen reduction at stented segment on vessel responses in adjacent reference segments after bare metal stent implantation: Serial 3-dimensional intravascular ultrasound analysis** *16th Annual Transcatheter Cardiovascular Therapeutics Symposium*
Ako, J., Kaneda, H., Ikeno, F., Sonoda, S., Kataoka, T., Shimoda, Y., Terashima, M., Sakurai, R., Honda, Y., Morino, Y., Yock, P. G., Fitzgerald, P. J.
EXCERPTA MEDICA INC-ELSEVIER SCIENCE INC.2004: 163E–164E
- **Intracoronary versus percutaneous endomyocardial delivery of porcine mesenchymal stem cells to areas of myocardial infarction.** *16th Annual Transcatheter Cardiovascular Therapeutics Symposium*
Price, E. T., Ikeno, F., Arai, T., Gnanashanmugam, S., Cahill, J. C., Johnson, P. L., Lyons, J. K., Yeung, A. C., Yock, P. G., Rezaee, M.
EXCERPTA MEDICA INC-ELSEVIER SCIENCE INC.2004: 91E–91E
- **Distribution pattern of intimal hyperplasia after sirolimus-eluting stent implantation assessed by 3-dimensional intravascular ultrasound.** *16th Annual Transcatheter Cardiovascular Therapeutics Symposium*
Kaneda, H., Ako, J., Terashima, M., Honda, Y., Sakurai, R., Morino, Y., Yock, P. G., Leon, M. B., Moses, J. W., Fitzgerald, P. J.
EXCERPTA MEDICA INC-ELSEVIER SCIENCE INC.2004: 162E–162E
- **Atherosclerotic plaque distribution and remodeling of bifurcation lesions upstream and downstream of the side branch.** *16th Annual Transcatheter Cardiovascular Therapeutics Symposium*
SHIMADA, Y., Nakamura, M., Courtney, B. K., Hongo, Y., Sonoda, S., Yock, P. G., Honda, Y., Fitzgerald, P. J.
EXCERPTA MEDICA INC-ELSEVIER SCIENCE INC.2004: 183E–183E
- **Mesenchymal stem cells derived from adult porcine bone marrow demonstrate plasticity to undergo directed differentiation for cardiac cellular transplantation** *16th Annual Transcatheter Cardiovascular Therapeutics Symposium*
Price, E. T., Cahill, J. C., Gnanashanmugam, S., Johnson, P. L., Yock, P. G., Rezaee, M.
EXCERPTA MEDICA INC-ELSEVIER SCIENCE INC.2004: 21E–21E
- **Minimal microvascular resistance is not influenced by epicardial stenosis severity: animal validation** *ESC Congress 2004*
Fearon, W. F., Aarnoudse, W., De Bruyne, B., Cooke, D. T., Balsam, L. B., Yeung, A. C., Yock, P. G., Pijls, N. H.
OXFORD UNIV PRESS.2004: 431–431
- **Impact of final Stent dimensions on long-term results following sirolimus-eluting stent implantation - Serial intravascular ultrasound analysis from the SIRIUS trial** *JOURNAL OF THE AMERICAN COLLEGE OF CARDIOLOGY*
Sonoda, S., Morino, Y., Ako, J., Terashima, M., Hassan, A. H., Bonneau, H. N., Leon, M. B., Moses, J. W., Yock, P. G., Honda, Y., Kuntz, R. E., Fitzgerald, P. J.
2004; 43 (11): 1959-1963
- **Validation of a thermographic guidewire for endoluminal mapping of atherosclerotic disease: An in vitro study** *CATHETERIZATION AND CARDIOVASCULAR INTERVENTIONS*
Courtney, B. K., Nakamura, M., Tsugita, R., Lilly, R., Basisht, R., Grube, E., Honda, Y., Yock, P. G., Fitzgerald, P. J.
2004; 62 (2): 221-229
- **Microvascular resistance is not influenced by epicardial coronary artery stenosis severity - Experimental validation** *CIRCULATION*
Fearon, W. F., Aarnoudse, W., Pijls, N. H., De Bruyne, B., Balsam, L. B., Cooke, D. T., Robbins, R. C., Fitzgerald, P. J., Yeung, A. C., Yock, P. G.
2004; 109 (19): 2269-2272
- **Predictors of edge stenosis following sirolimus-eluting stent deployment: A quantitative intravascular ultrasound analysis from the SIRIUS trial** *53rd Annual Scientific Session of the American-College-of-Cardiology*
Sakurai, R., Ako, J., Sonoda, S., Kaneda, H., Morino, Y., Terashima, M., Hassan, A., Yock, P. G., Leon, M. B., Moses, J. W., Fitzgerald, P. J., Honda, Y.
ELSEVIER SCIENCE INC.2004: 67A–68A
- **Exaggeration of neointimal hyperplasia following stent deployment in type B bifurcation lesions** *53rd Annual Scientific Session of the American-College-of-Cardiology*
Hirohata, A., Nakamura, M., Fearon, W. F., Honda, Y., Yock, P. G., Fitzgerald, P. J.
ELSEVIER SCIENCE INC.2004: 55A–55A
- **Intravascular ultrasound analysis of the new ABT-578 eluting phosphorylcholine-coated stent implantation to de novo human coronary lesions: The ENDEAVOR I trial** *53rd Annual Scientific Session of the American-College-of-Cardiology*

- Hongo, Y., Sakurai, R., Meredith, I., Whitbourn, R. J., Ormiston, J., Key, P., Muller, D., Pitney, M., Aroney, C., Adams, M., Hassan, A., Honda, Y., Yock, et al
ELSEVIER SCIENCE INC.2004: 85A–85A
- **Influence of vessel wall calcium on neointimal growth following bare metal and sirolimus-eluting stent implantation: A 3-D intravascular ultrasound substudy of the SIRIUS trial** *53rd Annual Scientific Session of the American-College-of-Cardiology*
SHIMADA, Y., Ako, J., Courtney, B. K., Kataoka, T., Sonoda, S., Morino, Y., Moses, J. W., Leon, M. B., Fitzgerald, P. J., Yock, P. G., Honda, Y.
ELSEVIER SCIENCE INC.2004: 45A–45A
 - **Incidence and characteristics of ruptured plaque in human femoro-popliteal arteries** *53rd Annual Scientific Session of the American-College-of-Cardiology*
Hongo, Y., Hassan, A., Sudhir, K., Yock, P. G., Fitzgerald, P. J., Honda, Y.
ELSEVIER SCIENCE INC.2004: 472A–472A
 - **Optimal geometry is still important with sirolimus-eluting stents: Incomplete stent expansion as a risk for target lesion revascularization** *53rd Annual Scientific Session of the American-College-of-Cardiology*
Ako, J., Morino, Y., Terashima, M., Honda, Y., Sonoda, S., Leon, M. B., Moses, J. W., Yock, P. G., Fitzgerald, P.
ELSEVIER SCIENCE INC.2004: 84A–84A
 - **Effect of everolimus-eluting stents in preventing neointimal hyperplasia: An intravascular ultrasound analysis from the FUTURE II trial** *53rd Annual Scientific Session of the American-College-of-Cardiology*
Sonoda, S., Grube, E., SHIMADA, Y., Hassan, A. H., Honda, Y., Yock, P. G., Chan, C., Honda, H., Kar, S., Hauptmann, K. E., Storger, H., Lansky, A. J., Fitzgerald, et al
ELSEVIER SCIENCE INC.2004: 66A–66A
 - **Impact of stent implantation techniques on stent edge neointimal hyperplasia following sirolimus-eluting stenting** *53rd Annual Scientific Session of the American-College-of-Cardiology*
Van Den Heuvel, M., Nakamura, M., Ako, J., Morino, Y., Honda, Y., Leon, M. B., Moses, J. W., Yock, P. G., Fitzgerald, P. J., Yeung, A. C.
ELSEVIER SCIENCE INC.2004: 84A–85A
 - **Impact of preinterventional lesion calcification on neointimal hyperplasia following sirolimus-eluting stent implantation: An intravascular ultrasound analysis** *53rd Annual Scientific Session of the American-College-of-Cardiology*
Kaneda, H., Koizumi, T., Ako, J., Honda, Y., Terashima, M., SHIMADA, Y., Morino, Y., Yock, P. G., Leon, M. B., Moses, J. W., Fitzgerald, P. J.
ELSEVIER SCIENCE INC.2004: 67A–67A
 - **An intravascular ultrasound analysis from FUTURE I, the first human experience using everolimus-eluting stents: Six- and 12-month results** *53rd Annual Scientific Session of the American-College-of-Cardiology*
Sonoda, S., Grube, E., SHIMADA, Y., Hassan, A. H., Yock, P. G., Chan, C., Honda, H., Kar, S., Lansky, A. J., Fitzgerald, P. J., Honda, Y.
ELSEVIER SCIENCE INC.2004: 85A–86A
 - **Morphological characteristics of de novo coronary lesions presenting with plaque rupture: An intravascular ultrasound study** *53rd Annual Scientific Session of the American-College-of-Cardiology*
Hassan, A., Basisht, R., Nakamura, M., SHIMADA, Y., Honda, Y., Yock, P. G., Fitzgerald, P. J.
ELSEVIER SCIENCE INC.2004: 73A–73A
 - **Evaluation of high-pressure retrograde coronary venous delivery of FGF-2 protein** *CATHETERIZATION AND CARDIOVASCULAR INTERVENTIONS*
Fearon, W. F., Ikeno, F., Bailey, L. R., Hiatt, B. L., Herity, N. A., Carter, A. J., Fitzgerald, P. J., Rezaee, M., Yeung, A. C., Yock, P. G.
2004; 61 (3): 422-428
 - **Early experience with a novel plaque excision system for the treatment of complex coronary lesions** *CATHETERIZATION AND CARDIOVASCULAR INTERVENTIONS*
Ikeno, F., Hinohara, T., Robertson, G. C., Rezaee, M., Yock, P. G., Reimers, B., Colombo, A., Grube, E., Simpson, J. B.
2004; 61 (1): 35-43
 - **Intracoronary ultrasound diagnosis of an aortic dissection causing anterior acute myocardial infarction** *CIRCULATION*
Hibi, K., Kimura, K., Nakatogawa, T., Okuda, J., Umemura, S., Yock, P. G.
2003; 108 (20): E145-E146
 - **Images in cardiovascular medicine. Intracoronary ultrasound diagnosis of an aortic dissection causing anterior acute myocardial infarction.** *Circulation*
Hibi, K., Kimura, K., Nakatogawa, T., Okuda, J., Umemura, S., Yock, P. G.
2003; 108 (20): e145-6
 - **Late incomplete stent apposition and focal vessel expansion after bare metal stenting** *AMERICAN JOURNAL OF CARDIOLOGY*

Nakamura, M., Kataoka, T., Honda, Y., Bonneau, H. N., Hibi, K., Kitamura, K., Tamai, H., Aizawa, T., Yock, P. G., Fitzgerald, P. J.
2003; 92 (10): 1217-1219

- **Inhibition of delta-protein kinase C protects against reperfusion injury of the ischemic heart in vivo** *CIRCULATION*
Inagaki, K., Chen, L., Ikeno, F., Lee, F. H., Imahashi, K., Bouley, D. M., Rezaee, M., Yock, P. G., Murphy, E., Mochly-Rosen, D.
2003; 108 (19): 2304-2307
- **Comparison of coronary thermodilution and Doppler velocity for assessing coronary flow reserve** *CIRCULATION*
Fearon, W. F., Farouque, H. M., Balsam, L. B., Cooke, D. T., Robbins, R. C., Fitzgerald, P. J., Yeung, A. C., Yock, P. G.
2003; 108 (18): 2198-2200
- **In-stent neointimal hyperplasia distribution and edge effect following mycophenolic acid (MPA) eluting stent implantation: A 3D IVUS substudy of the IMPACT trial** *76th Annual Scientific Session of the American-Heart-Association*
SHIMADA, Y., Sonoda, S., Kataoka, T., Ikeno, F., Sakurai, R., Londero, H. F., Ormiston, J., Abizaid, A., Sousa, J. E., Yock, P. G., Honda, Y.
LIPPINCOTT WILLIAMS & WILKINS.2003: 463-63
- **Simultaneous assessment of fractional and coronary flow reserves in cardiac transplant recipients - Physiologic investigation for transplant arteriopathy (PITA study)** *CIRCULATION*
Fearon, W. F., Nakamura, M., Lee, D. P., Rezaee, M., Vagelos, R. H., Hunt, S. A., Fitzgerald, P. J., Yock, P. G., Yeung, A. C.
2003; 108 (13): 1605-1610
- **Influence of proximal vessel stenting on plaque progression to the distal reference segment** *15th Annual Transcatheter Cardiovascular Therapeutics Symposium*
Basisht, R., Nakamura, M., Tamai, H., Aizawa, T., Honda, Y., Yock, P. G., Fitzgerald, P. J.
EXCERPTA MEDICA INC-ELSEVIER SCIENCE INC.2003: 205L-206L
- **Impact of asymmetric stent expansion on neointimal hyperplasia after sirolimus-eluting stent implantation** *15th Annual Transcatheter Cardiovascular Therapeutics Symposium*
Kaneda, H., Ako, J., Honda, Y., Sakurai, R., Terashima, M., Sonoda, S., SHIMADA, Y., Morino, Y., Yock, P. G., Leon, M. B., Moses, J. W., Fitzgerald, P. J.
EXCERPTA MEDICA INC-ELSEVIER SCIENCE INC.2003: 187L-187L
- **Preinterventional intraluminal thrombus is associated with a higher incidence of poststent tissue protrusion: An intravascular ultrasound study** *15th Annual Transcatheter Cardiovascular Therapeutics Symposium*
Hassan, A., Basisht, R., Nakamura, M., SHIMADA, Y., Honda, Y., Yock, P., Fitzgerald, P.
EXCERPTA MEDICA INC-ELSEVIER SCIENCE INC.2003: 209L-209L
- **Segmental occlusion of the anterior intraventricular vein significantly improves regional delivery after high-pressure retroperfusion** *15th Annual Transcatheter Cardiovascular Therapeutics Symposium*
Gnanashanmugam, S., Wei, K., Price, E. T., Ikeno, F., Lyons, J. K., Yeung, A. C., Yock, P. G., Rezaee, M.
EXCERPTA MEDICA INC-ELSEVIER SCIENCE INC.2003: 105L-105L
- **Late incomplete apposition with excessive remodeling of the stented coronary artery following intravascular brachytherapy** *AMERICAN JOURNAL OF CARDIOLOGY*
Okura, H., Lee, D. P., Lo, S., Yeung, A. C., Honda, Y., Waksman, R., Kaluza, G. L., Ali, N. M., Bonneau, H. N., Yock, P. G., Raizner, A. E., Mintz, G. S., Fitzgerald, et al
2003; 92 (5): 587-590
- **Novel index for invasively assessing the coronary microcirculation** *CIRCULATION*
Fearon, W. F., Balsam, L. B., Farouque, H. M., Robbins, R. C., Fitzgerald, P. J., Yock, P. G., Yeung, A. C.
2003; 107 (25): 3129-3132
- **Effect of a change in gender on coronary arterial size - A longitudinal intravascular ultrasound study in transplanted hearts** *49th Annual Scientific Session of the American-College-of-Cardiology*
Herity, N. A., Lo, S., Lee, D. P., Ward, M. R., Filardo, S. D., Yock, P. G., Fitzgerald, P. J., Hunt, S. A., Yeung, A. C.
ELSEVIER SCIENCE INC.2003: 1539-46
- **Cost-effectiveness of measuring fractional flow reserve to guide coronary interventions** *AMERICAN HEART JOURNAL*
Fearon, W. F., Yeung, A. C., Lee, D. P., Yock, P. G., Heidenreich, P. A.
2003; 145 (5): 882-887
- **Incidence and characteristics of ruptured plaque in femoro-popliteal arteries** *52nd Annual Scientific Session of the American-College-of-Cardiology*

- Hongo, Y., Hassan, A., Sudhir, K., Adelman, D., Honda, Y., Yock, P. G., Fitzgerald, P. J.
ELSEVIER SCIENCE INC.2003: 303A–304A
- **Is coronary thermodilution as accurate as Doppler velocity for measuring coronary flow reserve?** *52nd Annual Scientific Session of the American-College-of-Cardiology*
Fearon, W. F., Balsam, L. B., Farouque, H. M., Caffarelli, A. D., Robbins, R. C., Fitzgerald, P. J., Yeung, A. C., Yock, P. G.
ELSEVIER SCIENCE INC.2003: 59A–59A
 - **Predictors of neointimal regression six months after intravascular brachytherapy for in-stent restenosis** *52nd Annual Scientific Session of the American-College-of-Cardiology*
Okura, H., Limpjankit, T., Kaneda, H., Sakurai, R., Mintz, G. S., Lansky, A. J., Waksman, R., Yock, P. G., Honda, Y., Fitzgerald, P. J.
ELSEVIER SCIENCE INC.2003: 9A–9A
 - **Percutaneous endocardial versus selective coronary various cellular delivery: Comparisons of transplant efficiency, distribution, and efficacy in reducing infarct size and improving myocardial function** *52nd Annual Scientific Session of the American-College-of-Cardiology*
Price, E. T., Ikeno, F., Fenn, R. C., Chu, P., Lyons, J. K., Fitzgerald, P. J., Yeung, A. C., Yock, P. G., Rezaee, M.
ELSEVIER SCIENCE INC.2003: 67A–67A
 - **A novel invasive assessment of the coronary microcirculation** *52nd Annual Scientific Session of the American-College-of-Cardiology*
Fearon, W. F., Balsam, L. B., Farouque, H. M., Caffarelli, A. D., Robbins, R. C., Fitzgerald, P. J., Yock, P. G., Yeung, A. C.
ELSEVIER SCIENCE INC.2003: 10A–10A
 - **Effects of sirolimus-eluting stents in diabetic patients volumetric intravascular ultrasound analysis from the SIRIUS trial** *52nd Annual Scientific Session of the American-College-of-Cardiology*
Ako, J., Morino, Y., Honda, Y., Sonoda, S., Terashima, M., Hassan, A., Jaeger, J. J., Simonton, C. A., Roberts, D. K., Cleman, M. W., Leon, M. B., Moses, J. W., Yock, et al
ELSEVIER SCIENCE INC.2003: 73A–73A
 - **An optimal diagnostic threshold of minimum stent area to predict long-term stent patency following sirolimus-eluting stent implantation: Serial intravascular ultrasound analysis from the SIRIUS trial** *52nd Annual Scientific Session of the American-College-of-Cardiology*
Sonoda, S., Morino, Y., Ako, J., Hassan, A., Reisman, M., Wong, S. C., Bass, T. A., Yeung, A. C., Leon, M. B., Moses, J. W., Yock, P. G., Honda, Y., Fitzgerald, et al
ELSEVIER SCIENCE INC.2003: 80A–80A
 - **Physiologic interrogation of transplant arteriopathy: Final results** *52nd Annual Scientific Session of the American-College-of-Cardiology*
Fearon, W. F., Nakamura, M., Lee, D. P., Rezaee, M., Vagelos, R. H., Hunt, S. A., Fitzgerald, P. J., Yock, P. G., Yeung, A. C.
ELSEVIER SCIENCE INC.2003: 29A–29A
 - **Influence of calcium on neointimal growth following drug-eluting and bare metal stents implantation: A 3-D intravascular ultrasound substudy of the SCORE trial** *52nd Annual Scientific Session of the American-College-of-Cardiology*
Kataoka, T., Morino, Y., Courtney, B. K., Basisht, R., Hur, S. H., Yock, P. G., Grube, E., Fitzgerald, P. J., Honda, Y.
ELSEVIER SCIENCE INC.2003: 80A–81A
 - **Overlapping sirolimus-eluting stents: Intravascular ultrasound analysis from the SIRIUS trial** *52nd Annual Scientific Session of the American-College-of-Cardiology*
Morino, Y., Ako, J., Honda, Y., Sonoda, S., Terashima, M., Hassan, A., Holmes, D. R., Williams, D. O., Fischell, T. A., Keim, E., Yock, P. G., Leon, M. B., Moses, et al
ELSEVIER SCIENCE INC.2003: 81A–81A
 - **Late incomplete stent apposition following sirolimus-eluting stent: Serial quantitative intravascular ultrasound analysis from the SIRIUS trial** *52nd Annual Scientific Session of the American-College-of-Cardiology*
Ako, J., Morino, Y., Honda, Y., Sonoda, S., Terashima, M., Hassan, A., Leon, M. B., Moses, J. W., Osterle, S., Brown, C. L., Baim, D. S., Yock, P. G., Fitzgerald, et al
ELSEVIER SCIENCE INC.2003: 33A–33A
 - **Taxol-based eluting stents from theory to human validation: clinical and intravascular ultrasound observations.** *journal of invasive cardiology*
Sonoda, S., Honda, Y., Kataoka, T., Bonneau, H. N., Sudhir, K., Yock, P. G., Mintz, G. S., Fitzgerald, P. J.
2003; 15 (3): 109-114
 - **Relationship between neointimal regrowth and mechanism of acute lumen gain during the treatment of in-stent restenosis with or without supplementary intravascular radiation** *CATHETERIZATION AND CARDIOVASCULAR INTERVENTIONS*
Morino, Y., Limpjankit, T., Honda, Y., Somrantin, M., Waksman, R., Bonneau, H. N., Yock, P. G., Mintz, G. S., Fitzgerald, P. J.

2003; 58 (2): 162-167

- **Impact of deep vessel wall injury on acute response and remodeling of coronary artery segments after cutting balloon angioplasty** *AMERICAN JOURNAL OF CARDIOLOGY*
Nakamura, M., Yock, P. G., Kataoka, T., Bonneau, H. N., Suzuki, T., Yamaguchi, T., Honda, Y., Fitzgerald, P. J.
2003; 91 (1): 6-11
- **Efficacy and feasibility of helixcision for debulking neointimal hyperplasia for in-stent restenosis** *CATHETERIZATION AND CARDIOVASCULAR INTERVENTIONS*
Nakamura, M., Fitzgerald, P. J., Ikeno, F., Honda, Y., Sousa, J. E., Abizaid, A., de Brito, F. S., Tofte, A., Grube, E., Patterson, G. R., Yock, P. G., Yeung, A. C., Carter, et al
2002; 57 (4): 460-466
- **Mechanisms of acute lumen gain following cutting balloon angioplasty in calcified and noncalcified lesions: An intravascular ultrasound study** *CATHETERIZATION AND CARDIOVASCULAR INTERVENTIONS*
Okura, M., Hayase, M., Shimodozono, S., Kobayashi, T., Sano, K., Matsushita, T., Kondo, T., Kijima, M., Nishikawa, H., Kurogane, H., Aizawa, T., Hosokawa, H., Suzuki, et al
2002; 57 (4): 429-436
- **Quantitative and spatial relation of baseline atherosclerotic plaque burden and subsequent in-stent neointimal proliferation as determined by intravascular ultrasound** *AMERICAN JOURNAL OF CARDIOLOGY*
Hibi, K., Suzuki, T., Honda, Y., Hayase, M., Bonneau, H. N., Yock, P. G., Yeung, A. C., Fitzgerald, P. J.
2002; 90 (10): 1164-?
- **Effect of sirolimus eluting stents on neointimal hyperplasia: A serial in-stent IVUS interim analysis from the SIRIUS trial** *American-Heart-Association Abstracts From Scientific Sessions*
Ako, J., Morino, Y., Sonoda, S., Terashima, M., Hassan, A. H., Jaeger, J. L., Perin, E. C., Wilensky, R. L., Yock, P. G., Moses, J., Fitzgerald, P. J.
LIPPINCOTT WILLIAMS & WILKINS.2002: 520-20
- **Physiologic interrogation of transplant arteriopathy** *American-Heart-Association Abstracts From Scientific Sessions*
Fearon, W. F., Nakamura, M., Lee, D. P., Rezaee, M., Vagelos, R. H., Hunt, S. A., Yock, P. G., Yeung, A. C.
LIPPINCOTT WILLIAMS & WILKINS.2002: 591-91
- **Beneficial effects of coronary debulking prior to stenting in LAD ostial lesion: A volumetric IVUS substudy from the DESIRE trial** *American-Heart-Association Abstracts From Scientific Sessions*
Kataoka, T., Nakamura, M., Kitamura, K., Bullesfeld, L., Aizawa, T., Tamai, H., Yock, P. G., Honda, Y.
LIPPINCOTT WILLIAMS & WILKINS.2002: 586-87
- **Myocardial delivery of labeled fibroblast growth factor-2 protein by high pressure, retrograde coronary venous injection is more efficient than intracoronary administration** *American-Heart-Association Abstracts From Scientific Sessions*
Fearon, W. F., Ikeno, F., Price, E., Bailey, L. R., Herity, N. A., Fitzgerald, P. J., Rezaee, M., Yeung, A. C., Yock, P. G.
LIPPINCOTT WILLIAMS & WILKINS.2002: 656-56
- **Predictors of recurrent in-stent restenosis after beta-radiation: An IVUS analysis from the START 40/20 trial** *American-Heart-Association Abstracts From Scientific Sessions*
Kaneda, H., Morino, Y., Honda, Y., Yock, P., Bonan, R.
LIPPINCOTT WILLIAMS & WILKINS.2002: 336-36
- **Arterial response during cutting balloon angioplasty: A volumetric intravascular ultrasound study** *JOURNAL OF THE FORMOSAN MEDICAL ASSOCIATION*
Liao, C. K., Bonneau, H. N., Yock, P. G., Fitzgerald, P. J.
2002; 101 (11): 756-761
- **Delivered dose and vascular response after beta-radiation for in-stent restenosis - Retrospective dosimetry and volumetric intravascular ultrasound analysis** *CIRCULATION*
Morino, Y., Kaneda, H., Fox, T., Takagi, A., Hassan, A. H., Bonan, R., Crocker, I., Lansky, A. J., Laskey, W. K., Suntharalingam, M., Bonneau, H. N., Yock, P. G., Honda, et al
2002; 106 (18): 2334-2339
- **New catheter-based technology for the treatment of restenosis.** *Journal of interventional cardiology*
Kataoka, T., Honda, Y., Bonneau, H. N., Yock, P. G., Fitzgerald, P. J.
2002; 15 (5): 371-379

- **7-hexanoyltaxol-eluting stent for prevention of neointimal growth - An intravascular ultrasound analysis from the study to Compare REstenosis rate between QueST and QuaDS-QP2 (SCORE) CIRCULATION**
Kataoka, T., Grube, E., Honda, Y., Morino, Y., Hur, S. H., Bonneau, H. N., Colombo, A., Di Mario, C., Guagliumi, G., Hauptmann, K. E., Pitney, M. R., Lansky, A. J., Stertz, et al
2002; 106 (14): 1788-1793
- **Cut to the future: Early experience with a new atherectomy device - The ReFORM debulking catheter system. 11th Annual Symposium on Transcatheter Cardiovascular Therapeutics**
Ikeno, F., Liao, C. K., Rezaee, M., Yock, P. G., Hinohara, T., Robertson, G., Reimers, B., Grube, E., Colombo, A., Simpson, J. B.
EXCERPTA MEDICA INC-ELSEVIER SCIENCE INC.2002: 109H-109H
- **"Arteries within the artery" after Kawasaki disease - A lotus root appearance by intravascular ultrasound CIRCULATION**
Terashima, M., Awano, K., Honda, Y., Yoshino, N., Mori, T., Fujita, H., Ohashi, Y., Seguchi, O., Kobayashi, K., Yamagishi, M., Fitzgerald, P. J., Yock, P. G., Maeda, et al
2002; 106 (7): 887-887
- **Images in cardiovascular medicine. "Arteries within the artery" after Kawasaki disease: a lotus root appearance by intravascular ultrasound. Circulation**
Terashima, M., Awano, K., Honda, Y., Yoshino, N., Mori, T., Fujita, H., Ohashi, Y., Seguchi, O., Kobayashi, K., Yamagishi, M., Fitzgerald, P. J., Yock, P. G., Maeda, et al
2002; 106 (7): 887-?
- **Impact of deep vessel wall injury and vessel stretching on subsequent arterial remodeling after balloon angioplasty: A serial intravascular ultrasound study AMERICAN HEART JOURNAL**
Okura, H., Shimodozono, S., Hayase, M., Bonneau, H. N., Yock, P. G., Fitzgerald, P. J.
2002; 144 (2): 323-328
- **Discrimination of early/intermediate and advanced/complicated coronary plaque types by radiofrequency intravascular ultrasound analysis AMERICAN JOURNAL OF CARDIOLOGY**
Stahr, P. M., Hofflinghaus, T., Voigtlander, T., Courtney, B. K., Victor, A., Otto, M., Yock, P. G., Brennecke, R., Fitzgerald, P. J.
2002; 90 (1): 19-23
- **Late vascular response to repeat stenting for in-stent restenosis with and without radiation - An intravascular ultrasound volumetric analysis CIRCULATION**
Morino, Y., Limpijankit, T., Honda, Y., Lansky, A. J., Waksman, R., Bonneau, H. N., Yock, P. G., Mintz, G. S., Fitzgerald, P. J.
2002; 105 (21): 2465-2468
- **Helical atherectomy for in-stent restenosis: Acute and long-term results from the Helixcision (TM) EndoLuminal In-stent Excision (HELIX I) international Feasibility trial**
Nakamura, M., Carter, A. J., Honda, Y., Abizaid, A., Tofte, A., Grube, E., Yock, P. G., Yeung, A. C., Fitzgerald, P. J.
ELSEVIER SCIENCE INC.2002: 56A-56A
- **A novel inhibitor of protein kinase-C as a therapeutic for ischemic reperfusion injury in acute coronary syndromes**
Lee, F., Inagaki, K., Chen, L., Bailey, L., Ikeno, F., Lyons, J., Bouley, D., Yock, P., Carter, A., Yeung, A., Mochly-Rosen, D.
ELSEVIER SCIENCE INC.2002: 445A-445A
- **High pressure, retrograde, coronary venous delivery of FGF-2 protein improves coronary blood flow in a porcine model of myocardial ischemia**
Fearon, W. F., Rezaee, M., Hiatt, B. L., Ikeno, F., Bailey, L., Suzuki, T., Herity, N., Fitzgerald, P. J., Carter, A. J., Yeung, A. C., Yock, P. G.
ELSEVIER SCIENCE INC.2002: 10A-10A
- **Local motexafin lutetium delivery with subsequent photoangioplasty reduces macrophages and atheroma burden in a rabbit postballoon injury model**
Woodburn, K. W., Hayase, M., Yock, P., Yeung, A. C.
ELSEVIER SCIENCE INC.2002: 68A-68A
- **Effect of local delivery of L-arginine on in-stent restenosis in humans AMERICAN JOURNAL OF CARDIOLOGY**
Suzuki, T., Hayase, M., Hibi, K., Hosokawa, H., Yokoya, K., Fitzgerald, P. J., Yock, P. G., Cooke, J. P., Suzuki, T., Yeung, A. C.
2002; 89 (4): 363-367
- **Effects of transducer position on backscattered intensity in coronary arteries ULTRASOUND IN MEDICINE AND BIOLOGY**
Courtney, B. K., Robertson, A. L., Maehara, A., Luna, J., Kitamura, K., Morino, Y., Achalu, R., Kirti, S., Yock, P. G., Fitzgerald, P. J.
2002; 28 (1): 81-91

- **Predictors and outcomes of stent thrombosis - An intravascular ultrasound registry** *EUROPEAN HEART JOURNAL*
Uren, N. G., Schwarzacher, S. P., Metz, J. A., Lee, D. R., Honda, Y., Yeung, A. C., Fitzgerald, P. J., Yock, P. G.
2002; 23 (2): 124-132
- **Impact of pre-interventional arterial remodeling on subsequent vessel behavior after balloon angioplasty: A serial intravascular ultrasound study** *JOURNAL OF THE AMERICAN COLLEGE OF CARDIOLOGY*
Okura, H., Hayase, M., Shimodozono, S., Bonneau, H. N., Yock, P. G., Fitzgerald, P. J.
2001; 38 (7): 2001-2005
- **Efficacy of postdeployment balloon dilatation for current generation stents as assessed by intravascular ultrasound** *AMERICAN JOURNAL OF CARDIOLOGY*
Hur, S. H., Kitamura, K., Morino, Y., Honda, Y., Jones, M., Korr, K. S., Reen, B., Cooper, C. J., Niess, G. S., Christie, L., Corey, W., Messenger, J., Yock, et al
2001; 88 (10): 1114-1119
- **A comparison of angiographic and physiologic correlates to myocardial perfusion**
Fearon, W., Hiatt, B., Rezaee, M., Herity, N., Suzuki, T., Ikeno, F., Yeung, A. G., Carter, A. J., Yock, P.
LIPPINCOTT WILLIAMS & WILKINS.2001: 580-80
- **Fractional flow reserve compared with intravascular ultrasound guidance for optimizing stent deployment** *CIRCULATION*
Fearon, W. F., Luna, J., Samady, H., Powers, E. R., Feldman, T., Dib, N., Tuzcu, E. M., Cleman, M. W., Chou, T. M., Cohen, D. J., Ragosta, M., Takagi, A., Jeremias, et al
2001; 104 (16): 1917-1922
- **Efficacy of helixcision for debulking neointimal hyperplasia for in-stent restenosis: A serial baseline analysis from the helixcision endoluminal in-stent excision (HELIX I) international feasibility trial.**
Nakamura, M., Carter, A. J., Honda, Y., Abizaid, A., Tofte, A., Grube, E., Yock, P. G., Yeung, A. C., Fitzgerald, P. J.
EXCERPTA MEDICA INC.2001: 51G-51G
- **Coronary artery distensibility and compensatory vessel enlargement - a novel parameter influencing vascular remodeling?** *BASIC RESEARCH IN CARDIOLOGY*
Jeremias, A., Spies, C., Herity, N. A., Ward, M. R., Pomerantsev, E., Yock, P., Fitzgerald, P. J., Yeung, A. C.
2001; 96 (5): 506-512
- **An optimal diagnostic threshold for minimal stent area to predict target lesion revascularization following stent implantation in native coronary lesions** *AMERICAN JOURNAL OF CARDIOLOGY*
Morino, Y., Honda, Y., Okura, H., Oshima, A., Hayase, M., Bonneau, H. N., Kuntz, R. E., Yock, P. G., Fitzgerald, P. J.
2001; 88 (3): 301-?
- **Novel drug-delivery stent - Intravascular ultrasound observations from the first human experience with the QP2-eluting polymer stent system** *CIRCULATION*
Honda, Y., Grube, E., de la Fuente, L. M., Yock, P. G., Stertz, S. H., Fitzgerald, P. J.
2001; 104 (4): 380-383
- **Impact of peri-stent remodeling on restenosis - A volumetric intravascular ultrasound study** *CIRCULATION*
Nakamura, M., Yock, P. G., Bonneau, H. N., Kitamura, K., Aizawa, T., Tamai, H., Fitzgerald, P. J., Honda, Y.
2001; 103 (17): 2130-2132
- **Intravascular sonotherapy decreases neointimal hyperplasia after stent implantation in swine** *CIRCULATION*
Fitzgerald, P. J., Takagi, A., Moore, P., Hayase, M., Kolodgie, F. D., Corl, D., Nassi, M., Virmani, R., Yock, P.
2001; 103 (14): 1828-1831
- **Long-term vessel response to a self-expanding coronary stent: A serial volumetric intravascular ultrasound analysis from the ASSURE trial** *JOURNAL OF THE AMERICAN COLLEGE OF CARDIOLOGY*
Kobayashi, Y., Honda, Y., Christie, L. G., Teirstein, P. S., Bailey, S. R., Brown, C. L., Matthews, R. V., De Franco, A. C., Schwartz, R. S., Goldberg, S., Popma, J. J., Yock, P. G., Fitzgerald, et al
2001; 37 (5): 1329-1334
- **American College of Cardiology Clinical Expert Consensus Document on Standards for Acquisition, Measurement and Reporting of Intravascular Ultrasound Studies (IVUS) - A report of the American College of Cardiology Task Force on Clinical Expert Consensus - Documents developed in collaboration with the European Society of Cardiology endorsed by the Society of Cardiac Angiography and Interventions** *JOURNAL OF THE AMERICAN COLLEGE OF CARDIOLOGY*

- Mintz, G. S., Nissen, S. E., Anderson, W. D., Bailey, S. R., Erbel, R., Fitzgerald, P. J., Pinto, F. J., Rosenfield, K., Siegel, R. J., Tuzcu, E. M., Yock, P. G. 2001; 37 (5): 1478-1492
- **Preintervention arterial remodeling affects clinical outcome following stenting: An intravascular ultrasound study** *JOURNAL OF THE AMERICAN COLLEGE OF CARDIOLOGY*
Okura, H., Morino, Y., Oshima, A., Hayase, M., Ward, M. R., Popma, J. J., Kuntz, R. E., Bonneau, H. N., Yock, P. G., Fitzgerald, P. J. 2001; 37 (4): 1031-1035
 - **Effects of intravenous and intracoronary adenosine 5'-triphosphate as compared with adenosine on coronary flow and pressure dynamics - Response** *CIRCULATION*
Jeremias, A., Filardo, S. D., Whitbourn, R. J., Kernoff, R. S., Yeung, A. C., Fitzgerald, P. J., Yock, P. G. 2001; 103 (10): E58-E58
 - **Photoangioplasty with local motexafin lutetium delivery reduces macrophages in a rabbit post-balloon injury model** *CARDIOVASCULAR RESEARCH*
Hayase, M., Woodbum, K. W., Perlroth, J., MILLER, R. A., Baumgardner, W., Yock, P. G., Yeung, A. 2001; 49 (2): 449-455
 - **The efficacy of post-deployment balloon dilatation for the current generation stents: A serial volumetric intravascular ultrasound study**
Hur, S. H., Kitamura, K., Morino, Y., Honda, Y., Jones, M., Korr, K. S., Reen, B., Copper, C. J., Niess, O. S., Christie, L., Corey, W., Messenger, J., Yock, et al ELSEVIER SCIENCE INC.2001: 26A-27A
 - **Basic fibroblast growth factor may attenuate susceptibility to ventricular tachyarrhythmias in chronically ischemic porcine myocardium**
Day, J. D., Rezaee, M., Chun, S. H., Yeung, A. C., Yock, P. G., Fitzgerald, P. J., Carter, A., Robertson, A. L., Sung, R. J. ELSEVIER SCIENCE INC.2001: 135A-135A
 - **Acute and chronic vessel responses to direct stenting vs stenting with predilatation: A serial intravascular ultrasound study**
Shimodozono, S., Honda, Y., Caputo, R. P., O'Shaughnessy, C. D., Low, R. L., Rutherford, B. D., Zetterlund, P. C., Rogers, C. D., Yock, P. G., Baim, D. S., Fitzgerald, P. J. ELSEVIER SCIENCE INC.2001: 26A-26A
 - **Late stent malapposition following intracoronary radiation: A serial intravascular ultrasound study**
Okura, H., Limpijankit, T., Lee, D. P., Lo, S., Yeung, A. C., Waksman, R., Kaluza, G. L., Ali, N. M., Bonneau, H. N., Yock, P. G., Raizner, A. E., Mintz, G. S., Fitzgerald, et al ELSEVIER SCIENCE INC.2001: 57A-57A
 - **Is the use of fractional flow reserve to guide coronary interventions cost-effective?**
Fearon, W. F., Yeung, A. C., Honda, Y., Yock, P. G., Heidenreich, P. A. ELSEVIER SCIENCE INC.2001: 12A-12A
 - **Therapeutic angiogenesis by selective delivery of basic fibroblast growth factor in the anterior interventricular vein**
Rezaee, M., Herity, N. A., Lo, S., Suzuki, T., Lee, D. P., Yeung, A. C., Fitzgerald, P. J., Carter, A. J., Yock, P. G. ELSEVIER SCIENCE INC.2001: 47A-47A
 - **Fractional flow reserve compared to intravascular ultrasound guidance for optimal stent deployment: Final results of the FUSION study**
Fearon, W. F., Takagi, A., Luna, J., Jeremias, A., Samady, H., Powers, E. R., Feldman, T., Dib, N., Tuzcu, E. M., Cleman, M. W., Chou, T. M., Cohen, D. J., Yeung, et al ELSEVIER SCIENCE INC.2001: 85A-85A
 - **Safety and efficacy of high pressure retrograde cardiac venous injection. Implications for regional myocardial delivery**
Herity, N. A., Fearon, W., Hiatt, B. L., Rezaee, M., Suzuki, T., Lee, D. P., Yeung, A. C., Carter, A. J., Fitzgerald, P. J., Yock, P. G. ELSEVIER SCIENCE INC.2001: 6A-6A
 - **Intravascular ultrasound - Novel pathophysiological insights and current clinical applications** *CIRCULATION*
Nissen, S. E., Yock, P. 2001; 103 (4): 604-616
 - **Impact of plaque burden on subsequent intimal proliferation and remodeling of the stented coronary arteries following intracoronary beta-radiation therapy.** *Cardiovascular radiation medicine*
Okura, Lee, Yeung, OESTERLE, Waksman, Kaluza, Ali, Yock, Raizner, Fitzgerald 2001; 2 (1): 57-?

- **The effect of intracoronary gamma-radiation therapy for in-stent restenosis: an intravascular ultrasound study.** *Cardiovascular radiation medicine*
Limpijankit, HONDA, Mehran, Waksman, Lansky, MINTZ, Yock, Fitzgerald
2001; 2 (1): 54-?
- **Longitudinal plaque redistribution during stent expansion** *AMERICAN JOURNAL OF CARDIOLOGY*
Maehara, A., Takagi, A., Okura, H., Hassan, A. H., Bonneau, H. N., Honda, Y., Yock, P. G., Fitzgerald, P. J.
2000; 86 (10): 1069-1072
- **Selective regional myocardial infiltration by the percutaneous coronary venous route: A novel technique for local drug delivery** *CATHETERIZATION AND CARDIOVASCULAR INTERVENTIONS*
Herity, N. A., Lo, S. T., Oei, F., Lee, D. P., Ward, M. R., Filardo, S. D., Hassan, A., Suzuki, T., Rezaee, M., Carter, A. J., Yock, P. G., Yeung, A. C., Fitzgerald, et al
2000; 51 (3): 358-363
- **Use of fractional myocardial flow reserve to assess the functional significance of intermediate coronary stenoses** *AMERICAN JOURNAL OF CARDIOLOGY*
Fearon, W. F., Takagi, A., Jeremias, A., Yeung, A. C., Joye, J. D., Cohen, D. J., Chou, T. M., Kern, M. J., Yock, P. G.
2000; 86 (9): 1013-1014
- **Effects of post intervention atherosclerotic plaque burden on neointimal proliferation**
Hibi, K., Honda, Y., Suzuki, T., Hayase, M., Suzuki, T., Hosokawa, H., Yeung, A. C., Yock, P. G.
LIPPINCOTT WILLIAMS & WILKINS.2000: 690-?
- **TGF-beta 1 signaling inhibition by a rationally designed HIV TAT-Smad7 fusion protein that causes inhibitory Smad7 translocation**
Lee, F. H., Hostetter, D. R., Zhang, Y., Tan, J. L., DiChiara, M. R., Spudich, J. A., Carter, A. J., Yeung, A. C., Yock, P. G., Cooke, J. P., Topper, J. N.
LIPPINCOTT WILLIAMS & WILKINS.2000: 41-41
- **Pre-intervention arterial remodeling impacts clinical outcome following stenting: An intravascular ultrasound study**
Okura, H., Morino, Y., Ward, M. R., Yock, P. G.
LIPPINCOTT WILLIAMS & WILKINS.2000: 637-37
- **Feasibility of a novel blood noise reduction algorithm to enhance reproducibility of ultra-high-frequency intravascular ultrasound images** *CIRCULATION*
Hibi, K., Takagi, A., Zhang, X. M., Teo, T. J., Bonneau, H. N., Yock, P. G., Fitzgerald, P. J.
2000; 102 (14): 1657-1663
- **Tissue characterization of atherosclerotic plaques by intravascular ultrasound radiofrequency signal analysis: An in vitro study of human coronary arteries** *AMERICAN HEART JOURNAL*
Komiyama, N., Berry, G. J., Kolz, M. L., Oshima, A., Metz, J. A., Preuss, P., Briskin, A. F., Moore, M. P., Yock, P. G., Fitzgerald, P. J.
2000; 140 (4): 565-574
- **Adequacy of intracoronary versus intravenous adenosine-induced maximal coronary hyperemia for fractional flow reserve measurements** *AMERICAN HEART JOURNAL*
Jeremias, A., Whitbourn, R. J., Filardo, S. D., Fitzgerald, P. J., Cohen, D. J., Tuzcu, M., Anderson, W. D., Abizaid, A. A., Mintz, G. S., Yeung, A. C., Kern, M. J., Yock, P. G.
2000; 140 (4): 651-657
- **Sirolimus (rapamycin) halts and reverses progression of allograft vascular disease in non-human primates** *TRANSPLANTATION*
Ikonen, T. S., Gummert, J. F., Hayase, M., Honda, Y., Hausen, B., Christians, U., Berry, G. J., Yock, P. G., Morris, R. E.
2000; 70 (6): 969-975
- **Spatial orientation of atherosclerotic plaque in non-branching coronary artery segments** *ATHEROSCLEROSIS*
Jeremias, A., Huegel, H., Lee, D. P., Hassan, A., Wolf, A., Yeung, A. C., Yock, P. G., Fitzgerald, P. J.
2000; 152 (1): 209-215
- **Coronary artery compliance and adaptive vessel remodelling in patients with stable and unstable coronary artery disease** *HEART*
Jeremias, A., Spies, C., Herity, N. A., Pomerantsev, E., Yock, P. G., Fitzgerald, P. J., Yeung, A. C.
2000; 84 (3): 314-319
- **Multidimensional assessment of graft vascular disease (GVD) in aortic grafts by serial intravascular ultrasound in rhesus monkeys** *TRANSPLANTATION*
Ikonen, T. S., Briffa, N., Gummert, J. F., Honda, Y., Hayase, M., Hausen, B., Billingham, M. E., Yock, P. G., Robbins, R. C., Morris, R. E.
2000; 70 (3): 420-429

- **Final results of the Can Routine Ultrasound Influence Stent Expansion (CRUISE) study** *CIRCULATION*
Fitzgerald, P. J., Oshima, A., Hayase, M., Metz, J. A., Bailey, S. R., Baim, D. S., Cleman, M. W., DEUTSCH, E., Diver, D. J., Leon, M. B., Moses, J. W., Oesterle, S. N., Overlie, et al
2000; 102 (5): 523-530
- **Intravascular sonotherapy (IST) reduces intimal hyperplasia in stented swine coronary arteries (CA)**
Moore, M. P., Virmani, R., Kuntz, R., Fitzgerald, P. J., Corl, P. D., Kolodgie, F. D., Nassi, M., Yock, P. G.
OXFORD UNIV PRESS.2000: 374–374
- **Effects of a change in gender on coronary arterial size. A longitudinal intravascular ultrasound study in transplant recipients**
Herity, N. A., Lo, S. T., Ward, M. R., Lee, D. P., Filardo, S. D., Hunt, S. A., Yock, P. G., Fitzgerald, P. J., Yeung, A. C.
OXFORD UNIV PRESS.2000: 383–383
- **Automated contour detection for high-frequency intravascular ultrasound imaging: A technique with blood noise reduction for edge enhancement** *ULTRASOUND IN MEDICINE AND BIOLOGY*
Takagi, A., Hibi, K., Zhang, X. M., Teo, T. J., Bonneau, H. N., Yock, P. G., Fitzgerald, P. J.
2000; 26 (6): 1033-1041
- **Comparison of coronary stent expansion by intravascular ultrasonic imaging in younger versus older patients with diabetes mellitus** *AMERICAN JOURNAL OF CARDIOLOGY*
Gilutz, H., Russo, R. J., Tsameret, I., Fitzgerald, P. J., Yock, P. G.
2000; 85 (5): 559-562
- **Feasibility of the percutaneous coronary venous approach for local drug delivery to the myocardium**
Herity, N. A., Lo, S. T., Oei, F., Lee, D. P., Ward, M. R., Filardo, S. D., Hassan, A., Suzuki, T., Yock, P. G., Yeung, A. C., Fitzgerald, P. J.
ELSEVIER SCIENCE INC.2000: 60A–61A
- **Incomplete stent apposition as determined by post-procedure intravascular ultrasound does not effect clinical outcome after elective coronary stent placement: A report from AVID and CRUISE**
Maehara, A., Apostol, J. C., Attubato, M. J., Davidson, C. J., DeFranco, A. C., Hermiller, J. B., Iaffaldano, R. A., Leon, M. B., Weissman, N. J., Ling, F. S., SMITH, G. J., Teirstein, P. S., Yock, et al
ELSEVIER SCIENCE INC.2000: 45A–45A
- **Impact of coronary debulking prior to stenting versus conventional stenting on early outcome: Initial IVUS findings**
Hibi, K., Aizawa, T., Honda, Y., Asakura, Y., Tanaka, S., Uchiyama, T., Matsubara, T., Handen, C. E., Yock, P. G., Tamai, H., Fitzgerald, P. J.
ELSEVIER SCIENCE INC.2000: 94A–94A
- **Intravascular sonotherapy impacts neointimal hyperplasia following stent implantation in swine femoral arteries**
Fitzgerald, P. J., Moore, M. P., Hayase, M., Takagi, A., Kolodgie, F. D., Cori, D., Nassi, M., Virmani, R., Yock, P. G.
ELSEVIER SCIENCE INC.2000: 28A–29A
- **Intracardiac venous system as a novel conduit for local drug delivery**
Rezaee, M., Lo, S. T., Bailey, L., Suzuki, T., Lee, D. P., Yock, P. G., Fitzgerald, P. J., Yeung, A. C., Stertzer, S., Carter, A.
ELSEVIER SCIENCE INC.2000: 6A–6A
- **Impact of different definitions on the interpretation of coronary remodeling by intravascular ultrasound**
Hibi, K., Fitzgerald, P. J., Jeremias, A., Suzuki, T., Honda, Y., Ward, H. R., Okura, H., Maehara, A., Yeung, A. C., Yock, P. G.
ELSEVIER SCIENCE INC.2000: 59A–59A
- **Effects of intravenous and intracoronary adenosine 5'-triphosphate as compared with adenosine on coronary flow and pressure dynamics** *CIRCULATION*
Jeremias, A., Filardo, S. D., Whitbourn, R. J., Kernoff, R. S., Yeung, A. C., Fitzgerald, P. J., Yock, P. G.
2000; 101 (3): 318-323
- **Efficacies of sirolimus (rapamycin) and cyclosporine in allograft vascular disease in non-human primates: trough levels of sirolimus correlate with inhibition of progression of arterial intimal thickening.** *Transplant international*
Ikonen, T. S., Gummert, J. F., Serkova, N., Hayase, M., Honda, Y., Kobayase, Y., Hausen, B., Yock, P. G., Christians, U., Morris, R. E.
2000; 13: S314-20
- **Practice and potential pitfalls of coronary pressure measurement** *CATHETERIZATION AND CARDIOVASCULAR INTERVENTIONS*
Pijls, N. H., Kern, M. J., Yock, P. G., De Bruyne, B.

2000; 49 (1): 1-16

- **Feasibility of in vivo intravascular ultrasound tissue characterization in the detection of early vascular transplant rejection** *CIRCULATION*
Jeremias, A., Kolz, M. L., Ikonen, T. S., Gummert, J. F., Oshima, A., Hayase, M., Honda, Y., Komiyama, N., Berry, G. J., Morris, R. E., Yock, P. G., Fitzgerald, P. J.
1999; 100 (21): 2127-2130
- **Can the fractional flow reserve be reliably measured by contrast induced hyperemia?**
Filardo, S. D., Jeremias, A., Lee, D. P., Lo, S. T., Herity, N. A., Ward, M. R., Yeung, A. C., Yock, P. G.
LIPPINCOTT WILLIAMS & WILKINS.1999: 454-54
- **Intravascular ultrasound volumetric assessment of intimal hyperplasia in stents treated with intracoronary radiation** *AMERICAN JOURNAL OF CARDIOLOGY*
Limpijankit, T., Waksman, P., Yock, P. G., Fitzgerald, P. J.
1999; 84 (7): 850-?
- **Impact of deep vessel wall injury on vessel remodeling following balloon angioplasty.**
Shimodozono, S., Okura, H., Hayase, M., Kobayashi, T., Sano, K., Hirayama, H., Matsushita, T., Kondo, T., Kajima, M., Aizawa, T., Hosokawa, H., Suzuki, T., Yamaguchi, et al
EXCERPTA MEDICA INC-ELSEVIER SCIENCE INC.1999: 116P-116P
- **Ultrasound logic: The value of intracoronary imaging for the interventionalist** *CATHETERIZATION AND CARDIOVASCULAR INTERVENTIONS*
Oesterle, S. N., Limpijankit, T., Yeung, A. C., Stertzer, S., Pomerantsev, E., Yock, P. G., Fitzgerald, P. J.
1999; 47 (4): 475-490
- **New Approaches and Conduits: In Situ Venous Arterialization and Coronary Artery Bypass.** *Current interventional cardiology reports*
Fitzgerald, Hayase, Yeung, Virmani, Robbins, Burkhoff, Makower, Yock, OESTERLE
1999; 1 (2): 127-137
- **The progression of thrombus in an ex-vivo shunt model evaluated by intravascular ultrasound radiofrequency analysis** *ULTRASOUND IN MEDICINE AND BIOLOGY*
Komiyama, N., Chronos, N. A., Uren, N. G., Moore, M. P., Kelly, A. B., Harker, L. A., Hanson, S. R., Metz, J. A., Yock, P. G., Fitzgerald, P. J.
1999; 25 (4): 561-566
- **Analysis of the relation between stent implantation pressure and expansion** *AMERICAN JOURNAL OF CARDIOLOGY*
Stone, G. W., St Goar, F. G., HODGSON, J. M., Fitzgerald, P. J., Alderman, E. L., Yock, P. G., Coverdale, J., Sheehan, H., Linnemeier, T. J.
1999; 83 (9): 1397-?
- **Chronic rejection in non-human primates: Sirolimus (rapamycin), but not cyclosporin, prevents graft vascular disease (GVD) in aortic allografts alter acute rejection.**
Ikonen, T. S., Gummert, J. F., Hayase, M., Honda, Y., Kobayashi, Y., Christians, U., Hausen, B. A., Berry, G. J., Yock, P. G., Morris, R. E.
LIPPINCOTT WILLIAMS & WILKINS.1999: S252-S252
- **Impact of residual plaque burden on clinical outcomes of coronary interventions** *CATHETERIZATION AND CARDIOVASCULAR INTERVENTIONS*
Honda, Y., Yock, P. G., Fitzgerald, P. J.
1999; 46 (3): 265-276
- **Development of models of graft vascular disease in nonhuman primates: Evaluation of GVD by intravascular ultrasound in a new cynomolgus model with arterial allograft exchange** *XVIIth World Congress of the Transplantation-Society*
Ikonen, T. S., Gummert, J. F., Honda, Y., Hayase, M., Perloth, J., Hausen, B., Barlow, C., Fitzgerald, P., Yock, P. G., Morris, R. E.
ELSEVIER SCIENCE INC.1999: 687-87
- **A new large-animal model for research of graft vascular disease** *3rd International Conference on New Trends in Clinical and Experimental Immunosuppression*
Gummert, J. F., Ikonen, T., Briffa, N., Honda, Y., Hayase, M., Perloth, J., Kobayashi, Y., Hausen, B., Barlow, C., Billingham, M. E., Fitzgerald, P., Yock, P. G., Robbins, et al
ELSEVIER SCIENCE INC.1998: 4023-23
- **In vivo intravascular ultrasound tissue characterization for the early detection of allograft rejection**
Jeremias, A., Kolz, M. L., Oshima, A., Ikonen, T. S., Gummert, J. F., Hayase, M., Honda, Y., Berry, G. J., Morris, R. E., Yock, P. G., Fitzgerald, P. J.
LIPPINCOTT WILLIAMS & WILKINS.1998: 691-91

- **Vessel remodeling at the margins of self-expandable stents and balloon-expandable stents: A serial intravascular ultrasound study**
Kobayashi, Y., Teirstein, P. S., Bailey, S. R., Brown, C. L., Christie, L. G., Matthews, R. V., De Franco, A. C., Handen, C. E., Yock, P. G., Fitzgerald, P. J.
LIPPINCOTT WILLIAMS & WILKINS.1998: 368–69
- **Sirolimus (rapamycin) reverses the progression of graft vascular disease in primate aortic allografts**
Ikonen, T. S., Gummert, J. F., Honda, Y., Hayase, M., Kobayashi, Y., Hausen, B., Barlow, C. W., Perloth, J. D., Berry, G. J., Yock, P. G., Morris, R. E.
LIPPINCOTT WILLIAMS & WILKINS.1998: 751–51
- **Coronary stents: In vitro aspects of an angiographic and ultrasound quantification with in vivo correlation.** *Circulation*
Pomerantsev, E. V., Kobayashi, Y., Fitzgerald, P. J., Grube, E., Sanders, W. J., Alderman, E. L., Oesterle, S. N., Yock, P. G., Stertz, S. H.
1998; 98 (15): 1495-1503
- **In vitro aspects of an angiographic and ultrasound quantification with in vivo correlation** *CIRCULATION*
Pomerantsev, E. V., Kobayashi, Y., Fitzgerald, P. J., Grube, E., Sanders, W. J., Alderman, E. L., Oesterle, S. N., Yock, P. G., Stertz, S. H.
1998; 98 (15): 1495-1503
- **The stent decade: 1987 to 1997** *AMERICAN HEART JOURNAL*
Oesterle, S. N., Whitbourn, R., Fitzgerald, P. J., Yeung, A. C., Stertz, S. H., Dake, M. D., Yock, P. G., Virmani, R.
1998; 136 (4): 578-599
- **The future of minimally invasive myocardial revascularization: A cardiologist's view** *JOURNAL OF CARDIAC SURGERY*
Yock, P. G.
1998; 13 (4): 310-315
- **Enhancement of spatial orientation of intravascular ultrasound images with side holes in guiding catheters** *AMERICAN HEART JOURNAL*
Schwarzacher, S. P., Fitzgerald, P. J., Metz, J. A., Yeung, A. C., Oesterle, S. N., Belef, M., Kernoff, R. S., Yock, P. G.
1998; 135 (6): 1063-1066
- **Intravascular ultrasound: State of the art and future directions** *9th Annual Transcatheter Cardiovascular Therapeutics Symposium*
Yock, P. G., Fitzgerald, P. J.
EXCERPTA MEDICA INC-ELSEVIER SCIENCE INC.1998: 27E–32E
- **'Optimal' directional coronary atherectomy - Final results of the Optimal Atherectomy Restenosis Study (OARS)** *CIRCULATION*
Simonton, C. A., Leon, M. B., Baim, D. S., Hinohara, T., Kent, K. M., Bersin, R. M., Wilson, B. H., Mintz, G. S., Fitzgerald, P. J., Yock, P. G., Popma, J. J., Ho, K. K., Cutlip, et al
1998; 97 (4): 332-339
- **Self-expandable stent versus balloon-expandable stent: A serial volumetric analysis by intravascular ultrasound**
Kobayashi, Y., Teirstein, P. S., Bailey, S. R., Brown, C. L., Christie, L. G., Matthews, R. V., Schwartz, R. S., De Franco, A. C., Handen, C. E., Yock, P. G., Fitzgerald, P. J.
ELSEVIER SCIENCE INC.1998: 396A–396A
- **Impaired vascular distensibility prior to intimal proliferation in transplant vasculopathy**
Honda, Y., Perloth, D. J., Hayase, M., Briffa, N. P., Ikonen, T. S., Gummert, J. F., Kobayashi, Y., Barlow, C., Hausen, B., Fitzgerald, P. J., Robbins, R. C., Yock, P. G., Morris, et al
ELSEVIER SCIENCE INC.1998: 223A–223A
- **Orientation of intracoronary ultrasonography: Looking beyond the artery** *JOURNAL OF THE AMERICAN SOCIETY OF ECHOCARDIOGRAPHY*
Fitzgerald, P. J., Yock, C., Yock, P. G.
1998; 11 (1): 13-19
- **Quantitative coronary angiographic and intravascular ultrasound assessment of a new nonarticulated stent: Report from the advanced cardiovascular systems MultiLink stent pilot study** *JOURNAL OF THE AMERICAN COLLEGE OF CARDIOLOGY*
Carrozza, J. P., Hermiller, J. B., Linnemeier, T. J., Popma, J. J., Yock, P. G., Roubin, G. S., Dean, L. S., Kuntz, R. E., Robertson, L., Ho, K. K., Cutlip, D. E., Baim, D. S.
1998; 31 (1): 50-56
- **Geometric expansion in a self-expandable stent and a balloon-expandable stent: Interim results from the IVUS substudy of the SCORES trial**
Kobayashi, Y., Mukai, S., Brown, C. L., Christie, L. G., Bailey, S. R., Matthews, R. V., Schwartz, R. S., DeFranco, A. C., Handen, C. E., Yock, P. G., Fitzgerald, P. J.

LIPPINCOTT WILLIAMS & WILKINS.1997: 3266–66

- **Inadequate stent expansion in young diabetics: An intravascular ultrasound study.**
Gilutz, H. Y., Yock, P. G., Tzamert, I., Teirstein, P. S., Nicosia, A., Russo, R. J.
LIPPINCOTT WILLIAMS & WILKINS.1997: 1231–31
- **Validation of volumetric intravascular ultrasound algorithms: Analysis of phantom coronary arteries**
Perlroth, J. D., Mukai, S., Zhao, H. Q., Fitzgerald, P. J., Yock, P. G.
EXCERPTA MEDICA INC.1997: TC206–TC206
- **Coronary AVE micro stents: Serial quantitative angiography and histology in a canine model** *CATHETERIZATION AND CARDIOVASCULAR DIAGNOSIS*
Pomerantsev, E. V., Kim, C., Kernoff, R. S., Oesterle, S. N., Yeung, A., Fitzgerald, P. J., Virmani, R., Yock, P. G., Stertzer, S. H.
1997; 41 (2): 213-224
- **Clinical use of intravascular ultrasound.** *Seminars in interventional cardiology : SIIC*
Schwarzacher, S. P., Fitzgerald, P. J., Yock, P. G.
1997; 2 (1): 1-9
- **Intravascular ultrasound: basic interpretation.** *Cardiology clinics*
Metz, J. A., Yock, P. G., Fitzgerald, P. J.
1997; 15 (1): 1-15
- **Accuracy of Doppler catheter measurements: Effect of inhomogeneous beam power distribution on mean and peak velocity** *JOURNAL OF THE AMERICAN COLLEGE OF CARDIOLOGY*
DeNardo, S. J., Talbot, L., HARGRAVE, V. K., Selfridge, A. R., Ports, T. A., Yock, P. G.
1997; 29 (2): 283-292
- **IVUS findings in angiographically optimized stents in native vessels and vein grafts: Lessons from the AVID study**
Nicosia, A., Russo, R. J., Yock, P. G.
ELSEVIER SCIENCE INC.1997: 99445–45
- **Fractional vs coronary flow reserve: Comparison of guidewire-based measurements of coronary stenosis**
Uren, N. G., Schwarzacher, S. P., Whitbourn, R., Hayase, M., Kernoff, R. S., Yeung, A., Fitzgerald, P. J., Yock, P. G.
ELSEVIER SCIENCE INC.1997: 42150–50
- **Quantitative coronary angiographic analysis of spasm and elastic recoil after high speed rotational atherectomy** *JOURNAL OF INTERVENTIONAL CARDIOLOGY*
Pomerantsev, E. V., Fitzgerald, P. J., Shaw, R. E., Walton, A. S., Sanders, W. J., Yeung, A., Yock, P. G., Oesterle, S. N., Stertzer, S. H.
1997; 10 (1): 29-40
- **Impact of curve distortion errors on intravascular ultrasound measurements and three-dimensional reconstructions** *AMERICAN JOURNAL OF CARDIOLOGY*
Schwarzacher, S. P., Honda, Y., Metz, J. A., Asvar, C. A., Fitzgerald, P. J., Yock, P. G.
1997; 79 (3): 384-?
- **Vessel tearing at the edge of intracoronary stents detected with intravascular ultrasound imaging** *CATHETERIZATION AND CARDIOVASCULAR DIAGNOSIS*
Schwarzacher, S. P., Metz, J. A., Yock, P. G., Fitzgerald, P. J.
1997; 40 (2): 152-155
- **Validation of automated border detection in intravascular ultrasound images** *ECHOCARDIOGRAPHY-A JOURNAL OF CARDIOVASCULAR ULTRASOUND AND ALLIED TECHNIQUES*
Hausmann, D., Friedrich, G., Soni, B., Daniel, W. G., Fitzgerald, P. J., Yock, P. G.
1996; 13 (6): 599-607
- **Volumetric plaque load and resistive vessel function in transplant vasculopathy**
Uren, N. G., Schwarzacher, S. P., Kim, C. B., Oesterle, S. N., Schwarzkopf, A., Yock, P. G., Yeung, A. C.
LIPPINCOTT WILLIAMS & WILKINS.1996: 1690–90
- **Intravascular stenting changes vascular distensibility and upregulates nitric oxide activity**
Schwarzacher, S. P., Niebauer, J., Hayase, M., Uren, N. G., Tsao, P., Yock, P. G., Yeung, A. C.

LIPPINCOTT WILLIAMS & WILKINS.1996: 1526-26

- **Angiographically silent atherosclerosis detected by intravascular ultrasound in patients with familial hypercholesterolemia and familial combined hyperlipidemia: Correlation with high density lipoproteins** *JOURNAL OF THE AMERICAN COLLEGE OF CARDIOLOGY*
Hausmann, D., Johnson, J. A., Sudhir, K., Mullen, W. L., Friedrich, G., Fitzgerald, P. J., Chou, T. M., Ports, T. A., Kane, J. P., Malloy, M. J., Yock, P. G.
1996; 27 (7): 1562-1570
- **High-speed rotational atherectomy: Six-month serial quantitative coronary angiographic follow-up** *AMERICAN HEART JOURNAL*
Stertz, S. H., Pomerantsev, E. V., Fitzgerald, P. J., Yock, P. G., Yeung, A. C., Shaw, R. E., Walton, A. S., Singer, A. H., Sanders, W. J., Oesterle, S. N.
1996; 131 (4): 639-648
- **Ultrasound-guided atherectomy: The vision for the future?** *CORONARY ARTERY DISEASE*
Yock, P. G., Yock, C. A., Fitzgerald, P. J.
1996; 7 (4): 299-303
- **In vitro quantification of radiofrequency ablation lesion size using intracardiac echocardiography in dogs** *AMERICAN JOURNAL OF CARDIOLOGY*
Kalman, J. M., Jue, J., Sudhir, K., Fitzgerald, P., Yock, P., Lesh, M. D.
1996; 77 (2): 217-219
- **Validation of Automated Border Detection in Intravascular Ultrasound Images.** *Echocardiography (Mount Kisco, N.Y.)*
Hausmann, D., Friedrich, G., Soni, B., Daniel, W. G., Fitzgerald, P. J., Yock, P. G.
1996; 13 (6): 599-608
- **Effects of technique modification on immediate results of high speed rotational atherectomy in 710 procedures on 656 patients** *CATHETERIZATION AND CARDIOVASCULAR DIAGNOSIS*
Stertz, S. H., Pomerantsev, E. V., Fitzgerald, P. J., Shaw, R. E., Walton, A. S., Singer, A. H., Yeung, A., Yock, P. G., Oesterle, S. N.
1995; 36 (4): 304-310
- **SIGNIFICANCE OF EDGE TEARS IN CORONARY STENTING - INITIAL OBSERVATIONS FROM THE STRUT REGISTRY**
Metz, J. A., Mooney, M. R., WALTER, P. D., Dorros, G., POMERANTSEV, E. L., Akin, J. J., Schwarzacher, S. P., MacIsaac, A. I., Oesterle, S. N., Yeung, A. C., Yock, P. G., Fitzgerald, P. J.
LIPPINCOTT WILLIAMS & WILKINS.1995: 2606-
- **INTRAMURAL DELIVERY OF AGENT VIA A DRUG-DELIVERY SLEEVE - HISTOLOGICAL AND FUNCTIONAL-EVALUATION** *CIRCULATION*
Moura, A., Lam, J. Y., Hebert, D., KERMODE, J. R., GRANT, G. W., Robitaille, D., Klein, E. J., Yock, P. G., Simpson, J. B., Kaplan, A. V.
1995; 92 (8): 2299-2305
- **MECHANISMS OF ESTROGEN-INDUCED VASODILATION - IN-VIVO STUDIES IN CANINE CORONARY CONDUCTANCE AND RESISTANCE ARTERIES** *JOURNAL OF THE AMERICAN COLLEGE OF CARDIOLOGY*
Sudhir, K., Chou, T. M., Mullen, W. L., Hausmann, D., Collins, P., Yock, P. G., Chatterjee, K.
1995; 26 (3): 807-814
- **CONTRIBUTION OF ENDOTHELIUM-DERIVED NITRIC-OXIDE TO CORONARY ARTERIAL DISTENSIBILITY - AN IN-VIVO 2-DIMENSIONAL INTRAVASCULAR ULTRASOUND STUDY** *AMERICAN HEART JOURNAL*
Sudhir, K., Mullen, W. L., Hausmann, D., Fitzgerald, P. J., Chou, T. M., Yock, P. G., Chatterjee, K.
1995; 129 (4): 726-732
- **DESIGN AND INITIAL TESTING OF AN ULTRASOUND-GUIDED DIRECTIONAL ATHERECTOMY DEVICE** *AMERICAN HEART JOURNAL*
Fitzgerald, P. J., Belef, M., Connolly, A. J., Sudhir, K., Yock, P. G.
1995; 129 (3): 593-598
- **INCREASED PREVALENCE OF CORONARY ECTASIA IN HETEROZYGOUS FAMILIAL HYPERCHOLESTEROLEMIA** *CIRCULATION*
Sudhir, K., Ports, T. A., Amidon, T. M., Goldberger, J. J., Bhushan, V., Kane, J. P., Yock, P., Malloy, M. J.
1995; 91 (5): 1375-1380
- **CYCLOSPORINE IMPAIRS RELEASE OF ENDOTHELIUM-DERIVED RELAXING FACTORS IN EPICARDIAL AND RESISTANCE CORONARY-ARTERIES** *CIRCULATION*
Sudhir, K., MacGregor, J. S., DeMarco, T., DEGROOT, C. J., Taylor, R. N., Chou, T. M., Yock, P. G., Chatterjee, K.
1994; 90 (6): 3018-3023

- **LUMEN AND PLAQUE SHAPE IN ATHEROSCLEROTIC CORONARY-ARTERIES ASSESSED BY IN-VIVO INTRACORONARY ULTRASOUND** *AMERICAN JOURNAL OF CARDIOLOGY*
Hausmann, D., LUNDKVIST, A. J., Friedrich, G., Sudhir, K., Fitzgerald, P. J., Yock, P. G.
1994; 74 (9): 857-863
- **INTRACARDIAC ECHOCARDIOGRAPHY DURING RADIOFREQUENCY CATHETER ABLATION OF CARDIAC-ARRHYTHMIAS IN HUMANS** *JOURNAL OF THE AMERICAN COLLEGE OF CARDIOLOGY*
Chu, E., Kalman, J. M., KWASMAN, M. A., JUE, J. C., Fitzgerald, P. J., Epstein, L. M., Schiller, N. B., Yock, P. G., Lesh, M. D.
1994; 24 (5): 1351-1357
- **INTRACORONARY ULTRASOUND IMAGING - INTRAOBSERVER AND INTEROBSERVER VARIABILITY OF MORPHOMETRIC MEASUREMENTS** *AMERICAN HEART JOURNAL*
Hausmann, D., LUNDKVIST, A. J., Friedrich, G. J., Mullen, W. L., Fitzgerald, P. J., Yock, P. G.
1994; 128 (4): 674-680
- **DETECTION OF INTRALESIONAL CALCIUM BY INTRACORONARY ULTRASOUND DEPENDS ON THE HISTOLOGIC PATTERN** *AMERICAN HEART JOURNAL*
Friedrich, G. J., MOES, N. Y., MUHLBERGER, V. A., Gabl, C., Mikuz, G., Hausmann, D., Fitzgerald, P. J., Yock, P. G.
1994; 128 (3): 435-441
- **MEASUREMENT OF VOLUMETRIC CORONARY BLOOD-FLOW BY SIMULTANEOUS INTRAVASCULAR 2-DIMENSIONAL AND DOPPLER ULTRASOUND - VALIDATION IN AN ANIMAL-MODEL** *AMERICAN HEART JOURNAL*
Chou, T. M., Sudhir, K., Iwanaga, S., Chatterjee, K., Yock, P. G.
1994; 128 (2): 237-243
- **EFFECT OF STENOSIS INLET GEOMETRY ON SHEAR RATES OF BLOOD-FLOW IN THE UPSTREAM REGION** *AMERICAN HEART JOURNAL*
DeNardo, S. J., Yamada, E. G., HARGRAVE, V. K., Yock, P. G.
1993; 125 (2): 350-356
- **INTRACORONARY ULTRASOUND SCANNING - CLINICAL-EXPERIENCE AND NEW INSIGHTS** *10TH SYMP ON ECHOCARDIOLOGY : INTRAVASCULAR ULTRASOUND*
Yock, P. G., Fitzgerald, P. J., Sudhir, K.
KLUWER ACADEMIC PUBL.1993: 17-32
- **RECENT ADVANCES IN INTRAVASCULAR ULTRASOUND - TISSUE CHARACTERIZATION AND 3-DIMENSIONAL RECONSTRUCTION** *8TH INTERNATIONAL CONGRESS ECHOCARDIOGRAPHY*
Sudhir, K., Fitzgerald, P. J., Yock, P. G.
ELSEVIER SCIENCE PUBL B V.1993: 11-18
- **Intravascular ultrasound imaging of blood: the effect of hematocrit and flow on backscatter.** *Journal of the American Society of Echocardiography*
Yamada, E. G., Fitzgerald, P. J., Sudhir, K., HARGRAVE, V. K., Yock, P. G.
1992; 5 (4): 385-392
- **DIFFERENTIATION OF ABNORMAL-BLOOD FLOW PATTERNS IN CORONARY-ARTERIES BASED ON DOPPLER CATHETER RECORDINGS** *ANGIOLOGY*
DeNardo, S. J., Yock, P. G., HARGRAVE, V. K., SREBRO, J. P., Ports, T. A., Talbot, L.
1991; 42 (9): 711-725
- **ASSESSMENT OF SEVERITY OF CORONARY STENOSES USING A DOPPLER CATHETER - VALIDATION OF A METHOD BASED ON THE CONTINUITY EQUATION** *CIRCULATION*
Johnson, E. L., Yock, P. G., HARGRAVE, V. K., SREBRO, J. P., Manubens, S. M., Seitz, W., Ports, T. A.
1989; 80 (3): 625-635
- **VALUE OF COLOR DOPPLER ESTIMATION OF REGURGITANT VOLUME IN PATIENTS WITH CHRONIC AORTIC-INSUFFICIENCY** *AMERICAN HEART JOURNAL*
Bouchard, A., Yock, P., Schiller, N. B., BLUMLEIN, S., Botvinick, E. H., Greenberg, B., Cheitlin, M., Massie, B. M.
1989; 117 (5): 1099-1105
- **DOPPLER ECHOCARDIOGRAPHIC DETERMINATION OF THE PRESSURE-GRADIENT IN HYPERTROPHIC CARDIOMYOPATHY** *JOURNAL OF THE AMERICAN COLLEGE OF CARDIOLOGY*
Sasson, Z., Yock, P. G., Hatle, L. K., Alderman, E. L., Popp, R. L.

1988; 11 (4): 752-756

- **DOPPLER ECHOCARDIOGRAPHIC MEASUREMENT OF AORTIC-VALVE AREA IN AORTIC-STENOSIS - A NONINVASIVE APPLICATION OF THE GORLIN FORMULA** *JOURNAL OF THE AMERICAN COLLEGE OF CARDIOLOGY*

Teirstein, P., Yeager, M., Yock, P. G., Popp, R. L.

1986; 8 (5): 1059-1065

- **PATTERNS AND TIMING OF DOPPLER-DETECTED INTRACAVITARY AND AORTIC FLOW IN HYPERTROPHIC CARDIOMYOPATHY** *JOURNAL OF THE AMERICAN COLLEGE OF CARDIOLOGY*

Yock, P. G., Hatle, L., Popp, R. L.

1986; 8 (5): 1047-1058

- **THE ACCURACY OF DOPPLER ULTRASOUND MEASUREMENT OF PRESSURE-GRADIENTS ACROSS IRREGULAR, DUAL, AND TUNNEL-LIKE OBSTRUCTIONS TO BLOOD-FLOW** *CIRCULATION*

Teirstein, P. S., Yock, P. G., Popp, R. L.

1985; 72 (3): 577-584